

(12) INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(19) World Intellectual Property
Organization
International Bureau



(43) International Publication Date
10 September 2004 (10.09.2004)

PCT

(10) International Publication Number
WO 2004/075713 A2

(51) International Patent Classification⁷: A61B

(21) International Application Number:
PCT/CA2004/000281

(22) International Filing Date: 26 February 2004 (26.02.2004)

(25) Filing Language: English

(26) Publication Language: English

(30) Priority Data:
60/450,406 26 February 2003 (26.02.2003) US

(71) Applicant (for all designated States except US): MOUNT
SINAI HOSPITAL [CA/CA]; 600 University Avenue,
Room 970, Toronto, Ontario M5G 1X5 (CA).

(72) Inventor; and

(75) Inventor/Applicant (for US only): DIAMANDIS, Eleftherios, P. [CA/CA]; 44 Gerrard Street West, Suite 1504,
Toronto, Ontario M5G 2K2 (CA).

(74) Agent: KURDYDYK, Linda; McCarthy Tetrault, 66
Wellington Street West, Suite 4700, P.O. Box 48, Toronto
Dominion Bank Tower (CA).

(81) Designated States (unless otherwise indicated, for every kind of national protection available): AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BW, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NA, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW.


(84) Designated States (unless otherwise indicated, for every kind of regional protection available): ARIPO (BW, GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW), Eurasian (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European (AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IT, LU, MC, NL, PT, RO, SE, SI, SK, TR), OAPI (BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG).

Published:

— without international search report and to be republished upon receipt of that report

[Continued on next page]

(54) Title: MULTIPLE MARKER ASSAY FOR DETECTION OF OVARIAN CANCER



(57) Abstract: Methods for diagnosing and monitoring ovarian cancer in a subject comprising measuring a plurality of kallikrein polypeptides, and optionally CA125, or nucleic acids encoding the polypeptides in a sample from the subject. The kallikrein polypeptides include kallikrein 5, kallikrein 6, kallikrein 7, kallikrein 8, kallikrein 10 and kallikrein 11.



For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.

TITLE: Multiple Marker Assay for Detection of Ovarian Cancer**FIELD OF THE INVENTION**

The invention relates to compositions, kits, and methods for detecting, characterizing, preventing, and treating ovarian cancer.

5 BACKGROUND OF THE INVENTION

Epithelial ovarian carcinoma is the most common and most lethal of all gynecologic malignancies. Only 30% of ovarian tumors are diagnosed at an early stage (Stage I/II), when survival rates reach 90%. The rest are diagnosed at an advanced stage, with survival rates of less than 20% (Greenlee RT, Hill-Harmon MB, Murray T, et al., 2001. *CA Cancer J Clin* .2001;51:15-36). Currently, the only well-accepted serological marker is CA125, a large glycoprotein of unknown function (Meyer T, Rustin GJ., *Br J Cancer* .2000;82:1535-1538). However, CA125 has limitations as a diagnostic, prognostic and screening tool (Holschneider CH, Berek JS, *Semin Surg Oncol* .2000;19:3-10). Consequently, there is a need to enhance the overall diagnostic/prognostic capability of CA125.

Kallikreins are a subgroup of secreted serine proteases, encoded by highly conserved and tightly clustered multigene families in humans, rats and mice. The human kallikrein gene family resides on chromosome 19q13.4 and is comprised of 15 members, whose genes are designated as *KLK1* to *KLK15* and the corresponding proteins as hK1 to hK15 (Yousef GM, Diamandis EP., *Endocr Rev* .2001;22:184-204; Yousef GM, Chang A, Scorilas A, et al., *Biochem Biophys Res Commun* .2000;276:125-133; Diamandis EP, Yousef GM, Clements J, et al. *Clin Chem* .2000;46:1855-1858). Kallikreins are expressed in a wide variety of tissues and are found in many biological fluids (e.g. cerebrospinal fluid, serum, seminal plasma, milk, etc.) where they are predicted to process specific substrates. Kallikreins may participate in cascade reactions similar to those involved in digestion, fibrinolysis, coagulation, wound healing and apoptosis ((Yousef GM, Diamandis EP., *Endocr Rev* .2001;22:184-204). Many kallikreins have been found to be differentially expressed in endocrine-related malignancies (Diamandis EP, Yousef GM, *Expert Rev. Mol. Diagn* .2001;1:182-190), including prostate (Barry MJ. Clinical practice, *N Engl J Med* .2001;344:1373-1377; Rittenhouse HG, Finlay JA, Mikolajczyk SD, et al., *Crit Rev Clin Lab Sci* .1998;35:275-368; and Yousef GM, Scorilas A, Jung K, et al., *J Biol Chem* .2001;276:53-61), ovarian (Kim H, Scorilas A, Katsaros D, et al., *Br J Cancer* , 2001;84:643-650; Anisowicz A, Sotiropoulou G, Stenman, et al., *Mol Med* .1996;2:624-636; Tanimoto H, Underwood LJ, Shigemasa K, et al., *Cancer* .1999;86:2074-2082; Magklara A, Scorilas A, Katsaros D, et al., *Clin Cancer Res* .2001;7:806-811; Yousef GM, Kyriakopoulou LG, Scorilas A, et al., *Cancer Res* .2001;61:7811-7818; Luo L, Bunting P, Scorilas A, Diamandis EP., *Clin Chim Acta* .2001;306:111-118), breast (Yousef GM, Magklara A, Chang A, et al., *Cancer Res* .2001;61:3425-3431; Yousef GM, Chang A, Diamandis EP; *J Biol Chem* .2000;275:11891-11898; and Yousef GM, Magklara A, Diamandis EP, *Genomics* .2000;69:331-341), and testicular cancer (Luo LY, Rajpert-De Meyts ER, Jung K, et al., 2001;85:220-224). In addition, many kallikrein genes examined thus far are under steroid hormone regulation, implicating a role for kallikreins in endocrine-related tissues (Yousef GM, Diamandis EP., *Endocr Rev.* , 2001;22:184-204). Furthermore, hK6, hK10 and hK11 have been recently identified as novel serological ovarian cancer biomarkers (Luo L, Bunting P, Scorilas A, Diamandis EP., *Clin Chim Acta* .2001;306:111-118 Diamandis EP, Yousef GM, Soosaipillai AR, Bunting P., *Clin Biochem* .2000;33:579-

- 2 -

583, and Diamandis EP, Okui A, Mitsui S, et al., *Cancer Res* .2002;62:295-300).

SUMMARY OF THE INVENTION

The present invention seeks to overcome the drawbacks inherent in the prior art and seeks to provide sensitive and accurate multimarker methods for the detection of ovarian cancer. A plurality of kallikrein polypeptides and polynucleotides encoding the polypeptides, optionally in combination with CA125 and polynucleotides encoding CA125 can have particular application in the detection of ovarian cancer. A plurality of kallikrein markers (i.e. two or more of kallikrein 5, kallikrein 6, kallikrein 7, kallikrein 8, kallikrein 10, and kallikrein 11) and polynucleotides encoding the polypeptides, optionally in combination with CA125 and polynucleotides encoding CA125, constitute biomarkers for the diagnosis, monitoring, progression, treatment, and prognosis of ovarian cancer, and they may be used as biomarkers before surgery or after relapse.

In accordance with the methods of the invention, the presence of levels of markers in a sample can be assessed, for example by detecting the presence in the sample of (a) polypeptides or polypeptide fragments corresponding to the markers; (b) metabolites which are produced directly or indirectly by polypeptides corresponding to the markers; (c) transcribed nucleic acids or fragments thereof having at least a portion with which the markers are substantially identical; and/or (c) transcribed nucleic acids or fragments thereof, wherein the nucleic acids hybridize with the markers.

In an aspect of the invention, a method is provided for detecting ovarian cancer in a patient comprising detecting a plurality of kallikrein polypeptides, optionally in combination with CA125, in a sample from the patient wherein the method provides substantially increased sensitivity compared to methods using CA125 alone. In an embodiment, sensitivity is increased by at least 0.5%, 1%, 2%, 3%, 4%, 5%, 10%, 15%, 20%, 25%, 30%, and 35% compared to using CA125 alone.

In an embodiment, the invention provides a method for detecting a plurality of kallikrein markers, and optionally CA125, associated with ovarian cancer in a patient comprising:

- (a) obtaining a sample from a patient;
- (b) detecting or identifying in the sample kallikrein markers, optionally in combination with CA125, wherein the kallikrein markers comprise or are selected from the group consisting of kallikrein 5, kallikrein 6, kallikrein 7, kallikrein 8, kallikrein 10, and kallikrein 11; and
- (c) comparing the detected amounts with amounts detected for a standard.

The term "detect" or "detecting" includes assaying, assessing, imaging or otherwise establishing the presence or absence of the target kallikrein and CA125 polypeptides or polynucleotides encoding the polypeptides, subunits thereof, or combinations of reagent bound targets, and the like, or assaying for, imaging, ascertaining, establishing, or otherwise determining one or more factual characteristics of ovarian cancer, metastasis, stage, or similar conditions. The term encompasses diagnostic, prognostic, and monitoring applications. The kallikrein polypeptides and CA125 can be detected individually, sequentially, or simultaneously.

According to a method involving kallikrein markers optionally in combination with CA125, the levels in the sample of the kallikrein markers (2, 3, 4, 5, or 6) and optionally CA125, wherein the markers comprise or are selected from kallikrein 5, kallikrein 6, kallikrein 7, kallikrein 8, kallikrein 10, and kallikrein

- 3 -

11, are compared with the normal levels of the kallikrein markers, and optionally CA125, in samples of the same type obtained from controls (e.g. samples from individuals not afflicted with ovarian cancer). Significantly different levels in the sample of the kallikrein markers (and optionally CA125) relative to the normal levels in a control is indicative of ovarian cancer.

5 In an embodiment, the invention provides a method for diagnosing and monitoring ovarian carcinoma in a subject comprising detecting in a sample from the subject kallikrein markers, and optionally CA125, wherein the kallikrein markers comprise or are selected from the group consisting of kallikrein 5, kallikrein 6, kallikrein 7, kallikrein 8, kallikrein 10, and kallikrein 11. The kallikrein markers and CA125 can be detected using antibodies that bind to the kallikrein markers and CA125 or parts thereof.

10 Thus, the invention provides a method of assessing whether a patient is afflicted with or has a predisposition for ovarian cancer, the method comprising comparing:

- (a) levels of kallikrein markers, and optionally CA125, in a sample from the patient, wherein the kallikrein markers comprise kallikrein 5, kallikrein 6, kallikrein 7, kallikrein 8, kallikrein 10, and kallikrein 11; and
- 15 (b) normal levels of kallikrein markers, and optionally CA125, in samples of the same type obtained from control patients not afflicted with ovarian cancer, wherein significantly different levels of the kallikrein markers and optionally CA125, relative to the corresponding normal levels of the kallikrein markers, and optionally CA125, is an indication that the patient is afflicted with ovarian cancer.

20 In an embodiment of a method of assessing whether a patient is afflicted with ovarian cancer (e.g. screening, detection of a recurrence, reflex testing), the method comprises comparing:

- (a) levels of kallikrein markers, and optionally CA125, in a patient sample, wherein the kallikrein markers comprise or are selected from the group consisting of kallikrein 5, kallikrein 6, kallikrein 7, kallikrein 8, kallikrein 10, and kallikrein 11; and
- 25 (b) normal levels of the kallikrein markers, and optionally CA125, in a control non-ovarian cancer sample.

A significant difference between the levels of the kallikrein markers, and optionally CA125, in the patient sample and the normal levels is an indication that the patient is afflicted with ovarian cancer.

30 The invention further relates to a method of assessing the efficacy of a therapy for inhibiting ovarian cancer in a patient. This method comprises comparing:

- (a) levels of kallikrein markers, and optionally CA125, in a first sample obtained from the patient prior to providing at least a portion of the therapy to the patient, wherein the kallikrein markers comprise or are selected from the group consisting of kallikrein 5, kallikrein 6, kallikrein 7, kallikrein 8, kallikrein 10, and kallikrein 11 ; and
- 35 (b) levels of the kallikrein markers, and optionally CA125, in a second sample obtained from the patient following therapy.

A significant difference between the levels of the kallikrein markers, and optionally CA125, in the second sample, relative to the first sample, is an indication that the therapy is efficacious for inhibiting ovarian cancer.

- 4 -

The "therapy" may be any therapy for treating ovarian cancer including but not limited to chemotherapy, immunotherapy, gene therapy, radiation therapy, and surgical removal of tissue. Therefore, the method can be used to evaluate a patient before, during, and after therapy, for example, to evaluate the reduction in tumor burden.

5 In an aspect, the invention provides a method for monitoring the progression of ovarian cancer in a patient, the method comprising:

- (a) detecting in a patient sample at a first time point, kallikrein markers, and optionally CA125, wherein the kallikrein markers comprise or are selected from the group consisting of kallikrein 5, kallikrein 6, kallikrein 7, kallikrein 8, kallikrein 10, and kallikrein 11; and
- 10 (b) repeating step (a) at a subsequent point in time; and
- (c) comparing the levels detected in (a) and (b), and therefrom monitoring the progression of ovarian cancer in the patient.

In another aspect, the invention provides a method for assessing the aggressiveness or indolence of ovarian cancer (e.g. staging), the method comprising comparing:

- 15 (a) levels of kallikrein markers, and optionally CA125, in a patient sample, wherein the kallikrein markers comprise or are selected from the group consisting of kallikrein 5, kallikrein 6, kallikrein 7, kallikrein 8, kallikrein 10, and kallikrein 11; and
- (b) normal levels of the kallikrein markers, and optionally CA125 in a control sample.

A significant difference between the levels in the sample and the normal levels is an indication that
20 the cancer is aggressive or indolent.

The invention provides a method for determining whether ovarian cancer has metastasized or is likely to metastasize in the future, the method comprising comparing:

- (a) levels of kallikrein markers, and optionally CA125, in a patient sample, wherein the kallikrein markers comprise or are selected from the group consisting of kallikrein 5, kallikrein 6, kallikrein 7, kallikrein 8, kallikrein 10, and kallikrein 11; and
- 25 (b) normal levels (or non-metastatic levels) of the kallikrein markers, and optionally CA125, in a control sample.

A significant difference between the levels in the patient sample and the normal levels is an indication that the cancer has metastasized or is likely to metastasize in the future.

30 The invention also provides a method for assessing the potential efficacy of a test agent for inhibiting ovarian cancer in a patient, and a method of selecting an agent for inhibiting ovarian cancer in a patient.

The invention further provides a method of inhibiting ovarian cancer in a patient comprising:

- (a) obtaining a sample comprising cancer cells from the patient;
- 35 (b) separately maintaining aliquots of the sample in the presence of a plurality of test agents;
- (c) comparing levels of kallikrein markers, and optionally CA125, in each of the aliquots, wherein the kallikrein markers comprise or are selected from the group consisting of kallikrein 5, kallikrein 6, kallikrein 7, kallikrein 8, kallikrein 10, and kallikrein 11;
- (d) administering to the patient at least one of the test agents which alters the levels of the

- 5 -

kallikrein markers, and optionally CA125, in the aliquot containing that test agent, relative to other test agents.

The invention also contemplates a method of assessing the ovarian carcinogenic potential of a test compound comprising:

- 5 (a) maintaining separate aliquots of ovarian cells in the presence and absence of the test compound; and
- (b) comparing levels of kallikrein markers, and optionally CA125, in each of the aliquots, wherein the markers comprise or are selected from the group consisting of kallikrein 5, kallikrein 6, kallikrein 7, kallikrein 8, kallikrein 10, and kallikrein 11.

10 A significant difference between the levels of the kallikrein markers, and optionally CA125, in the aliquot maintained in the presence of (or exposed to) the test compound relative to the aliquot maintained in the absence of the test compound, indicates that the test compound possesses ovarian carcinogenic potential.

In preferred embodiments of the methods of the invention, the kallikrein markers comprise a plurality of kallikrein markers, for example, at least three, four, five, or six of the markers. In particular, a
15 plurality of kallikrein markers may be selected from the group consisting of kallikrein 5, kallikrein 7, kallikrein 8, and kallikrein 10, from the group consisting of kallikrein 7, kallikrein 8, kallikrein 10, and kallikrein 11, or from the group consisting of kallikrein 5, kallikrein 6, kallikrein 7, kallikrein 8, kallikrein 10 and kallikrein 11.

Other methods of the invention employ one or more polynucleotides capable of hybridizing to
20 polynucleotides encoding kallikrein markers, and optionally CA125. Methods for detecting polynucleotides encoding a kallikrein markers, and optionally CA125, can be used to monitor ovarian cancer by detecting the nucleic acids.

Thus, the present invention relates to a method for diagnosing and monitoring ovarian cancer in a sample from a subject comprising isolating nucleic acids, preferably mRNA, from the sample; and detecting
25 polynucleotides encoding kallikrein markers, and optionally CA125, in the sample. The presence of different levels of polynucleotides encoding kallikrein markers, and optionally CA125, in the sample compared to a standard or control is indicative of disease, disease stage, and/or prognosis, e.g. longer progression-free and overall survival.

In an embodiment, the invention provides methods for determining the presence or absence of
30 ovarian cancer in a subject comprising (a) contacting a sample obtained from the subject with oligonucleotides that hybridize to polynucleotides encoding kallikrein markers, and optionally CA125; and (b) detecting in the sample levels of nucleic acids that hybridize to the polynucleotides relative to a predetermined cut-off value, and therefrom determining the presence or absence of ovarian cancer in the subject. Within certain embodiments, mRNA is detected via polymerase chain reaction using, for example
35 oligonucleotide primers that hybridize to polynucleotides encoding kallikrein markers, and optionally CA125, or complements of such polynucleotides. Within other embodiments, the amount of mRNA is detected using a hybridization technique, employing oligonucleotide probes that hybridize to polynucleotides encoding kallikrein markers, and optionally CA125, or complements of such polynucleotides.

When using mRNA detection, the method may be carried out by combining isolated mRNA with

- 6 -

reagents to convert to cDNA according to standard methods; treating the converted cDNA with amplification reaction reagents (such as cDNA PCR reaction reagents) in a container along with an appropriate mixture of nucleic acid primers; reacting the contents of the container to produce amplification products; and analyzing the amplification products to detect the presence of polynucleotides encoding kallikrein markers, and optionally CA125, in the sample. For mRNA the analyzing step may be accomplished using Northern Blot analysis to detect the presence of polynucleotides encoding kallikrein markers, and optionally CA125. The analysis step may be further accomplished by quantitatively detecting the presence of polynucleotides encoding kallikrein markers, and optionally CA125, in the amplification product, and comparing the quantity of markers detected against a panel of expected values for the known presence or absence of the kallikrein markers in normal and malignant tissue derived using similar primers.

In embodiments of the methods of the invention, a plurality (eg. three, four, five or six) polynucleotides encoding kallikrein polypeptides are employed. In particular, a plurality of polynucleotides encoding kallikrein markers may be selected from the group consisting of polynucleotides encoding (i) kallikrein 5, kallikrein 7, kallikrein 8, and kallikrein 10; (ii) polynucleotides encoding kallikrein 7, kallikrein 8, kallikrein 10, and kallikrein 11; and (iii) polynucleotides encoding kallikrein 5, kallikrein 6, kallikrein 7, kallikrein 8, kallikrein 10 and kallikrein 11.

The invention also provides a diagnostic composition comprising a plurality of kallikrein polypeptides and optionally CA125 polypeptide, or polynucleotides encoding the polypeptides, or agents that bind to the polypeptides or polynucleotides.

In an embodiment, the composition comprises probes that specifically hybridize to polynucleotides encoding kallikrein markers, and optionally CA125, or fragments thereof. In another embodiment a composition is provided comprising specific primer pairs capable of amplifying polynucleotides encoding kallikrein markers, and optionally CA125, using polymerase chain reaction methodologies. In a still further embodiment, the composition comprises agents that bind to kallikrein markers, and optionally CA125, (e.g. antibodies) or fragments thereof. Probes, primers, and agents can be labeled with detectable substances.

In an aspect the invention provides an *in vivo* method comprising administering to a subject agents that have been constructed to target kallikrein markers, and optionally CA125.

The invention therefore contemplates an *in vivo* method comprising administering to a mammal imaging agents that carry labels for imaging and that bind to kallikrein markers, and optionally CA125, and then imaging the mammal.

Still further the invention relates to therapeutic applications for ovarian cancer employing kallikrein markers, and optionally CA125, nucleic acids encoding the polypeptides, and/or agents identified using methods of the invention.

The invention also includes kits for carrying out methods of the invention. In an embodiment, the kit is for assessing whether a patient is afflicted with ovarian cancer and it comprises reagents for assessing kallikrein markers, and optionally CA125, wherein the kallikrein markers comprise or are selected from the group consisting of kallikrein 5, kallikrein 6, kallikrein 7, kallikrein 8, kallikrein 10, and kallikrein 11.

In another aspect the invention relates to a kit for assessing the suitability of each of a plurality of test compounds for inhibiting ovarian cancer in a patient. The kit comprises reagents for assessing kallikrein

- 7 -

markers, and optionally CA125, wherein the markers comprise or are selected from the group consisting of kallikrein 5, kallikrein 6, kallikrein 7, kallikrein 8, kallikrein 10, and kallikrein 11. The kit may also comprise a plurality of test agents or compounds.

5 The invention contemplates a kit for assessing the presence of ovarian cancer cells, wherein the kit comprises antibodies specific for selected kallikrein markers, and optionally CA125, wherein the markers comprise or are selected from the group consisting of kallikrein 5, kallikrein 6, kallikrein 7, kallikrein 8, kallikrein 10, and kallikrein 11.

10 Additionally the invention provides a kit for assessing the ovarian carcinogenic potential of a test compound. The kit comprises ovarian cells and reagents for assessing kallikrein markers, and optionally CA125, wherein the markers comprise or are selected from the group consisting of kallikrein 5, kallikrein 6, kallikrein 7, kallikrein 8, kallikrein 10, and kallikrein 11.

15 In an aspect the invention provides a method of treating a patient afflicted with ovarian cancer comprising providing to cells of a patient antisense oligonucleotides complementary to polynucleotides encoding kallikrein markers, and optionally CA125, which are overexpressed in ovarian cancer. In an alternative method, expression of genes corresponding to kallikrein markers, and optionally CA125, which are underexpressed in ovarian cancer are increased.

20 The invention relates to a method of inhibiting ovarian cancer in a patient at risk for developing ovarian cancer comprising inhibiting or increasing expression (or overexpression) of genes encoding kallikrein markers and optionally CA125, wherein the markers comprise or are selected from the group consisting of kallikrein 5, kallikrein 6, kallikrein 7, kallikrein 8, kallikrein 10, and kallikrein 11, that are either overexpressed or underexpressed, in ovarian cancer.

25 Other objects, features and advantages of the present invention will become apparent from the following detailed description. It should be understood, however, that the detailed description and the specific examples while indicating preferred embodiments of the invention are given by way of illustration only, since various changes and modifications within the spirit and scope of the invention will become apparent to those skilled in the art from this detailed description.

DESCRIPTION OF THE DRAWINGS

The invention will now be described in relation to the drawings in which

30 Figure 1 is a graph showing hk5 concentration in serum from non-cancer and cancer patients.
Figure 2 is a graph showing hk6 concentration in serum from non-cancer and cancer patients.
Figure 3 is a graph showing hk7 concentration in serum from non-cancer and cancer patients.
Figure 4 is a graph showing hk8 concentration in serum from non-cancer and cancer patients.
Figure 5 is a graph showing hk10 concentration in serum from non-cancer and cancer patients.
Figure 6 is a graph showing hk11 concentration in serum from non-cancer and cancer patients.
35 Figure 7 is a graph showing CA125 concentration in serum from non-cancer and cancer patients.
Figure 8 is a ROC curve illustrating the added value of using kallikreins and CA125 together in a multivariate function.

DETAILED DESCRIPTION OF THE INVENTION

The invention relates to newly discovered correlations between expression of certain markers and

ovarian cancer. The combinations of markers described herein may provide sensitive methods for detecting ovarian cancer. The levels of expression of a combination of markers described herein may correlate with the presence of ovarian cancer or a pre-malignant condition in a patient. Methods are provided for detecting the presence of ovarian cancer in a sample, the absence of ovarian cancer in a sample, the stage of an ovarian cancer, the grade of an ovarian cancer, the benign or malignant nature of an ovarian cancer, the metastatic potential of an ovarian cancer, assessing the histological type of neoplasm associated with the ovarian cancer, the indolence or aggressiveness of the cancer, and other characteristics of ovarian cancer that are relevant to prevention, diagnosis, characterization, and therapy of ovarian cancer in a patient. Methods are also provided for assessing the efficacy of one or more test agents for inhibiting ovarian cancer, assessing the efficacy of a therapy for ovarian cancer, monitoring the progression of ovarian cancer, selecting an agent or therapy for inhibiting ovarian cancer, treating a patient afflicted with ovarian cancer, inhibiting ovarian cancer in a patient, and assessing the carcinogenic potential of a test compound.

Glossary

The terms "sample", "biological sample", and the like, mean a material known or suspected of expressing or containing a plurality of kallikrein markers or polypeptides (2, 3, 4, 5, or 6 polypeptides), and optionally CA125 polypeptide, or polynucleotides encoding the polypeptides. The test sample can be used directly as obtained from the source or following a pretreatment to modify the character of the sample. The sample can be derived from any biological source, such as tissues, extracts, or cell cultures, including cells (e.g. tumor cells), cell lysates, and physiological fluids, such as, for example, whole blood, plasma, serum, saliva, ocular lens fluid, cerebral spinal fluid, sweat, urine, milk, ascites fluid, synovial fluid, peritoneal fluid and the like. The sample can be obtained from animals, preferably mammals, most preferably humans. The sample can be treated prior to use, such as preparing plasma from blood, diluting viscous fluids, and the like. Methods of treatment can involve filtration, distillation, extraction, concentration, inactivation of interfering components, the addition of reagents, and the like. Nucleic acids and polypeptides may be isolated from the samples and utilized in the methods of the invention. In a preferred embodiment, the sample is a serum sample.

The term "subject" or "patient" refers to a warm-blooded animal such as a mammal, which is suspected of having ovarian cancer, or a condition, disease, or syndrome associated with ovarian cancer. Preferably, "subject" refers to a human.

"CA125", "CA125 polypeptide", or "carbohydrate antigen 125" refers to a high-molecular weight mucin, which can be defined by its ability to bind to monoclonal antibody OC125. The CA125 protein core comprises a short cytoplasmic core tail, a transmembrane domain, and a large and heavily glycosylated extracellular domain dominated by a repeat domain of 156 amino acids rich in serine, threonine, and proline (Yin BW and Lloyd KO, J Biol Chem. 2001, 276:27371-27375; O'Brian TJ et al, Tumor Biol., 2001 22:348-366; and Hovig E. et al, Tumor Biol. 2001, 22:345-347). The sequence of CA125 is shown in GenBank Accession No. NP_078966, AAL65133 and AF414442 (SEQ ID NO. 1). The term includes the native-sequence polypeptides, isoforms, precursors and chimeric polypeptides. The term also includes the native sequence polypeptide, including polypeptide variants and polypeptides with substantial sequence identity (e.g. at least about 45%, preferably 50%, 55%, 60%, 65%, 70%, 75%, 80%, 85%, 90%, 95%, 97%, 98%, or

99% sequence identity) to the sequence of GenBank Accession No.NP_078966 (SEQ ID NO. 1), and that preferably retain the immunogenic activity of the corresponding native sequence polypeptide.

5 "Kallikrein polypeptides" or "kallikrein markers" comprise kallikrein 5, kallikrein 6, kallikrein 7, kallikrein 8, kallikrein 10, and kallikrein 11. The term includes the native-sequence polypeptides, isoforms, precursors and chimeric polypeptides. The amino acid sequences for native kallikrein polypeptides employed in the present invention include the sequences found in GenBank for each polypeptide as shown in Table 1, and in SEQ ID NO: 3 (kallikrein 5), NO.6 (kallikrein 6), NO. 10 (kallikrein 7), NO. 13 (kallikrein 8), NO. 16 (kallikrein 10), and NOs. 19 and 20 (kallikrein 11), or a portion thereof. Other useful polypeptides are substantially identical to these sequences (e.g. at least about 45%, preferably 50%, 55%, 60%, 65%, 70%, 10 75%, 80%, 85%, 90%, 95%, 97%, 98%, or 99% sequence identity), and preferably retain the immunogenic activity of the corresponding native-sequence kallikrein polypeptide.

A "native-sequence polypeptide" comprises a polypeptide having the same amino acid sequence of a polypeptide derived from nature. Such native-sequence polypeptides can be isolated from nature or can be produced by recombinant or synthetic means.

15 The term "native-sequence polypeptide" specifically encompasses naturally occurring truncated or secreted forms of a polypeptide, polypeptide variants including naturally occurring variant forms (e.g., alternatively spliced forms or splice variants), and naturally occurring allelic variants.

The term "polypeptide variant" means a polypeptide having at least about 70-80%, preferably at least about 85%, more preferably at least about 90%, most preferably at least about 95% amino acid sequence identity with a native-sequence polypeptide, in particular having at least 70-80%, 85%, 90%, 95% amino acid sequence identity to the sequences identified in the GenBank Accession Nos. in Table 1 and Accession No. NP_078966, AF414442 and AAL65133 and shown in SEQ ID NOS: 1, 2, 3, 6, 10, 13, 16, 19 and 20. Such variants include, for instance, polypeptides wherein one or more amino acid residues are added to, or deleted from, the N- or C-terminus of the full-length or mature sequences of SEQ ID NOS: 1, 2, 20 3, 6, 10, 13, 16, 19 and 20, including variants from other species, but excludes a native-sequence polypeptide.

An allelic variant may also be created by introducing substitutions, additions, or deletions into a nucleic acid encoding a native polypeptide sequence such that one or more amino acid substitutions, additions, or deletions are introduced into the encoded protein. Mutations may be introduced by standard 30 methods, such as site-directed mutagenesis and PCR-mediated mutagenesis. In an embodiment, conservative substitutions are made at one or more predicted non-essential amino acid residues. A "conservative amino acid substitution" is one in which an amino acid residue is replaced with an amino acid residue with a similar side chain. Amino acids with similar side chains are known in the art and include amino acids with basic side chains (e.g. Lys, Arg, His), acidic side chains (e.g. Asp, Glu), uncharged polar side chains (e.g. Gly, Asp, Glu, Ser, Thr, Tyr and Cys), nonpolar side chains (e.g. Ala, Val, Leu, Iso, Pro, Trp), beta-branched side chains (e.g. Thr, Val, Iso), and aromatic side chains (e.g. Tyr, Phe, Trp, His). Mutations can also be introduced randomly along part or all of the native sequence, for example, by saturation mutagenesis. Following mutagenesis the variant polypeptide can be recombinantly expressed and the activity of the polypeptide may be determined.

Polypeptide variants include polypeptides comprising amino acid sequences sufficiently identical to or derived from the amino acid sequence of a native polypeptide which include fewer amino acids than the full length polypeptides. A portion of a polypeptide can be a polypeptide which is for example, 10, 15, 20, 25, 30, 35, 40, 45, 50, 60, 70, 80, 90, 100 or more amino acids in length. Portions in which regions of a polypeptide are deleted can be prepared by recombinant techniques and can be evaluated for one or more functional activities such as the ability to form antibodies specific for a polypeptide.

A naturally occurring allelic variant may contain conservative amino acid substitutions from the native polypeptide sequence or it may contain a substitution of an amino acid from a corresponding position in a CA125 or kallikrein polypeptide homolog, for example, the murine CA125 or kallikrein polypeptide.

Percent identity of two amino acid sequences, or of two nucleic acid sequences identified herein is defined as the percentage of amino acid residues or nucleotides in a candidate sequence that are identical with the amino acid residues in a CA125 or kallikrein polypeptide or nucleic acid sequence, after aligning the sequences and introducing gaps, if necessary, to achieve the maximum percent sequence identity, and not considering any conservative substitutions as part of the sequence identity. Alignment for purposes of determining percent amino acid or nucleic acid sequence identity can be achieved in various conventional ways, for instance, using publicly available computer software including the GCG program package (Devereux J. et al., Nucleic Acids Research 12(1): 387, 1984); BLASTP, BLASTN, and FASTA (Atschul, S.F. et al. J. Molec. Biol. 215: 403-410, 1990). The BLAST X program is publicly available from NCBI and other sources (BLAST Manual, Altschul, S. et al. NCBI NLM NIH Bethesda, Md. 20894; Altschul, S. et al. J. Mol. Biol. 215: 403-410, 1990). Skilled artisans can determine appropriate parameters for measuring alignment, including any algorithms needed to achieve maximal alignment over the full length of the sequences being compared. Methods to determine identity and similarity are codified in publicly available computer programs.

CA125 and kallikrein polypeptides include chimeric or fusion proteins. A "chimeric protein" or "fusion protein" comprises all or part (preferably biologically active) of a CA125 or kallikrein polypeptide operably linked to a heterologous polypeptide (i.e., a polypeptide other than the same CA125 or kallikrein polypeptide). Within the fusion protein, the term "operably linked" is intended to indicate that the CA125 or kallikrein polypeptide and the heterologous polypeptide are fused in-frame to each other. The heterologous polypeptide can be fused to the N-terminus or C-terminus of the CA125 or kallikrein polypeptide. A useful fusion protein is a GST fusion protein in which a kallikrein polypeptide is fused to the C-terminus of GST sequences. Another example of a fusion protein is an immunoglobulin fusion protein in which all or part of a CA125 or kallikrein polypeptide is fused to sequences derived from a member of the immunoglobulin protein family. Chimeric and fusion proteins can be produced by standard recombinant DNA techniques.

CA125 and kallikrein polypeptides may be isolated from a variety of sources, such as from human tissue types or from another source, or prepared by recombinant or synthetic methods, or by any combination of these and similar techniques.

"CA125 polynucleotides" or "polynucleotides encoding CA125" include nucleic acids that encode a native-sequence polypeptide, a polypeptide variant including a portion of a CA125 polypeptide, an isoform, precursor, and chimeric polypeptide. A nucleic acid sequence encoding native CA125 employed in the

- 11 -

present invention includes the nucleic acid sequence in GenBank Accession No. AF414442 and SEQ ID NO. 2, or a fragment thereof.

“Kallikrein polynucleotides” or “polynucleotides encoding kallikrein markers/polypeptides” refers to kallikrein 5 nucleic acids (KLK5), kallikrein 6 nucleic acids (KLK6), kallikrein 7 nucleic acids (KLK7),
5 kallikrein 8 nucleic acids (KLK8), kallikrein 10 nucleic acids (KLK10), and/or kallikrein 11 nucleic acids (KLK11). The term includes nucleic acids that encode a native-sequence polypeptide, a polypeptide variant including a portion of a kallikrein polypeptide, an isoform, precursor, and chimeric polypeptide.

The polynucleotide sequences encoding native kallikrein polypeptides employed in the present invention include the nucleic acid sequences of the GenBank Accession Nos. identified in Table 1, and in
10 SEQ ID NOS: 4 and 5 (KLK5), NOS. 7, 8, and 9 (KLK6), NOS. 11 and 12 (KLK 7), NOS. 14 and 15 (KLK8), NOS. 17 and 18 (KLK10), and NOS. 21 and 22 (KLK11), or a fragment thereof.

Polynucleotides encoding kallikrein polypeptides and CA125 include nucleic acid sequences complementary to these polynucleotides, and polynucleotides that are substantially identical to these sequences (e.g. at least about 45%, preferably 50%, 55%, 60%, 65%, 70%, 75%, 80%, 85%, 90%, 95%, 97%,
15 98%, or 99% sequence identity).

CA125 and kallikrein polynucleotides also include sequences which differ from a nucleic acid sequence of GenBank Accession Nos. identified in Table 1 and SEQ ID NOS: 2, 4, 5, 7, 8, 9, 11, 12, 14, 15, 17, 18, 21, and 22, due to degeneracy in the genetic code. As one example, DNA sequence polymorphisms within the nucleotide sequence of a CA125 or kallikrein polypeptide may result in silent mutations which do
20 not affect the amino acid sequence. Variations in one or more nucleotides may exist among individuals within a population due to natural allelic variation. DNA sequence polymorphisms may also occur which lead to changes in the amino acid sequence of CA125 or a kallikrein polypeptide.

CA125 and kallikrein polynucleotides also include nucleic acids that hybridize under stringent conditions, preferably high stringency conditions to a nucleic acid sequence of the GenBank Accession Nos. identified in Table 1 and SEQ ID NOS: 2, 4, 5, 7, 8, 9, 11, 12, 14, 15, 17, 18, 21, and 22. Appropriate
25 stringency conditions which promote DNA hybridization are known to those skilled in the art, or can be found in Current Protocols in Molecular Biology, John Wiley & Sons, N.Y. (1989), 6.3.1-6.3.6. For example, 6.0 x sodium chloride/sodium citrate (SSC) at about 45°C, followed by a wash of 2.0 x SSC at 50°C may be employed. The stringency may be selected based on the conditions used in the wash step. By
30 way of example, the salt concentration in the wash step can be selected from a high stringency of about 0.2 x SSC at 50°C. In addition, the temperature in the wash step can be at high stringency conditions, at about 65°C.

CA125 and kallikrein polynucleotides also include truncated nucleic acids or fragments and variant forms of the polynucleotides that arise by alternative splicing of an mRNA corresponding to a DNA.

35 The CA125 and kallikrein polynucleotides are intended to include DNA and RNA (e.g. mRNA) and can be either double stranded or single stranded. A polynucleotide may, but need not, include additional coding or non-coding sequences, or it may, but need not, be linked to other molecules and/or carrier or support materials. The polynucleotides for use in the methods of the invention may be of any length suitable for a particular method.

A plurality of kallikrein polypeptides or kallikrein polynucleotides are generally detected in the present invention. "Plurality" refers to 2, 3, 4, 5, or 6 kallikrein polypeptides or polynucleotides, in particular 3, 4, 5, or 6, preferably 4, 5, or 6, more preferably 5 or 6 kallikrein polypeptides or polynucleotides.

In an embodiment a plurality of kallikrein polypeptides is selected from the group consisting of
 5 kallikrein 5, kallikrein 7, and kallikrein 8; kallikrein 5, kallikrein 8, and kallikrein 10; kallikrein 7, kallikrein 8, and kallikrein 10; kallikrein 5, kallikrein 7, kallikrein 8, and kallikrein 10; kallikrein 7, kallikrein 8, kallikrein 10, and kallikrein 11; or kallikrein 5, kallikrein 7, kallikrein 8, kallikrein 10, and kallikrein 11. In another embodiment, a plurality of kallikrein polypeptides is selected from the group consisting of kallikrein 5, kallikrein 6, kallikrein 7, kallikrein 8, kallikrein 10 and kallikrein 11.

10 In an embodiment, a plurality of kallikrein polynucleotides is selected from the group consisting of KLK5, KLK7, and KLK8; KLK5, KLK8 and KLK10; KLK7, KLK8 and KLK10; KLK5, KLK7, KLK8, and KLK10; KLK7, KLK8, KLK10 and KLK11, or KLK5, KLK7, KLK8, KLK10 and KLK11. In another embodiment, a plurality of kallikrein polynucleotides is selected from the group consisting of KLK5, KLK6, KLK7, KLK8, KLK10, and KLK11.

15 General Methods

A variety of methods can be employed for the diagnostic and prognostic evaluation of ovarian cancer involving kallikrein polypeptides, and optionally CA125 polypeptide, and polynucleotides encoding the polypeptides, and the identification of subjects with a predisposition to such disorders. Such methods may, for example, utilize polynucleotides encoding kallikrein polypeptides, and optionally CA125, and
 20 fragments thereof, and binding agents (e.g. antibodies aptamers) against kallikrein polypeptides, and optionally CA125 polypeptide, including peptide fragments. In particular, the polynucleotides and antibodies may be used, for example, for (1) the detection of either over- or under-expression of kallikrein polynucleotides, and optionally CA125, relative to a non-disorder state; and (2) the detection of either an over- or an under-abundance of kallikrein polypeptides, and optionally CA125, relative to a non-disorder
 25 state or the presence of modified (e.g., less than full length) kallikrein polypeptides, and optionally CA125, that correlate with a disorder state, or a progression toward a disorder state.

The invention also contemplates a method for detecting ovarian cancer comprising producing a profile of levels of a plurality of kallikrein markers, and optionally CA125, in cells from a patient, wherein the markers are kallikrein 5, kallikrein 6, kallikrein 7, kallikrein 8, kallikrein 10, and kallikrein 11, and
 30 comparing the profile with a reference to identify a protein profile for the test cells indicative of disease.

The methods described herein may be used to evaluate the probability of the presence of malignant or pre-malignant cells, for example, in a group of cells freshly removed from a host. Such methods can be used to detect tumors, quantitate their growth, and help in the diagnosis and prognosis of disease. The methods can be used to detect the presence of cancer metastasis, as well as confirm the absence or removal
 35 of all tumor tissue following surgery, cancer chemotherapy, and/or radiation therapy. They can further be used to monitor cancer chemotherapy and tumor reappearance.

The methods described herein can be adapted for diagnosing and monitoring ovarian cancer by detecting a plurality of kallikrein polypeptides, and optionally CA125 polypeptide, or nucleic acids encoding the polypeptides in biological samples from a subject. These applications require that the amount of

- 13 -

polypeptides or nucleic acids quantitated in a sample from a subject being tested be compared to a predetermined standard. The standard may correspond to levels quantitated for another sample or an earlier sample from the subject, or levels quantitated for a control sample. Levels for control samples from healthy subjects or ovarian cancer subjects may be established by prospective and/or retrospective statistical studies.

- 5 Healthy or normal subjects who have no clinically evident disease or abnormalities may be selected for statistical studies. Diagnosis may be made by a finding of statistically different levels of a plurality of kallikrein polypeptides, and optionally CA125, or nucleic acids encoding same, compared to a control sample or previous levels quantitated for the same subject. A "significant difference" in levels of kallikrein markers or polynucleotides encoding the kallikrein markers in a patient sample compared to a control or
- 10 standard (e.g. normal levels or levels in other samples from a patient) may represent levels that are higher or lower than the standard error of the detection assay, preferably the levels are at least about 1.5, 2, 3, 4, 5, or 6 times higher or lower, respectively, than the control or standard. The difference in levels of markers or polynucleotides may be a "statistically significant difference"

Nucleic Acid Methods/Assays

- 15 As noted herein an ovarian cancer may be detected based on the levels of polynucleotides encoding kallikrein polypeptides, and optionally CA125, in a sample. Techniques for detecting polynucleotides such as polymerase chain reaction (PCR) and hybridization assays are well known in the art.

- Nucleotide probes for use in the detection of nucleic acid sequences in samples may be constructed using conventional methods known in the art. Suitable probes may be based on nucleic acid sequences
- 20 encoding at least 5 sequential amino acids from regions of nucleic acids encoding kallikrein polypeptides, and optionally CA125, preferably they comprise 15 to 40 nucleotides. A nucleotide probe may be labeled with a detectable substance such as a radioactive label that provides for an adequate signal and has sufficient half-life such as ^{32}P , ^3H , ^{14}C or the like. Other detectable substances that may be used include antigens that are recognized by a specific labeled antibody, fluorescent compounds, enzymes, antibodies specific for a
- 25 labeled antigen, and luminescent compounds. An appropriate label may be selected having regard to the rate of hybridization and binding of the probe to the nucleotide to be detected and the amount of nucleotide available for hybridization. Labeled probes may be hybridized to nucleic acids on solid supports such as nitrocellulose filters or nylon membranes as generally described in Sambrook et al, 1989, Molecular Cloning, A Laboratory Manual (2nd ed.). The nucleic acid probes may be used to detect polynucleotides
- 30 encoding kallikrein polypeptides, and optionally CA125, preferably in human cells. The nucleotide probes may also be useful in the diagnosis of ovarian cancer involving polynucleotides encoding kallikrein polypeptides, and optionally CA125, in monitoring the progression of such disorder; or monitoring a therapeutic treatment.

- Probes may be used in hybridization techniques to detect nucleic acids encoding a plurality of
- 35 kallikrein polypeptides, and optionally CA125. The technique generally involves contacting and incubating nucleic acids (e.g. recombinant DNA molecules, cloned genes) obtained from a sample from a patient or other cellular source with probes under conditions favorable for the specific annealing of the probes to complementary sequences in the nucleic acids. After incubation, the non-annealed nucleic acids are removed, and the presence of nucleic acids that have hybridized to the probe if any are detected.

- 14 -

The detection of polynucleotides encoding kallikrein polypeptides and optionally CA125, may involve the amplification of specific gene sequences using an amplification method such as polymerase chain reaction (PCR), followed by the analysis of the amplified molecules using techniques known to those skilled in the art. Suitable primers can be routinely designed by one of skill in the art.

5 By way of example, oligonucleotide primers may be employed in a PCR based assay to amplify a portion of nucleic acids encoding each of a plurality of kallikrein polypeptides, and optionally CA125, derived from a sample, wherein the oligonucleotide primers are specific for (i.e. hybridize to) polynucleotides encoding each of the plurality of kallikrein polypeptides, and optionally CA125. The amplified cDNA is then separated and detected using techniques well known in the art, such as gel
10 electrophoresis.

In order to maximize hybridization under assay conditions, primers and probes employed in the methods of the invention generally have at least about 60%, preferably at least about 75% and more preferably at least about 90% identity to a portion of polynucleotides encoding a plurality of kallikrein polypeptides, and CA125. The primers and probes may be at least 10 nucleotides, and preferably at least 20
15 nucleotides in length. In an embodiment the primers and probes are at least about 10-40 nucleotides in length.

Hybridization and amplification techniques described herein may be used to assay qualitative and quantitative aspects of expression of polynucleotides encoding kallikrein polypeptides, and optionally CA125. For example, RNA may be isolated from a cell type or tissue known to express these
20 polynucleotides and tested utilizing the hybridization (e.g. standard Northern analyses) or PCR techniques referred to herein.

The primers and probes may be used in the above-described methods *in situ* i.e. directly on tissue sections (fixed and/or frozen) of patient tissue obtained from biopsies or resections.

In an aspect of the invention, a method is provided employing reverse transcriptase-polymerase
25 chain reaction (RT-PCR), in which PCR is applied in combination with reverse transcription. Generally, RNA is extracted from a sample tissue using standard techniques (for example, guanidine isothiocyanate extraction as described by Chomcynski and Sacchi, Anal. Biochem. 162:156-159, 1987) and is reverse transcribed to produce cDNA. The cDNA is used as a template for a polymerase chain reaction. The cDNA is hybridized to sets of primers specifically designed against each of a plurality of kallikrein polynucleotide
30 sequences, and optionally CA125. Once the primer and template have annealed a DNA polymerase is employed to extend from the primer, to synthesize a copy of the template. The DNA strands are denatured, and the procedure is repeated many times until sufficient DNA is generated to allow visualization by ethidium bromide staining and agarose gel electrophoresis.

Amplification may be performed on samples obtained from a subject with suspected ovarian cancer
35 and an individual who is not afflicted with ovarian cancer. The reaction may be performed on several dilutions of cDNA spanning at least two orders of magnitude. A statistically significant difference in expression in several dilutions of the subject sample as compared to the same dilutions of the non-cancerous sample may be considered positive for the presence of ovarian cancer.

Oligonucleotides or longer fragments derived from polynucleotides encoding each of a plurality of

kallikrein polypeptides and optionally CA125, may be used as targets in a microarray. The microarray can be used to simultaneously monitor the expression levels of large numbers of genes. The information from the microarray may be used to diagnose a disorder, and to develop and monitor the activities of therapeutic agents.

5 The preparation, use, and analysis of microarrays are well known to a person skilled in the art. (See, for example, Brennan, T. M. et al. (1995) U.S. Pat. No. 5,474,796; Schena, et al. (1996) Proc. Natl. Acad. Sci. 93:10614-10619; Baldeschweiler et al. (1995), PCT Application WO95/251116; Shalon, D. et al. (1995) PCT application WO95/35505; Heller, R. A. et al. (1997) Proc. Natl. Acad. Sci. 94:2150-2155; and Heller, M. J. et al. (1997) U.S. Pat. No. 5,605,662.)

10 Thus, the invention also includes an array comprising a plurality of polynucleotides encoding kallikrein marker(s), and optionally CA125 polynucleotides. The array can be used to assay expression of kallikrein polynucleotides, and optionally CA125 polynucleotides in the array. The invention allows the quantitation of expression of a plurality of kallikrein polynucleotides, and optionally CA125 polynucleotides.

15 In an embodiment, the array can be used to monitor the time course of expression of a plurality of kallikrein polynucleotides, and optionally CA125 polynucleotides, in the array. This can occur in various biological contexts such as tumor progression.

 The array is also useful for ascertaining differential expression patterns of a plurality of kallikrein polynucleotides and optionally CA125 polynucleotides, in normal and abnormal cells. This provides a battery of polynucleotides that could serve as molecular targets for diagnosis or therapeutic intervention.

20 Protein Methods

 Binding agents specific for a plurality of kallikrein markers and CA125 may be used for a variety of diagnostic and assay applications. There are a variety of assay formats known to the skilled artisan for using a binding agent to detect a target molecule in a sample. (For example, see Harlow and Lane, Antibodies: A Laboratory Manual, Cold Spring Harbor Laboratory, 1988). In general, the presence or absence of an ovarian cancer in a subject may be determined by (a) contacting a sample from the subject with binding agents for a plurality of kallikrein polypeptides, and optionally CA125; (b) detecting in the sample levels of polypeptides that bind to the binding agents; and (c) comparing the levels of polypeptides with a predetermined standard or cut-off value.

30 "Binding agent" refers to a substance such as a polypeptide or antibody that specifically binds to a kallikrein or CA125 polypeptide. A substance "specifically binds" to a polypeptide if it reacts at a detectable level with the kallikrein or CA125 polypeptide, and does not react detectably with peptides containing unrelated sequences or sequences of different polypeptides. Binding properties may be assessed using an ELISA, which may be readily performed by those skilled in the art (see for example, Newton et al., Develop. Dynamics 197: 1-13, 1993).

35 A binding agent may be a ribosome, with or without a peptide component, an aptamer, an RNA molecule, or a polypeptide. A binding agent may be a polypeptide that comprises a kallikrein polypeptide or CA125 polypeptide sequence, a peptide variant thereof, or a non-peptide mimetic of such a sequence. By way of example a kallikrein polypeptide sequence may be a peptide portion of a kallikrein polypeptide that is capable of modulating a function mediated by the kallikrein polypeptide.

An aptamer includes a DNA or RNA molecule that binds to polynucleotides and polypeptides. An aptamer that binds to a polypeptide (or binding domain) of a kallikrein polypeptide or a polynucleotide encoding a kallikrein polypeptide can be produced using conventional techniques, without undue experimentation. [For example, see the following publications describing *in vitro* selection of aptamers: Klug et al., Mol. Biol. Reports 20:97-107 (1994); Wallis et al., Chem. Biol. 2:543-552 (1995); Ellington, Curr. Biol. 4:427-429 (1994); Lato et al., Chem. Biol. 2:291-303 (1995); Conrad et al., Mol. Div. 1:69-78 (1995); and Uphoff et al., Curr. Opin. Struct. Biol. 6:281-287 (1996)].

In certain other preferred embodiments, the binding agent is an antibody.

In an aspect the present invention provides a diagnostic method for monitoring or diagnosing ovarian cancer in a subject by quantitating a plurality of kallikrein polypeptides, and optionally CA125, in a biological sample from the subject comprising reacting the sample with antibodies specific for a plurality of kallikrein polypeptides, and optionally CA125, which are directly or indirectly labelled with detectable substances, and detecting the detectable substances.

In an aspect of the invention, a method for detecting ovarian cancer is provided comprising:

- (a) obtaining a sample suspected of containing a plurality of kallikrein polypeptides, and optionally CA125, wherein the kallikrein polypeptides comprise or are selected from the group consisting of kallikrein 5, kallikrein 6, kallikrein 7, kallikrein 8, kallikrein 10 and kallikrein 11;
- (b) contacting the sample with antibodies that specifically bind to the plurality of kallikrein polypeptides, and optionally CA125, under conditions effective to bind the antibodies and form complexes;
- (c) measuring the amount of kallikrein polypeptides, and optionally CA125, present in the sample by quantitating the amount of the complexes; and
- (d) comparing the amount of kallikrein polypeptides, and optionally CA125, present in the samples with the amount of polypeptides in a control, wherein a change or significant difference in the amount of polypeptides in the sample compared with the amount in the control is indicative of ovarian cancer.

In an embodiment, the invention contemplates a method for monitoring the progression of ovarian cancer in an individual, comprising:

- (a) contacting antibodies which bind to each of a plurality of kallikrein polypeptides, and optionally CA125, with a sample from the individual so as to form binary complexes comprising each of the antibodies and polypeptides in the sample;
- (b) determining or detecting the presence or amount of complex formation in the sample;
- (c) repeating steps (a) and (b) at a point later in time; and
- (d) comparing the result of step (b) with the result of step (c), wherein a difference in the amount of complex formation is indicative of the stage and/or progression of the ovarian cancer in said individual.

The amount of complexes may also be compared to a value representative of the amount of the complexes from an individual not at risk of, or afflicted with, ovarian cancer at different stages.

- 17 -

Thus, antibodies specifically reactive with each of a plurality of kallikrein polypeptides, and CA125, or derivatives, such as enzyme conjugates or labeled derivatives, may be used to detect a plurality of kallikrein polypeptides, and optionally CA125, in various samples (e.g. biological materials). They may be used as diagnostic or prognostic reagents and they may be used to detect abnormalities in the levels of expression of a plurality of kallikrein polypeptides, and optionally CA125, or abnormalities in the structure, and/or temporal, tissue, cellular, or subcellular location of a plurality of kallikrein polypeptides, and optionally CA125. Antibodies may also be used to screen potentially therapeutic compounds *in vitro* to determine their effects on ovarian cancer involving a plurality of kallikrein polypeptides, and optionally CA125, and other conditions. *In vitro* immunoassays may also be used to assess or monitor the efficacy of particular therapies.

Antibodies may be used in any known immunoassays that rely on the binding interaction between antigenic determinants of a plurality of kallikrein polypeptides, and optionally CA125, and the antibodies. Examples of such assays are radioimmunoassays, enzyme immunoassays (e.g. ELISA), immunofluorescence, immunoprecipitation, latex agglutination, hemagglutination, and histochemical tests. These terms are well understood by those skilled in the art. A person skilled in the art will know, or can readily discern, other immunoassay formats without undue experimentation.

In particular, the antibodies may be used in immunohistochemical analyses, for example, at the cellular and sub-subcellular level, to detect a plurality of kallikrein polypeptides, and optionally CA125, to localize them to particular ovarian tumor cells and tissues, and to specific subcellular locations, and to quantitate the level of expression.

Antibodies for use in the present invention include monoclonal or polyclonal antibodies, immunologically active fragments (e.g. a Fab or (Fab)₂ fragments), antibody heavy chains, humanized antibodies, antibody light chains, genetically engineered single chain F_v molecules (Ladner et al, U.S. Pat. No. 4,946,778), chimeric antibodies, for example, antibodies which contain the binding specificity of murine antibodies, but in which the remaining portions are of human origin, or derivatives, such as enzyme conjugates or labeled derivatives.

Antibodies including monoclonal and polyclonal antibodies, fragments and chimeras, may be prepared using methods known to those skilled in the art. Isolated native or recombinant kallikrein polypeptides or CA125 may be utilized to prepare antibodies. See, for example, Kohler et al. (1975) Nature 256:495-497; Kozbor et al. (1985) J. Immunol Methods 81:31-42; Cote et al. (1983) Proc Natl Acad Sci 80:2026-2030; and Cole et al. (1984) Mol Cell Biol 62:109-120 for the preparation of monoclonal antibodies; Huse et al. (1989) Science 246:1275-1281 for the preparation of monoclonal Fab fragments; and, Pound (1998) Immunochemical Protocols, Humana Press, Totowa, N.J for the preparation of phagemid or B-lymphocyte immunoglobulin libraries to identify antibodies. The antibodies specific for kallikrein polypeptides or CA125 used in the methods of the invention may also be obtained from scientific or commercial sources.

In an embodiment of the invention, antibodies are reactive against kallikrein polypeptides or CA125 if they bind with a K_d of greater than or equal to 10⁻⁷ M.

Antibodies that bind to kallikrein polypeptides or CA125 may be labelled with a detectable

substance and localised in biological samples based upon the presence of the detectable substance. Examples of detectable substances include, but are not limited to, the following: radioisotopes (e.g., ^3H , ^{14}C , ^{35}S , ^{125}I , ^{131}I), fluorescent labels (e.g., FITC, rhodamine, lanthanide phosphors), luminescent labels such as luminol, enzymatic labels (e.g., horseradish peroxidase, beta-galactosidase, luciferase, alkaline phosphatase, acetylcholinesterase), biotinyl groups (which can be detected by marked avidin e.g., streptavidin containing a fluorescent marker or enzymatic activity that can be detected by optical or colorimetric methods), and predetermined polypeptide epitopes recognized by a secondary reporter (e.g., leucine zipper pair sequences, binding sites for secondary antibodies, metal binding domains, epitope tags). In some embodiments, labels are attached via spacer arms of various lengths to reduce potential steric hindrance. Antibodies may also be coupled to electron dense substances, such as ferritin or colloidal gold, which are readily visualised by electron microscopy.

Indirect methods may also be employed in which the primary antigen-antibody reaction is amplified by the introduction of a second antibody, having specificity for the antibody reactive against a kallikrein polypeptide or CA125. The second antibody may be labeled with a detectable substance to detect the primary antigen-antibody reaction. By way of example, if the antibody having specificity against a kallikrein polypeptide is a rabbit IgG antibody, the second antibody may be goat anti-rabbit gamma-globulin labelled with a detectable substance as described herein.

Methods for conjugating or labelling the antibodies discussed above may be readily accomplished by one of ordinary skill in the art. (See for example Inman, *Methods In Enzymology*, Vol. 34, *Affinity Techniques, Enzyme Purification: Part B*, Jakoby and Wichek (eds.), Academic Press, New York, p. 30, 1974; and Wilchek and Bayer, "The Avidin-Biotin Complex in Bioanalytical Applications," *Anal. Biochem.* 171:1-32, 1988 re methods for conjugating or labelling the antibodies with enzyme or ligand binding partner).

Cytochemical techniques known in the art for localizing antigens using light and electron microscopy may be used to detect a plurality of kallikrein polypeptides, and optionally CA125. Generally, antibodies may be labeled with detectable substances and kallikrein polypeptides, and optionally CA125, may be localised in tissues and cells based upon the presence of the detectable substance.

In the context of the methods of the invention, the sample, binding agents (e.g. antibodies) for a plurality of kallikrein polypeptides, and CA125 may be immobilized on a carrier or support. Examples of suitable carriers or supports are agarose, cellulose, nitrocellulose, dextran, Sephadex, Sepharose, liposomes, carboxymethyl cellulose, polyacrylamides, polystyrene, gabbros, filter paper, magnetite, ion-exchange resin, plastic film, plastic tube, glass, polyamine-methyl vinyl-ether-maleic acid copolymer, amino acid copolymer, ethylene-maleic acid copolymer, nylon, silk, etc. The support material may have any possible configuration including spherical (e.g. bead), cylindrical (e.g. inside surface of a test tube or well, or the external surface of a rod), or flat (e.g. sheet, test strip). Thus, the carrier may be in the shape of, for example, a tube, test plate, well, beads, disc, sphere, etc. The immobilized material may be prepared by reacting the material with a suitable insoluble carrier using known chemical or physical methods, for example, cyanogen bromide coupling. Binding agents (e.g. antibodies) may be indirectly immobilized using second binding agents specific for the first binding agent. For example, mouse antibodies specific for a kallikrein polypeptide may

be immobilized using sheep anti-mouse IgG Fc fragment specific antibody coated on the carrier or support.

Where radioactive labels are used as a detectable substance, a plurality of kallikrein polypeptides, and optionally CA125, may be localized by radioautography. The results of radioautography may be quantitated by determining the density of particles in the radioautographs by various optical methods, or by
5 counting the grains.

Time-resolved fluorometry may be used to detect a signal. For example, the method described in Christopoulos TK and Diamandis EP Anal Chem 1992:64:342-346 may be used with a conventional time-resolved fluorometer.

Therefore, in accordance with an embodiment of the invention, a method is provided wherein
10 antibodies specific for each of a plurality of kallikrein polypeptides, and optionally CA125, are labelled with enzymes, substrates for the enzymes are added wherein the substrates are selected so that the substrates, or a reaction product of the enzymes and substrates, form fluorescent complexes with lanthanide metals. Lanthanide metals are added and the plurality of kallikrein polypeptides, and optionally CA125, are quantitated in the sample by measuring fluorescence of the fluorescent complexes. Antibodies specific for
15 CA125 and each of a plurality of kallikrein polypeptides may be directly or indirectly labelled with enzymes. Enzymes are selected based on the ability of a substrate of the enzyme, or a reaction product of the enzyme and substrate, to complex with lanthanide metals such as europium and terbium. Examples of suitable enzymes include alkaline phosphatase and β -galactosidase.

Examples of enzymes and substrates for enzymes that provide such fluorescent complexes are
20 described in U.S. Patent No. 5,312,922 to Diamandis. By way of example, when the antibody is directly or indirectly labelled with alkaline phosphatase the substrate employed in the method may be 4-methylumbelliferyl phosphate, 5-fluorosalicyl phosphate, or diflunisal phosphate. The fluorescence intensity of the complexes is typically measured using a time-resolved fluorometer e.g. a CyberFluor 615 Immunoanalyzer (Nordion International, Kanata, Ontario).

25 Antibodies specific for a plurality of kallikrein polypeptides and CA125 may also be indirectly labelled with enzymes. For example, an antibody may be conjugated to one partner of a ligand binding pair, and the enzyme may be coupled to the other partner of the ligand binding pair. Representative examples include avidin-biotin, and riboflavin-riboflavin binding protein. In another embodiment, antibodies specific for the anti-kallikrein antibodies or anti- CA125 antibodies are labeled with an enzyme.

30 In accordance with an embodiment, the present invention provides means for determining a plurality of kallikrein polypeptides, and optionally CA125, in a sample, in particular a serum sample, by measuring a plurality of kallikrein polypeptides, and optionally CA125, by immunoassay. It will be evident to a skilled artisan that a variety of immunoassay methods can be used to measure a plurality of kallikrein polypeptides and CA125 in serum. In general, an immunoassay method may be competitive or
35 noncompetitive. Competitive methods typically employ immobilized or immobilizable antibodies to each of a plurality of kallikrein polypeptides, and optionally CA125, and a labeled form of each of a plurality of kallikrein polypeptides, and optionally CA125. Kallikrein polypeptides and CA125 and labeled kallikrein polypeptides and CA125 compete for binding to anti-kallikrein antibodies and anti-CA125 antibodies. After separation of the resulting labeled kallikrein polypeptides and CA125 that have become bound to anti-

kallikrein polypeptides and anti- CA125 (bound fraction) from that which has remained unbound (unbound fraction), the amount of the label in either bound or unbound fraction is measured and may be correlated with the amount of kallikrein polypeptides, and optionally CA125, in the test sample in any conventional manner, e.g., by comparison to a standard curve.

5 In an aspect, a non-competitive method is used for the determination of a plurality of kallikrein polypeptides, and optionally CA125, with the most common method being the "sandwich" method. In this assay, two types of antibodies specific for each of a plurality of kallikrein polypeptides, and optionally CA125 are employed. One type of antibody is directly or indirectly labeled (sometimes referred to as the "detection antibody") and the other is immobilized or immobilizable (sometimes referred to as the "capture antibody"). The capture and detection antibodies can be contacted simultaneously or sequentially with a test sample. Sequential methods can be accomplished by incubating capture antibodies with the sample, and adding the detection antibodies at a predetermined time thereafter (sometimes referred to as the "forward" method); or the detection antibodies can be incubated with the sample first and then the capture antibodies added (sometimes referred to as the "reverse" method). After the necessary incubation(s) have occurred, to 10 complete the assay, the capture antibodies are separated from the liquid test mixture, and labels are measured in at least a portion of the separated capture antibody phase or the remainder of the liquid test mixture. Generally the labels are measured in the capture antibody phase since it comprises kallikrein polypeptides, and optionally CA125, bound by ("sandwiched" between) the capture and detection antibodies. In an embodiment, the label may be measured without separating the capture antibodies and liquid test mixture.

20 In a typical two-site immunometric assay for a plurality of kallikrein polypeptides, and optionally CA125, one or both of the capture and detection antibodies are polyclonal antibodies or one or both of the capture and detection antibodies are monoclonal antibodies (i.e. polyclonal/polyclonal, monoclonal/monoclonal, or monoclonal/polyclonal). The labels used with the detection antibodies can be selected from any of those known conventionally in the art. The labels may be an enzyme or a chemiluminescent moiety, but it can also be a radioactive isotope, a fluorophor, a detectable ligand (e.g., 25 detectable by a secondary binding by a labeled binding partner for the ligand), and the like. Preferably antibodies are labelled with enzymes which are detected by adding substrates that are selected so that a reaction product of the enzymes and substrates forms fluorescent complexes. Capture antibodies may be selected so that they provide a means for being separated from the remainder of the test mixture. Accordingly, the capture antibodies can be introduced to the assay in an already immobilized or insoluble form, or can be in an immobilizable form, that is, a form which enables immobilization to be accomplished subsequent to introduction of the capture antibodies to the assay. An immobilized capture antibody may comprise an antibody covalently or noncovalently attached to a solid phase such as a magnetic particle, a latex particle, a microtiter plate well, a bead, a cuvette, or other reaction vessel. An example of an 30 immobilizable capture antibody is antibody which has been chemically modified with a ligand moiety, e.g., a hapten, biotin, or the like, and which can be subsequently immobilized by contact with an immobilized form of a binding partner for the ligand, e.g., an antibody, avidin, or the like. In an embodiment, a capture antibody may be immobilized using a species specific antibody for the capture antibody that is bound to the solid phase.

- 21 -

A particular sandwich immunoassay method of the invention employs two types of antibodies, first antibodies are reactive against each of a plurality of kallikrein polypeptides, and optionally CA125, and second antibodies having specificity against antibodies reactive against each of a plurality of kallikrein polypeptides, and optionally CA125, labelled with enzymatic labels, and fluorogenic substrates for the enzymes. An enzyme may be alkaline phosphatase (ALP) and the substrate is 5-fluorosalicyl phosphate. ALP cleaves phosphate out of the fluorogenic substrate, 5-fluorosalicyl phosphate, to produce 5-fluorosalicyclic acid (FSA). 5-Fluorosalicyclic acid can then form a highly fluorescent ternary complex of the form FSA-Tb(3+)-EDTA, which can be quantified by measuring the Tb3+ fluorescence in a time-resolved mode. Fluorescence intensity is measured using a time-resolved fluorometer as described herein.

The above-described immunoassay methods and formats are intended to be exemplary and are not limiting.

Computer Systems

Computer readable media comprising a plurality of kallikrein markers, and optionally CA125, is also provided. "Computer readable media" refers to any medium that can be read and accessed directly by a computer, including but not limited to magnetic storage media, such as floppy discs, hard disc storage medium, and magnetic tape; optical storage media such as CD-ROM; electrical storage media such as RAM and ROM; and hybrids of these categories such as magnetic/optical storage media. Thus, the invention contemplates computer readable medium having recorded thereon markers identified for patients and controls.

"Recorded" refers to a process for storing information on computer readable medium. The skilled artisan can readily adopt any of the presently known methods for recording information on computer readable medium to generate manufactures comprising information on a plurality of kallikrein markers, and optionally CA125.

A variety of data processor programs and formats can be used to store information on a plurality of kallikrein markers, and optionally CA125, on computer readable medium. For example, the information can be represented in a word processing text file, formatted in commercially-available software such as WordPerfect and MicroSoft Word, or represented in the form of an ASCII file, stored in a database application, such as DB2, Sybase, Oracle, or the like. Any number of dataprocessor structuring formats (e.g., text file or database) may be adapted in order to obtain computer readable medium having recorded thereon the marker information.

By providing the marker information in computer readable form, one can routinely access the information for a variety of purposes. For example, one skilled in the art can use the information in computer readable form to compare marker information obtained during or following therapy with the information stored within the data storage means.

The invention provides a medium for holding instructions for performing a method for determining whether a patient has ovarian cancer or a pre-disposition to ovarian cancer, comprising determining the presence or absence of a plurality of kallikrein markers, optionally CA125, and/or polynucleotides encoding same, and based on the presence or absence of the plurality of kallikrein markers, optionally CA125, and/or polynucleotides encoding same, determining whether the patient has ovarian cancer or a pre-disposition to

- 22 -

ovarian cancer, and optionally recommending treatment for the ovarian cancer or pre-ovarian cancer condition.

The invention also provides in an electronic system and/or in a network, a method for determining whether a subject has ovarian cancer or a pre-disposition to ovarian cancer associated with a plurality of kallikrein markers, and optionally CA125, and/or polynucleotides encoding same, comprising determining the presence or absence of a plurality of kallikrein markers, and optionally CA125, and/or polynucleotides encoding same, and based on the presence or absence of the plurality of kallikrein markers, and optionally CA125, and/or polynucleotides encoding same, determining whether the subject has ovarian cancer or a pre-disposition to ovarian cancer, and optionally recommending treatment for the ovarian cancer or pre-ovarian cancer condition.

The invention further provides in a network, a method for determining whether a subject has ovarian cancer or a pre-disposition to ovarian cancer associated with a plurality of kallikrein markers, optionally CA125 and/or polynucleotides encoding same, comprising: (a) receiving phenotypic information on the subject and information on a plurality of kallikrein markers, optionally CA125 and/or polynucleotides encoding same associated with samples from the subject; (b) acquiring information from the network corresponding to the plurality of kallikrein markers, optionally CA125, and/or polynucleotides encoding same; and (c) based on the phenotypic information and information on the plurality of kallikrein markers, optionally CA125, and/or polynucleotides encoding same, determining whether the subject has ovarian cancer or a pre-disposition to ovarian cancer; and (d) optionally recommending treatment for the ovarian cancer or pre-ovarian cancer condition.

The invention still further provides a system for identifying selected records that identify an ovarian cancer cell. A system of the invention generally comprises a digital computer; a database server coupled to the computer; a database coupled to the database server having data stored therein, the data comprising records of data comprising a plurality of kallikrein markers, optionally CA125, and/or polynucleotides encoding same, and a code mechanism for applying queries based upon a desired selection criteria to the data file in the database to produce reports of records which match the desired selection criteria.

In an aspect of the invention a method is provided for detecting an ovarian cancer cell using a computer having a processor, memory, display, and input/output devices, the method comprising the steps of:

- (a) creating records of a plurality of kallikrein markers, optionally CA125, and/or polynucleotides encoding same, isolated from a sample suspected of containing an ovarian cancer cell;
- (b) providing a database comprising records of data comprising a plurality of kallikrein markers, optionally CA125, wherein the markers are kallikrein 5, kallikrein 6, kallikrein 7, kallikrein 8, kallikrein 10, and kallikrein 11, and/or comprising polynucleotides encoding same; and
- (c) using a code mechanism for applying queries based upon a desired selection criteria to the data file in the database to produce reports of records of step (a) which provide a match of the desired selection criteria of the database of step (b) the presence of a match being a

- 23 -

positive indication that the markers of step (a) have been isolated from a cell that is an ovarian cancer cell.

The invention contemplates a business method for determining whether a subject has ovarian cancer or a pre-disposition to ovarian cancer associated with a plurality of kallikrein markers, optionally CA125, and/or polynucleotides encoding same, comprising: (a) receiving phenotypic information on the subject and information on a plurality of kallikrein markers, optionally CA125, and/or polynucleotides encoding same, associated with samples from the subject; (b) acquiring information from a network corresponding to the plurality of kallikrein markers, optionally CA125, and/or polynucleotides encoding same; and (c) based on the phenotypic information, information on a plurality of kallikrein markers, optionally CA125, and/or polynucleotides encoding same, and acquired information, determining whether the subject has ovarian cancer or a pre-disposition to ovarian cancer; and (d) optionally recommending treatment for the ovarian cancer or pre-ovarian cancer condition.

Imaging Methods

Antibodies specific for each of a plurality of kallikrein polypeptides, and optionally CA125, may also be used in imaging methodologies in the management of ovarian cancer. The invention provides a method for imaging tumors associated with a plurality of kallikrein polypeptides, and optionally CA125.

In an embodiment the method is an *in vivo* method and a subject or patient is administered imaging agents that carry imaging labels and are capable of targeting or binding to each of a plurality of kallikrein polypeptides, and optionally CA125. In the method each imaging agent is labeled so that it can be distinguished during the imaging. The imaging agents are allowed to incubate *in vivo* and bind to the plurality of kallikrein polypeptides, and optionally CA125, associated with ovarian tumors. The presence of label is localized to the ovarian cancer, and the localized label is detected using imaging devices known to those skilled in the art.

The imaging agents may be antibodies or chemical entities that recognize the plurality of kallikrein polypeptides, and optionally CA125. In an aspect of the invention an imaging agent is a polyclonal antibody or monoclonal antibody, or fragments thereof, or constructs thereof including but not limited to, single chain antibodies, bifunctional antibodies, molecular recognition units, and peptides or entities that mimic peptides. The antibodies specific for kallikrein polypeptides and CA125 used in the methods of the invention may be obtained from scientific or commercial sources, or isolated native or recombinant kallikrein and CA125 polypeptides may be utilized to prepare antibodies etc as described herein.

An imaging agent may be a peptide that mimics the epitope for an antibody specific for kallikrein polypeptide or CA125 and binds to kallikrein polypeptide or CA125. The peptide may be produced on a commercial synthesizer using conventional solid phase chemistry. By way of example, a peptide may be prepared that includes either tyrosine, lysine, or phenylalanine to which N_2S_2 chelate is complexed (See U.S. Patent No. 4,897,255). The anti-kallikrein peptide conjugate is then combined with a radiolabel (e.g. sodium ^{99m}Tc pertechnetate or sodium ^{188}Re perrhenate) and it may be used to locate a tumor producing a plurality of kallikrein polypeptides, and optionally CA125.

Imaging agents carry labels to image the plurality of kallikrein polypeptides and CA125. Agents may be labelled for use in radionuclide imaging. In particular, agents may be directly or indirectly labelled

with a radioisotope. Examples of radioisotopes that may be used in the present invention are the following:
²⁷⁷Ac, ²¹¹At, ¹²⁸Ba, ¹³¹Ba, ⁷Be, ²⁰⁴Bi, ²⁰⁵Bi, ²⁰⁶Bi, ⁷⁶Br, ⁷⁷Br, ⁸²Br, ¹⁰⁹Cd, ⁴⁷Ca, ¹¹C, ¹⁴C, ³⁶Cl, ⁴⁸Cr, ⁵¹Cr, ⁶²Cu, ⁶⁴Cu, ⁶⁷Cu, ¹⁶⁵Dy, ¹⁵⁵Eu, ¹⁸F, ¹⁵³Gd, ⁶⁶Ga, ⁶⁷Ga, ⁶⁸Ga, ⁷²Ga, ¹⁹⁸Au, ³H, ¹⁶⁶Ho, ¹¹¹In, ^{113m}In, ^{115m}In, ¹²³I, ¹²⁵I, ¹³¹I, ¹⁸⁹Ir, ^{191m}Ir, ¹⁹²Ir, ¹⁹⁴Ir, ⁵²Fe, ⁵⁵Fe, ⁵⁹Fe, ¹⁷⁷Lu, ¹⁵O, ^{191m-191}Os, ¹⁰⁹Pd, ³²P, ³³P, ⁴²K, ²²⁶Ra, ¹⁸⁶Re, ¹⁸⁸Re, ^{82m}Rb, ¹⁵³Sm, ⁴⁶Sc, ⁴⁷Sc, ⁷²Se, ⁷⁵Se, ¹⁰⁵Ag, ²²Na, ²⁴Na, ⁸⁹Sr, ³⁵S, ³⁸S, ¹⁷⁷Ta, ⁹⁶Tc, ^{99m}Tc, ²⁰¹Tl, ²⁰²Tl, ¹¹³Sn, ^{117m}Sn, ¹²¹Sn, ¹⁶⁶Yb, ¹⁶⁹Yb, ¹⁷⁵Yb, ⁸⁸Y, ⁹⁰Y, ⁶²Zn and ⁶⁵Zn. Preferably the radioisotope is ¹³¹I, ¹²⁵I, ¹²³I, ¹¹¹I, ^{99m}Tc, ⁹⁰Y, ¹⁸⁶Re, ¹⁸⁸Re, ³²P, ¹⁵³Sm, ⁶⁷Ga, ²⁰¹Tl ⁷⁷Br, or ¹⁸F, and it is imaged with a photoscanning device.

Procedures for labeling biological agents with the radioactive isotopes are generally known in the art. U.S. Pat. No. 4,302,438 describes tritium labeling procedures. Procedures for iodinating, tritium labeling, and ³⁵S labeling especially adapted for murine monoclonal antibodies are described by Goding, J. W. (supra, pp 124-126) and the references cited therein. Other procedures for iodinating biological agents, such as antibodies, binding portions thereof, probes, or ligands, are described in the scientific literature (see Hunter and Greenwood, Nature 144:945 (1962), David et al., Biochemistry 13:1014-1021 (1974), and U.S. Pat. Nos. 3,867,517 and 4,376,110). Iodinating procedures for agents are described by Greenwood, F. et al., Biochem. J. 89:114-123 (1963); Marchalonis, J., Biochem. J. 113:299-305 (1969); and Morrison, M. et al., Immunochemistry, 289-297 (1971). ^{99m}Tc-labeling procedures are described by Rhodes, B. et al. in Burchiel, S. et al. (eds.), Tumor Imaging: The Radioimmunochemical Detection of Cancer, New York: Masson 111-123 (1982) and the references cited therein. Labelling of antibodies or fragments with technetium-99m are also described for example in U.S. Pat. No. 5,317,091, U.S. Pat. No. 4,478,815, U.S. Pat. No. 4,478,818, U.S. Pat. No. 4,472,371, U.S. Pat. No. Re 32,417, and U.S. Pat. No. 4,311,688. Procedures suitable for ¹¹¹In-labeling biological agents are described by Hnatowich, D. J. et al., J. Immul. Methods, 65:147-157 (1983), Hnatowich, D. et al., J. Applied Radiation, 35:554-557 (1984), and Buckley, R. G. et al., F.E.B.S. 166:202-204 (1984).

An imaging agent may also be labeled with a paramagnetic isotope for purposes of an *in vivo* method of the invention. Examples of elements that are useful in magnetic resonance imaging include gadolinium, terbium, tin, iron, or isotopes thereof. (See, for example, Schaefer et al., (1989) JACC 14, 472-480; Shreve et al., (1986) Magn. Reson. Med. 3, 336-340; Wolf, G L., (1984) Physiol. Chem. Phys. Med. NMR 16, 93-95; Wesbey et al., (1984) Physiol. Chem. Phys. Med. NMR 16, 145-155; Runge et al., (1984) Invest. Radiol. 19, 408-415 for discussions on *in vivo* nuclear magnetic resonance imaging.)

In the case of radiolabeled agents, the agents may be administered to the patient, localized to the tumor having a plurality of kallikrein polypeptides, and optionally CA125, with which the agents bind, and detected or "imaged" *in vivo* using known techniques such as radionuclear scanning using, for example, a gamma camera or emission tomography. [See for example, A. R. Bradwell et al., "Developments in Antibody Imaging", Monoclonal Antibodies for Cancer Detection and Therapy, R. W. Baldwin et al., (eds.), pp. 65-85 (Academic Press 1985)]. A positron emission transaxial tomography scanner, such as designated Pet VI located at Brookhaven National Laboratory, can also be used where the radiolabel emits positrons (e.g., ¹¹C, ¹⁸F, ¹⁵O, and ¹³N).

Whole body imaging techniques using radioisotope labeled agents can be used for locating both primary tumors and tumors which have metastasized. Antibodies specific for a plurality of kallikrein

- 25 -

polypeptides, and optionally CA125, or fragments thereof having the same epitope specificity, are bound to a suitable radioisotope, or a combination thereof, and administered parenterally. For ovarian cancer, administration preferably is intravenous. The bio-distribution of the labels can be monitored by scintigraphy, and accumulations of the labels can be related to the presence of ovarian cancer cells. Whole body imaging techniques are described in U.S. Pat. Nos. 4,036,945 and 4,311,688. Other examples of agents useful for diagnosis and therapeutic use that can be coupled to antibodies and antibody fragments include metallothionein and fragments (see, U.S. Pat. No. 4,732,864). These agents are useful in diagnosis, staging and visualization of cancer, in particular ovarian cancer, so that surgical and/or radiation treatment protocols can be used more efficiently.

Screening Methods

The invention also contemplates methods for evaluating test agents or compounds for their ability to inhibit ovarian cancer or potentially contribute to ovarian cancer. Test agents and compounds include but are not limited to peptides such as soluble peptides including Ig-tailed fusion peptides, members of random peptide libraries and combinatorial chemistry-derived molecular libraries made of D- and/or L-configuration amino acids, phosphopeptides (including members of random or partially degenerate, directed phosphopeptide libraries), antibodies [e.g. polyclonal, monoclonal, humanized, anti-idiotypic, chimeric, single chain antibodies, fragments, (e.g. Fab, F(ab)₂, and Fab expression library fragments, and epitope-binding fragments thereof)], nucleic acids (e.g. antisense, interference RNA) and small organic or inorganic molecules. The agents or compounds may be endogenous physiological compounds or natural or synthetic compounds.

The invention also provides a method for assessing the potential efficacy of a test agent for inhibiting ovarian cancer in a patient, the method comprising comparing:

- (a) levels of a plurality of kallikrein markers, optionally CA125, and/or polynucleotides encoding same, in a first sample obtained from a patient and exposed to the test agent, wherein the markers comprise or are selected from the group consisting of kallikrein 5, kallikrein 6, kallikrein 7, kallikrein 8, kallikrein 10, and kallikrein 11, and
- (b) levels of the plurality of kallikrein markers, optionally CA125, and/or polynucleotides encoding same, in a second sample obtained from the patient, wherein the sample is not exposed to the test agent, wherein a significant difference in the levels of expression of a plurality of kallikrein markers, optionally CA125, and/or polynucleotides encoding same, in the first sample, relative to the second sample, is an indication that the test agent is potentially efficacious for inhibiting ovarian cancer in the patient.

The first and second samples may be portions of a single sample obtained from a patient or portions of pooled samples obtained from a patient.

In an aspect, the invention provides a method of selecting an agent for inhibiting ovarian cancer in a patient comprising:

- (a) obtaining a sample comprising cancer cells from the patient;
- (b) separately maintaining aliquots of the sample in the presence of a plurality of test agents;
- (c) comparing a plurality of kallikrein markers, optionally CA125, and/or polynucleotides

- 26 -

encoding same, in each of the aliquots, wherein the markers comprise or are selected from the group consisting of kallikrein 5, kallikrein 6, kallikrein 7, kallikrein 8, kallikrein 10, and kallikrein 11; and

- 5 (d) selecting one of the test agents which alters the levels of the kallikrein markers, optionally CA125, and/or polynucleotides encoding same, in the aliquot containing that test agent, relative to other test agents.

Still another aspect of the present invention provides a method of conducting a drug discovery business comprising:

- 10 (a) providing one or more methods or assay systems for identifying agents that inhibit ovarian cancer in a patient;
- (b) conducting therapeutic profiling of agents identified in step (a), or further analogs thereof, for efficacy and toxicity in animals; and
- (c) formulating a pharmaceutical preparation including one or more agents identified in step (b) as having an acceptable therapeutic profile.

15 In certain embodiments, the subject method can also include a step of establishing a distribution system for distributing the pharmaceutical preparation for sale, and may optionally include establishing a sales group for marketing the pharmaceutical preparation.

The invention also contemplates a method of assessing the ovarian carcinogenic potential of a test compound comprising:

- 20 (a) maintaining separate aliquots of ovarian cells in the presence and absence of the test compound; and
- (b) comparing a plurality of kallikrein markers, optionally CA125, and/or polynucleotides encoding same, in each of the aliquots, wherein the markers comprise or are selected from the group consisting of kallikrein 5, kallikrein 6, kallikrein 7, kallikrein 8, kallikrein 10, and kallikrein 11.
- 25

A significant difference between the levels of the markers in the aliquot maintained in the presence of (or exposed to) the test compound relative to the aliquot maintained in the absence of the test compound, indicates that the test compound possesses ovarian carcinogenic potential.

Kits

30 The methods described herein may be performed by utilizing pre-packaged diagnostic kits comprising at least a plurality of kallikrein nucleic acids or binding agents (e.g. antibodies) or CA125 nucleic acids or binding agents described herein, which may be conveniently used, e.g., in clinical settings, to screen and diagnose patients, and to screen and identify those individuals afflicted with or exhibiting a predisposition to ovarian cancer.

35 Thus, the invention also contemplates kits for carrying out the methods of the invention. Such kits typically comprise two or more components required for performing a diagnostic assay. Components include but are not limited to compounds, reagents, containers, and/or equipment.

In an embodiment, a container with a kit comprises binding agents as described herein. By way of example, the kit may contain antibodies specific for a plurality of kallikrein polypeptides, and optionally

- 27 -

CA125, antibodies against the antibodies labelled with enzymes; and substrates for the enzymes. The kit may also contain microtiter plate wells, standards, assay diluent, wash buffer, adhesive plate covers, and/or instructions for carrying out a method of the invention using the kit.

5 In an aspect of the invention, the kit includes antibodies or antibody fragments which bind specifically to epitopes of each of a plurality of kallikrein polypeptides, and optionally CA125, and means for detecting binding of the antibodies to epitopes associated with tumor cells, either as concentrates (including lyophilized compositions), which may be further diluted prior to use or at the concentration of use, where the vials may include one or more dosages. Where the kits are intended for *in vivo* use, single dosages may be provided in sterilized containers, having the desired amount and concentration of agents.

10 Containers that provide a formulation for direct use, usually do not require other reagents, as for example, where the kit contains radiolabelled antibody preparations for *in vivo* imaging.

A kit may be designed to detect the level of polynucleotides encoding kallikrein polypeptides, and optionally CA125 polynucleotides, in a sample. Such kits generally comprise oligonucleotide probes or primers, as described herein, that hybridize to a plurality of polynucleotides encoding kallikrein polypeptides and optionally CA125. Such oligonucleotides may be used, for example, within a PCR or hybridization

15 procedure. Additional components that may be present within the kits include second oligonucleotides and/or diagnostic reagents to facilitate detection of a plurality polynucleotides encoding kallikrein polypeptides, and optionally CA125 polynucleotides.

The reagents suitable for applying the screening methods of the invention to evaluate compounds

20 may be packaged into convenient kits described herein providing the necessary materials packaged into suitable containers.

Applications

Kallikrein polypeptides (in particular, kallikrein 5, 6, 10 and 11), optionally in combination with CA125, are targets for ovarian cancer immunotherapy. Such immunotherapeutic methods include the use of

25 antibody therapy, *in vivo* vaccines, and *ex vivo* immunotherapy approaches.

In one aspect, the invention provides antibodies specific for a plurality of kallikrein polypeptides (for example, kallikreins 5, 6, 10 and 11) and optionally CA125, that may be used systemically to treat ovarian cancer. Preferably antibodies are used that target the tumor cells but not the surrounding non-tumor cells and tissue. Thus, the invention provides a method of treating a patient susceptible to, or having a cancer

30 that expresses a plurality of kallikrein polypeptides, and optionally CA125, comprising administering to the patient an effective amount of antibodies that bind specifically to a plurality of kallikrein polypeptides, and optionally CA125. In another aspect, the invention provides a method of inhibiting the growth of tumor cells expressing a plurality of kallikrein polypeptides, and optionally CA125, comprising administering to a patient antibodies which bind specifically to the plurality of kallikrein polypeptides, and optionally CA125,

35 in amounts effective to inhibit growth of the tumor cells. Antibodies specific for a plurality of kallikrein polypeptides, and optionally CA125, may also be used in a method for selectively inhibiting the growth of, or killing a cell expressing a plurality of kallikrein polypeptides, and optionally CA125, comprising reacting antibody immunoconjugates or immunotoxins with the cell in an amount sufficient to inhibit the growth of, or kill the cell.

By way of example, unconjugated antibodies specific for a plurality of kallikrein polypeptides, and optionally CA125, may be introduced into a patient such that the antibodies bind to cancer cells expressing a plurality of kallikrein polypeptides, and optionally CA125, and mediate growth inhibition of such cells (including the destruction thereof), and the tumor, by mechanisms which may include complement-mediated
5 cytotoxicity, antibody-dependent cellular cytotoxicity, altering the physiologic function of a plurality of kallikrein polypeptides, and optionally CA125, and/or the inhibition of ligand binding or signal transduction pathways. In addition to unconjugated antibodies, antibodies specific for a plurality of kallikrein polypeptides, and optionally CA125, conjugated to therapeutic agents (e.g. immunoconjugates) may also be used therapeutically to deliver the agents directly to tumor cells expressing a plurality of kallikrein
10 polypeptides, and optionally CA125, and thereby destroy the tumor. Examples of such agents include abrin, ricin A, *Pseudomonas* exotoxin, or diphtheria toxin, proteins such as tumor necrosis factor, alpha-interferon, beta-interferon, nerve growth factor, platelet derived growth factor, tissue plasminogen activator, and biological response modifiers such as lymphokines, interleukin-1, interleukin-2, interleukin-6, granulocyte macrophage colony stimulating factor, granulocyte colony stimulating factor, or other growth factors.

15 Cancer immunotherapy using antibodies specific for a plurality of kallikrein polypeptides, and optionally CA125, may utilize the various approaches that have been successfully employed for cancers, including but not limited to colon cancer (Arlen et al., 1998, Crit Rev Immunol 18: 133-138), multiple myeloma (Ozaki et al., 1997, Blood 90: 3179-3186; Tsunenati et al., 1997, Blood 90: 2437-2444), gastric cancer (Kasprzyk et al., 1992, Cancer Res 52: 2771-2776), B-cell lymphoma (Funakoshi et al., 1996, J
20 Immunther Emphasis Tumor Immunol 19: 93-101), leukemia (Zhong et al., 1996, Leuk Res 20: 581-589), colorectal cancer (Moun et al., 1994, Cancer Res 54: 6160-6166); Velders et al., 1995, Cancer Res 55: 4398-4403), and breast cancer (Shepard et al., 1991, J Clin Immunol 11: 117-127).

In the practice of a method of the invention, antibodies specific for a plurality of kallikrein polypeptides, optionally in combination with antibodies specific for CA125, capable of inhibiting the growth
25 of cancer cells expressing a plurality of kallikrein polypeptides, and optionally CA125, are administered in a therapeutically effective amount to cancer patients whose tumors express or overexpress a plurality of kallikrein polypeptides, and optionally CA125. The invention may provide a specific, effective and long-needed treatment for ovarian cancer. The antibody therapy methods of the invention may be combined with other therapies including chemotherapy and radiation.

30 Patients may be evaluated for the presence and levels of a plurality of kallikrein polypeptides, and optionally CA125, expression and overexpression in tumors, preferably using immunohistochemical assessments of tumor tissue, quantitative imaging as described herein, or other techniques capable of reliably indicating the presence and degree of expression of a plurality of kallikrein polypeptides, and optionally CA125. Immunohistochemical analysis of tumor biopsies or surgical specimens may be employed for this
35 purpose.

Antibodies specific for a plurality of kallikrein polypeptides and CA125 useful in treating cancer include those that are capable of initiating a potent immune response against the tumor and those that are capable of direct cytotoxicity. In this regard, the antibodies may elicit tumor cell lysis by either complement-mediated or antibody-dependent cell cytotoxicity (ADCC) mechanisms, both of which require an intact Fc

- 29 -

portion of the immunoglobulin molecule for interaction with effector cell Fc receptor sites or complement proteins. In addition, antibodies specific for a plurality of kallikrein polypeptides and CA125 that exert a direct biological effect on tumor growth are useful in the practice of the invention. Such antibodies may not require the complete immunoglobulin to exert the effect. Potential mechanisms by which such directly cytotoxic antibodies may act include inhibition of cell growth, modulation of cellular differentiation, modulation of tumor angiogenesis factor profiles, and the induction of apoptosis. The mechanism by which a particular antibody exerts an anti-tumor effect may be evaluated using any number of *in vitro* assays designed to determine ADCC, antibody-dependent macrophage-mediated cytotoxicity (ADMMC), complement-mediated cell lysis, and others known in the art.

10 The anti-tumor activity of a combination of antibodies specific for a plurality of kallikrein polypeptides and optionally CA125, may be evaluated *in vivo* using a suitable animal model. Xenogenic cancer models, wherein human cancer explants or passaged xenograft tissues are introduced into immune compromised animals, such as nude or SCID mice, may be employed.

The methods of the invention contemplate the administration of combinations, or "cocktails" of different individual antibodies recognizing epitopes of a plurality of kallikrein polypeptides, and optionally CA125. Such cocktails may have certain advantages inasmuch as they contain antibodies that bind to different epitopes and/or exploit different effector mechanisms or combine directly cytotoxic antibodies with antibodies that rely on immune effector functionality. Such antibodies in combination may exhibit synergistic therapeutic effects. In addition, the administration of the antibodies may be combined with other therapeutic agents, including but not limited to chemotherapeutic agents, androgen-blockers, and immune modulators (e.g., IL2, GM-CSF). The antibodies may be administered in their "naked" or unconjugated form, or may have therapeutic agents conjugated to them.

25 The antibodies specific for a plurality of kallikrein polypeptides and optionally CA125, used in the practice of the method of the invention may be formulated into pharmaceutical compositions comprising a carrier suitable for the desired delivery method. Suitable carriers include any material which when combined with the antibodies retains the anti-tumor function of the antibodies and is non-reactive with the subject's immune systems. Examples include any of a number of standard pharmaceutical carriers such as sterile phosphate buffered saline solutions, bacteriostatic water, and the like (see, generally, Remington's Pharmaceutical Sciences 16.sup.th Edition, A. Osal., Ed., 1980).

30 Antibody formulations may be administered via any route capable of delivering the antibodies to the tumor site. Routes of administration include, but are not limited to, intravenous, intraperitoneal, intramuscular, intratumor, intradermal, and the like. Preferably, the route of administration is by intravenous injection. Antibody preparations may be lyophilized and stored as a sterile powder, preferably under vacuum, and then reconstituted in bacteriostatic water containing, for example, benzyl alcohol preservative, or in sterile water prior to injection.

35 Treatment will generally involve the repeated administration of the antibody preparation via an acceptable route of administration such as intravenous injection (IV), at an effective dose. Dosages will depend upon various factors generally appreciated by those of skill in the art, including the type of cancer and the severity, grade, or stage of the cancer, the binding affinity and half life of the antibodies used, the

- 30 -

degree of expression of a plurality of kallikrein polypeptides, and optionally CA125, in the patient, the extent of circulating kallikrein polypeptide antigens, and optionally CA125 antigens, the desired steady-state antibody concentration level, frequency of treatment, and the influence of any chemotherapeutic agents used in combination with a treatment method of the invention.

5 Daily doses may range from about 0.1 to 100 mg/kg. Doses in the range of 10-500 mg antibodies per week may be effective and well tolerated, although even higher weekly doses may be appropriate and/or well tolerated. A determining factor in defining the appropriate dose is the amount of antibodies necessary to be therapeutically effective in a particular context. Repeated administrations may be required to achieve tumor inhibition or regression. Direct administration of antibodies specific for a plurality of kallikrein polypeptides and optionally CA125 is also possible and may have advantages in certain situations.

10 Patients may be evaluated for a plurality of kallikrein polypeptides and optionally CA125, preferably in serum, in order to assist in the determination of the most effective dosing regimen and related factors. The assay methods described herein, or similar assays, may be used for quantitating circulating kallikrein polypeptide and optionally CA125 levels in patients prior to treatment. Such assays may also be used for monitoring throughout therapy, and may be useful to gauge therapeutic success in combination with evaluating other parameters, such as serum kallikrein polypeptides, and optionally CA125, levels.

15 The invention further provides vaccines formulated to contain a plurality of kallikrein polypeptides, and optionally CA125, or fragments thereof. The use in anti-cancer therapy of tumor antigens in a vaccine for generating humoral and cell-mediated immunity is well known and, for example, has been employed in prostate cancer using human PSMA and rodent PAP immunogens (Hodge et al., 1995, Int. J. Cancer 63: 231-237; Fong et al., 1997, J. Immunol. 159: 3113-3117). These methods can be practiced by employing a plurality of kallikrein polypeptides, and optionally CA125, or fragments thereof, or nucleic acids and recombinant vectors capable of expressing and appropriately presenting the kallikrein and optionally CA125, immunogens.

20 By way of example, viral gene delivery systems may be used to deliver nucleic acids encoding a plurality of kallikrein polypeptides, and optionally CA125. Various viral gene delivery systems which can be used in the practice of this aspect of the invention include, but are not limited to, vaccinia, fowlpox, canarypox, adenovirus, influenza, poliovirus, adeno-associated virus, lentivirus, and sindbus virus (Restifo, 1996, Curr. Opin. Immunol. 8: 658-663). Non-viral delivery systems may also be employed by using naked DNA encoding a plurality of kallikrein polypeptides, and optionally CA125, or fragments thereof introduced into the patient (e.g., intramuscularly) to induce an anti-tumor response.

25 Various *ex vivo* strategies may also be employed. One approach involves the use of cells to present kallikrein and optionally CA125 antigens to a patient's immune system. For example, autologous dendritic cells which express MHC class I and II, may be pulsed with a plurality of kallikrein polypeptides, and optionally CA125, or peptides thereof that are capable of binding to MHC molecules, to thereby stimulate ovarian cancer patients' immune systems (See, for example, Tjoa et al., 1996, Prostate 28: 65-69; Murphy et al., 1996, Prostate 29: 371-380).

30 Anti-idiotypic antibodies specific for a plurality of kallikrein polypeptides, and optionally CA125, can also be used in anti-cancer therapy as a vaccine for inducing an immune response to cells expressing the

polypeptides. The generation of anti-idiotypic antibodies is well known in the art and can readily be adapted to generate anti-idiotypic antibodies that mimic an epitope on a kallikrein polypeptide or CA125 (see, for example, Wagner et al., 1997, Hybridoma 16: 33-40; Foon et al., 1995, J Clin Invest 96: 334-342; Herlyn et al., 1996, Cancer Immunol Immunother 43: 65-76). Such antibodies can be used in anti-idiotypic therapy as presently practiced with other anti-idiotypic antibodies directed against tumor antigens.

Genetic immunization methods may be utilized to generate prophylactic or therapeutic humoral and cellular immune responses directed against cancer cells expressing a plurality of kallikrein polypeptides, and optionally CA125. Constructs comprising DNA encoding kallikrein and optionally CA125 polypeptides/immunogens and appropriate regulatory sequences may be injected directly into muscle or skin of an individual, such that the cells of the muscle or skin take-up the construct and express the encoded kallikrein or CA125 polypeptides/immunogens. The polypeptides/immunogens may be expressed as cell surface proteins or be secreted. Expression of the polypeptides/immunogens results in the generation of prophylactic or therapeutic humoral and cellular immunity against the cancer. Various prophylactic and therapeutic genetic immunization techniques known in the art may be used.

The invention further provides methods for inhibiting cellular activity (e.g., cell proliferation, activation, or propagation) of a cell expressing a plurality of kallikrein polypeptides, and optionally CA125. This method comprises reacting immunoconjugates of the invention (e.g., a heterogeneous or homogenous mixture) with the cell so that the kallikrein polypeptides, and optionally CA125, form complexes with the immunoconjugates. A subject with a neoplastic or preneoplastic condition can be treated when the inhibition of cellular activity results in cell death.

In another aspect, the invention provides methods for selectively inhibiting a cell expressing a plurality of kallikrein polypeptides, and optionally CA125, by reacting a combination of immunoconjugates of the invention with the cell in an amount sufficient to inhibit the cell. Amounts include those that are sufficient to kill the cell or sufficient to inhibit cell growth or proliferation.

Vectors derived from retroviruses, adenovirus, herpes or vaccinia viruses, or from various bacterial plasmids, may be used to deliver nucleic acids encoding a plurality of kallikrein polypeptides, and optionally CA125, to a targeted organ, tissue, or cell population. Methods well known to those skilled in the art may be used to construct recombinant vectors that will express antisense nucleic acid molecules for kallikrein polypeptides and CA125. (See, for example, the techniques described in Sambrook et al (supra) and Ausubel et al (supra)).

Genes encoding a plurality of kallikrein polypeptides, and optionally CA125, can be turned off by transfecting a cell or tissue with vectors that express high levels of a desired kallikrein or CA125 polypeptide-encoding fragments. Such constructs can inundate cells with untranslatable sense or antisense sequences. Even in the absence of integration into the DNA, such vectors may continue to transcribe RNA molecules until all copies are disabled by endogenous nucleases.

Modifications of gene expression can be obtained by designing antisense molecules, DNA, RNA or PNA, to the regulatory regions of genes encoding kallikrein polypeptides, and optionally CA125, i.e., the promoters, enhancers, and introns. Preferably, oligonucleotides are derived from the transcription initiation site, eg, between -10 and +10 regions of the leader sequence. The antisense molecules may also be designed

- 32 -

so that they block translation of mRNA by preventing the transcript from binding to ribosomes. Inhibition may also be achieved using "triple helix" base-pairing methodology. Triple helix pairing compromises the ability of the double helix to open sufficiently for the binding of polymerases, transcription factors, or regulatory molecules. Therapeutic advances using triplex DNA were reviewed by Gee J E et al (In: Huber B E and B I Carr (1994) Molecular and Immunologic Approaches, Futura Publishing Co, Mt Kisco N.Y.).

Ribozymes are enzymatic RNA molecules that catalyze the specific cleavage of RNA. Ribozymes act by sequence-specific hybridization of the ribozyme molecule to complementary target RNA, followed by endonucleolytic cleavage. The invention therefore contemplates engineered hammerhead motif ribozyme molecules that can specifically and efficiently catalyze endonucleolytic cleavage of sequences encoding a plurality of kallikrein polypeptides, and optionally CA125.

Specific ribozyme cleavage sites within any potential RNA target may initially be identified by scanning the target molecule for ribozyme cleavage sites which include the following sequences, GUA, GUU and GUC. Once the sites are identified, short RNA sequences of between 15 and 20 ribonucleotides corresponding to the region of the target gene containing the cleavage site may be evaluated for secondary structural features which may render the oligonucleotide inoperable. The suitability of candidate targets may also be determined by testing accessibility to hybridization with complementary oligonucleotides using ribonuclease protection assays.

Methods for introducing vectors into cells or tissues include those methods discussed herein and which are suitable for *in vivo*, *in vitro* and *ex vivo* therapy. For *ex vivo* therapy, vectors may be introduced into stem cells obtained from a patient and clonally propagated for autologous transplant into the same patient (See U.S. Pat. Nos. 5,399,493 and 5,437,994). Delivery by transfection and by liposome are well known in the art.

Kallikrein polypeptides, optionally CA125 polypeptide, and/or polynucleotides encoding the polypeptides, and fragments thereof, antibodies and/or agents identified using a method of the invention, or combinations thereof, may be used in the treatment of ovarian cancer or diseases, conditions or syndromes associated with ovarian cancer, in a subject. A combination of kallikrein polypeptides and/or polynucleotides encoding the kallikreins (e.g. kallikreins 7 and 8) and inhibitors (antisense, antibodies, or agents) of other kallikreins (e.g. kallikreins 5, 6, 10 and 11) and/or CA125 may be used in a prognostic or therapeutic method of the invention. The polypeptides, polynucleotides, and agents may be formulated into compositions for administration to subjects suffering from ovarian cancer. Therefore, the present invention also relates to a composition comprising a plurality of kallikrein polypeptides and optionally CA125, or nucleic acids encoding the polypeptides, or a fragment thereof, or an agent identified using a method of the invention, and a pharmaceutically acceptable carrier, excipient or diluent. A method for treating or preventing ovarian cancer in a subject is also provided comprising administering to a patient in need thereof, a plurality of kallikrein polypeptides and optionally CA125, or nucleic acids encoding the polypeptides, an agent identified in accordance with a method of the invention, and/or a composition of the invention.

The active substance may be administered in a convenient manner such as by injection (subcutaneous, intravenous, etc.), oral administration, inhalation, transdermal application, or rectal administration. Depending on the route of administration, the active substance may be coated in a material to

protect the substance from the action of enzymes, acids and other natural conditions that may inactivate the substance.

The compositions described herein can be prepared by per se known methods for the preparation of pharmaceutically acceptable compositions which can be administered to subjects, such that an effective quantity of the active substance is combined in a mixture with a pharmaceutically acceptable vehicle. Suitable vehicles are described, for example, in Remington's Pharmaceutical Sciences (Remington's Pharmaceutical Sciences, Mack Publishing Company, Easton, Pa., USA 1985). On this basis, the compositions include, albeit not exclusively, solutions of the active substances in association with one or more pharmaceutically acceptable vehicles or diluents, and contained in buffered solutions with a suitable pH and iso-osmotic with the physiological fluids.

The compositions are indicated as therapeutic agents either alone or in conjunction with other therapeutic agents or other forms of treatment (e.g. chemotherapy or radiotherapy). The compositions of the invention may be administered concurrently, separately, or sequentially with other therapeutic agents or therapies.

The following non-limiting examples are illustrative of the present invention:

Example 1

To investigate the additional discriminatory value of the kallikreins to CA125 a logistic regression model was developed. Included in the study were serum samples from 39 ovarian cancer patients and 194 non-cancer females. The age of the patients was as follows: median = 59, range 32-82. The age of the controls was as follows: median = 46; range = 22-77. The model was adjusted for the following variables: $f(x) = -0.29 \text{ hK5}^* + 0.12^* \text{ hK6} - 0.65^* \text{ hK7} - 0.6^* \text{ hK8} + 1.09^* \text{ hK10} + 0.98^* \text{ hK11} + 0.057^* \text{ CA125} - 0.62$. For these data, the crude odds ratio and the 95% confidence interval were found to be 2.71 and 1.91-3.84 ($p < 0.001$). The log likelihood scores for this multivariate logistic regression model, which incorporated the combined variables for each patient was calculated. From these data, by picking different thresholds for the regression function values, a ROC curve was devised which shows the added value of using kallikreins and CA125 together in a multivariate function. (AUC, 0.99; 95%CI, 0.96-1.00). (See Figure 8.) Statistically significant correlations between age and other studied variables were not observed.

Example 2

Statistically significant differences in serum kallikrein concentration was found between patient and control subjects for kallikreins hK5 ($p < 0.0001$), hK7 ($p = 0.007$), hK8 ($p = 0.005$), hK10 ($p = 0.0003$) and CA125 ($p < 0.0001$) by the Mann-Whitney test. The diagnostic sensitivity (SENS) and specificity (SPEC) for each one of these markers were as follows (SENS/SPEC; both as %): 31/95 (hK5); 62/71 (hK7); 62/70 (hK10); 54/54 (hK11); 89/94 (CA125). When these data were combined in a logistic regression model, kallikreins 5 and 10 did not contribute to a great extent to the sensitivity and specificity of CA125. The area under the curve of CA125 alone (93%) improved by a further 1% when adding hK6, by 2% when adding hK11, 3% when adding hK7 and 5% when adding hK8. The combination of CA125 and hK8 resulted in an AUC of 98%.

Below is a summary of each marker and its ability to separate the cases and controls.

- 34 -

- hK5: high values associated with cancer
 test+ is $hK5 > 0.10$, test- is $hK5 \leq 0.10$
 sensitivity=31%, specificity=95%,
 AUC=.62, $p(AUC)=.02$
 5 Wilcoxon rank sum test has $p < .0001$.
 Of the 233 persons analyzed, 207 have value zero for hK5 (27 cases, 180 controls).
 Possible good marker
- hK6: high values associated with cancer
 10 test+ is $hK6 > 6.3$, test- is $hK6 \leq 6.3$
 sensitivity=69%, specificity=40%,
 AUC=.50, $p(AUC)=1.00$
 Wilcoxon rank sum test has $p=.91$.
 Not a good marker
- hK7: low values associated with cancer
 15 test+ is $hK7 < 2.05$, test- is $hK7 \geq 2.05$
 sensitivity=62%, specificity=71%,
 AUC=.64, $p(AUC)=.006$
 20 Wilcoxon rank sum test has $p=.007$.
 Possible good marker
- hK8: low values associated with cancer
 25 test+ is $hK8 < 13.0$, test- is $hK8 \geq 13.0$
 sensitivity=72%, specificity=42%,
 AUC=.64, $p(AUC)=.006$
 Wilcoxon rank sum test has $p=.005$
 Possible good marker
- hK10: high values associated with cancer
 30 test+ is $hK10 > 1.42$, test- is $hK10 \leq 1.42$
 sensitivity=62%, specificity=70%,
 AUC=.68, $p(AUC)=.0004$
 Wilcoxon rank sum test has $p=.0003$.
 35 Best single kallikrein marker
- hK11: high values associated with cancer
 40 test+ is $hK11 > 0.14$, test- is $hK11 \leq 0.14$
 sensitivity=54%, specificity=54%,
 AUC=.58, $p(AUC)=.12$
 Wilcoxon rank sum test has $p=.11$.
 Not a good marker
- CA125: high values associated with cancer
 45 test+ is $Ca125 > 34$, test- is $Ca125 \leq 34$
 sensitivity=89%, specificity=94%,
 AUC=.933, $p(AUC) < .0001$
 Wilcoxon rank sum test has $p < .0001$.
 Good marker
- 50 After some further multivariate analysis of only the kallikrein markers, the combination of hK 7, 8, 10 and 11 was a preferred set. This combination was arrived at by looking at the incremental AUC as markers were combined. Below is a summary of all the models tried:
- 55 hK10 alone, AUC=.68
 hK10+hK7: AUC=.88

- 35 -

hK10+hK7+hK8: AUC=.90
 hK10+hK7+hK8+hK11: AUC=.925
 Multivariate model of hK7, hK8, hK10, hK11, call it hK7_8_10_11

- 5 hK7_8_10_11:
 Calculate $SA = 2.00 - 1.49(hK7) - .34(hK8) + 1.16(hK10) + 3.50(hK11)$
 high values associated with cancer
 test+ is $SA > -1.15$, test- is $SA \leq -1.15$
 sensitivity=87%, specificity=89%,
 10 AUC=.93, $p(AUC) < .0001$
 Wilcoxon rank sum test has $p < .0001$.
 Good marker

The hK marker that added the most to CA125 was also investigated.

- 15 CA125 alone, AUC=.933
 CA125+hK8: AUC=.978
 Multivariate model of CA125, hK8, call it Ca125_hK8

- Ca125_hK8:
 20 $SC = -1.71 + .086(CA125) - .47(hK8)$
 high values associated with cancer
 test+ is $SC > -2.52$, test- is $SC \leq -2.52$
 sensitivity=97%, specificity=90%,
 AUC=.978, $p(AUC) < .0001$
 25 Wilcoxon rank sum test has $p < .0001$.
 Good marker

Below is a summary of the above analyses:

- a) The preferred kallikrein marker alone is hK10, AUC=.68
 30 b) CA125 has an AUC of .933
 c) The preferred combination of kallikrein markers increases the AUC up to .925, which is close to the CA125 AUC of .933
 d) Adding a kallikrein marker to CA125 can increase the AUC up to .978
 35 How does CA125 alone compare with the multivariate kallikrein model hK7_8_10_11?
 (based on 39 cases and 186 controls evaluated with CA125)

	Sensitivity	Specificity	misclassification
40 CA125	90%	94%	12FP, 4FN, total 16 pts misclassified
hK7_8_10_11	85%	89%	31FP, 4FN, total 35 pts misclassified
both positive	77%	100%	0FP, 9FN, total 9 pts misclassified
either positive	97%	82%	33FP, 1FN, total 34 pts misclassified

How does CA125 alone compare with the multivariate model of CA125 plus hK8?

- 45 (based on 39 cases and 186 controls evaluated with CA125)
- | | Sensitivity | Specificity | misclassification |
|-----------|-------------|-------------|---------------------------------------|
| CA125 | 90% | 94% | 12FP, 4FN, total 16 pts misclassified |
| CA125_hK8 | 95% | 91% | 17FP, 2FN, total 19 pts misclassified |

Kallikrein markers approach CA125 in terms of AUC and sensitivity, but their specificity is not as high. Adding hK8 to CA125 improves sensitivity but specificity is lower than CA125 alone.

Summary

- 5 a) The best kallikrein marker alone is hK10, area under the ROC curve (AUC) = .68.
- b) CA125 has an AUC of .933. Adding a single kallikrein marker to CA125 can get the AUC up to .978. Adding hK8 to CA125 improves sensitivity but specificity is lower compared with CA125 alone.
- 10 c) The best combination of kallikrein markers gets the AUC up to .925, which is close to the CA125 AUC of .933. Kallikrein markers approach CA125 in terms of AUC and sensitivity, but their specificity is lower.

15 The present invention is not to be limited in scope by the specific embodiments described herein, since such embodiments are intended as but single illustrations of one aspect of the invention and any functionally equivalent embodiments are within the scope of this invention. Indeed, various modifications of the invention in addition to those shown and described herein will become apparent to those skilled in the art from the foregoing description and accompanying drawings. Such modifications are intended to fall within the scope of the appended claims.

20 All publications, patents and patent applications referred to herein are incorporated by reference in their entirety to the same extent as if each individual publication, patent or patent application was specifically and individually indicated to be incorporated by reference in its entirety. All publications, patents and patent applications mentioned herein are incorporated herein by reference for the purpose of describing and disclosing the domains, cell lines, vectors, methodologies etc. which are reported therein

25 which might be used in connection with the invention. Nothing herein is to be construed as an admission that the invention is not entitled to antedate such disclosure by virtue of prior invention.

 It must be noted that as used herein and in the appended claims, the singular forms "a", "an", and "the" include plural reference unless the context clearly dictates otherwise. Thus, for example, reference to "a host cell" includes a plurality of such host cells, reference to the "antibody" is a reference to one or more

30 antibodies and equivalents thereof known to those skilled in the art, and so forth.

Below full citations are set out for the references referred to in the specification.

Table 1

Kallikrein Polypeptide	Kallikrein Nucleic Acid Designation	GenBank Accession No.
Kallikrein 5	KLK5	AAD26429, AF135028, AF168768
Kallikrein 6	KLK6	AAB66483, AF013988 (CDS 174..881), AF149289 (CDS join 3567..3606, 4346..4502, 8122..8369, 9791..9927, 11805..11957) U62801 (CDS 246..980)
Kallikrein 7	KLK7	AAC37551, L33404 (CDS 16..777), AF166330 (CDS join 3237..3309, 3722..3869, 4566..4813, 5129..5265, 7362..7517) (mRNA join(1756..1785, 3179..3309, 3722..3869, 4566..4813, 5129..5265, 7362..8265) /product="stratum corneum chymotryptic enzyme" /note="alternatively spliced" ; mRNA join (1756..1785, 3179..3309, 3722..3869, 4566..4813, 5129..5265, 7362..7991) /note="alternatively spliced"; mRNA join (1821..1864, 3179..3309, 3722..3869, 4566..4813, 5129..5265, 7362..8265) /product="stratum corneum chymotryptic enzyme" /note="alternatively spliced"; mRNA join (1821..1864, 3179..3309, 3722..3869, 4566..4813, 5129..5265, 7362..7991) /note="alternatively spliced"
Kallikrein 8	KLK8	BAA28673, AB009849 (CDS 35..817), AF095743 (CDS join 1035..1104, 1619..1778, 1944..2206, 4304..4437, 5974..6129, mRNA 500..670, 1027..1104, 1619..1778, 1944..2206, 4304..4437, 5974..6174), AB010780 (CDS join 1..39, 418..712, 878..>946), AF055982
Kallikrein 10	KLK10	AAC14266, AF055481 (CDS join 614..701, 2455..2635, 3589..3863, 4195..4328, 4793..4945, mRNA join 48..120, 605..701, 2455..2635, 3589..3863, 4195..4328, 4793..5474), NM_002776 (CDS 220..1050)
Kallikrein 11	KLK11	BAA33404, AAD47815, AB012917 (CDS 26..874), AF164623 (CDS 4224..4263, 5061..5217, 5545..5810, 6627..6763, 7158..7310) (mRNA join (2313..2398, 4189..4263, 5061..5217, 5545..5810, 6627..6763, 7158..7622)

- 38 -

Table 2

Descriptive statistics for hk5, hk6, hk7, hk8, hk10 and hk11 serum protein levels in controls and patients with ovarian cancer

	Mean	Standard Error	Median	Range	p value [∗]
<u>hk5 (ng/ml)</u>					
Non cancer (N=194)	0.063	0.029	0.00	0.00-4.50	
Cancer (N=39)	0.48	0.18	0.00	0.00-5.70	
% Increase ^{**}	661%	--	--	--	<0.001
<u>hk6 (ng/ml)</u>					
Non cancer (N=194)	6.96	0.18	6.60	1.60-15.30	
Cancer (N=39)	9.88	2.20	6.60	1.50-70.80	
% Increase ^{**}	42%	--	--	--	0.91
<u>hk7 (ng/ml)</u>					
Non cancer (N=194)	2.60	0.071	2.67	0.30-6.00	
Cancer (N=39)	2.49	0.41	1.80	0.00-10.80	
% Decrease ^{**}	4%	--	33%	--	0.007
<u>hk8 (ng/ml)</u>					
Non cancer (N=194)	11.74	0.27	11.70	2.40-22.20	
Cancer (N=39)	11.91	1.88	6.90	0.00-46.20	
% Decrease ^{**}	--	--	41%	--	0.005
<u>hk10 (ng/ml)</u>					
Non cancer (N=194)	1.16	0.051	1.08	0.00-4.20	
Cancer (N=39)	6.51	2.46	1.59	0.27-90.0	
% Increase ^{**}	461%	--	40%	--	<0.001
<u>hk11 (ng/ml)</u>					
Non cancer (N=194)	0.21	0.018	0.12	00-1.30	
Cancer (N=39)	0.79	0.21	0.18	0.00-5.52	
% Increase ^{**}	276%	--	50%		0.011

* Calculated by the Mann Whitney test

** Calculated by assuming that value in non-cancerous tissue is 100%

Table 3
Correlations between the studied variables in 194 non-cancer cases

variable		hK5	hK6	hK7	hK8	hK10	hK11	CA125
hK5	r_s	1.000	0.034	-0.053	0.066	0.134	0.150	0.101
	p		0.642	0.462	0.359	0.062	0.037	0.172
hK6	r_s	0.034	1.000	0.114	0.298	0.191	0.120	-0.160
	p	0.642		0.115	0.000	0.008	0.097	0.029
hK7	r_s	-0.053	0.114	1.000	0.497	0.321	0.399	0.135
	p	0.462	0.115		0.000	0.000	0.000	0.066
hK8	r_s	0.066	0.298	0.497	1.000	0.263	0.396	0.048
	p	0.359	0.000	0.000		0.000	0.000	0.519
hK10	r_s	0.134	0.191	0.321	0.263	1.000	0.176	0.035
	p	0.062	0.008	0.000	0.000		0.014	0.638
hK11	r_s	0.150	0.120	0.399	0.396	0.176	1.000	0.125
	p	0.037	0.097	0.000	0.000	0.014		0.090
CA125	r_s	0.101	-0.160	0.135	0.048	0.035	0.125	1.000
	p	0.172	0.029	0.066	0.519	0.638	0.090	

Table 4

Correlations between the studied variables in 39 ovarian cancer cases

variable		hK5	hK6	hK7	hK8	hK10	hK11	CA125
hK5	r_s	1.000	0.475	0.553	0.554	0.618	0.584	0.507
	p		0.002	0.000	0.000	0.000	0.000	0.001
hK6	r_s	0.475	1.000	0.327	0.513	0.470	0.661	0.530
	p	0.002		0.042	0.001	0.003	0.000	0.001
hK7	r_s	0.553	0.327	1.000	0.695	0.690	0.748	0.262
	p	0.000	0.042		0.000	0.000	0.000	0.107
hK8	r_s	0.554	0.513	0.695	1.000	0.602	0.783	0.443
	p	0.000	0.001	0.000		0.000	0.000	0.005
hK10	r_s	0.618	0.470	0.690	0.602	1.000	0.706	0.548
	p	0.000	0.003	0.000	0.000		0.000	0.000
hK11	r_s	0.584	0.661	0.748	0.783	0.706	1.000	0.556
	p	0.000	0.000	0.000	0.000	0.000		0.000
CA125	r_s	0.507	0.530	0.262	0.443	0.548	0.556	1.000
	p	0.001	0.001	0.107	0.005	0.000	0.000	

Table 5

	CANCER				CONTROL				Wilcoxon				AUC (so)				CUTPOINT				SENSITIVITY				SPECIFICITY					
	n	mean	median	sd	min	max	n	mean	median	sd	min	max	p(mean)	p(median)	p(logistic)	AUC (so)	AUC (so)	AUC (so)	AUC (so)	AUC (so)	AUC (so)	AUC (so)	AUC (so)	AUC (so)	AUC (so)	AUC (so)	AUC (so)	AUC (so)	AUC (so)	
HK5	39	0.48	0.00	1.14	0.00	5.70	184	0.05	0.00	0.40	0.00	4.50	0.03	<0.001	0.005	0.52 (05)	0.005	0.0200	>0.10	>0.10	0.0200	>0.10	0.0200	>0.10	0.0200	>0.10	0.0200	>0.10	0.0200	>0.10
HK6	39	8.88	6.60	13.77	1.50	70.80	184	6.97	6.60	2.60	1.60	18.30	0.20	<0.001	0.0570	0.64 (05)	0.0570	0.0060	>0.30	>0.30	0.0060	>0.30	0.0060	>0.30	0.0060	>0.30	0.0060	>0.30	0.0060	>0.30
HK7	39	2.48	1.80	2.54	0.00	10.90	184	2.60	2.60	0.90	0.30	8.00	0.79	0.0070	0.6500	0.64 (05)	0.6500	0.0060	>0.30	>0.30	0.0060	>0.30	0.0060	>0.30	0.0060	>0.30	0.0060	>0.30	0.0060	>0.30
HK8	39	11.81	6.90	11.80	0.00	48.20	184	11.74	11.70	3.60	2.40	22.20	0.93	0.0050	0.8700	0.64 (05)	0.8700	0.0060	>0.30	>0.30	0.0060	>0.30	0.0060	>0.30	0.0060	>0.30	0.0060	>0.30	0.0060	>0.30
HK10	39	0.52	1.59	15.40	0.27	60.00	184	1.17	1.08	0.72	0.00	4.20	0.04	0.0033	0.0002	0.68 (05)	0.0002	0.0004	>0.14	>0.14	0.0004	>0.14	0.0004	>0.14	0.0004	>0.14	0.0004	>0.14	0.0004	>0.14
HK11	39	0.60	0.18	1.38	0.00	5.52	184	0.21	0.12	0.28	0.00	1.30	0.01	0.1100	0.0008	0.58 (05)	0.0008	0.1200	>0.14	>0.14	0.1200	>0.14	0.1200	>0.14	0.1200	>0.14	0.1200	>0.14	0.1200	>0.14
CA125	39	649	277	971	20	4494	186	24	21	9	0	84	0.00	<0.001	<0.001	0.933 (028)	<0.001	<0.001	>0.34	>0.34	<0.001	>0.34	<0.001	>0.34	<0.001	>0.34	<0.001	>0.34	<0.001	>0.34
HK7 & 10 11	39	4.51	0.50	15.8	-4.74	82.26	194	-3.84	-3.68	2.07	-10.05	1.07	0.002	<0.001	<0.001	0.925 (030)	<0.001	<0.001	>0.32	>0.32	<0.001	>0.32	<0.001	>0.32	<0.001	>0.32	<0.001	>0.32	<0.001	>0.32
CA125 HK6	39	48.44	13.02	82.86	-5.86	382.85	186	-5.07	-4.92	1.91	-9.49	0.50	0.0002	<0.001	<0.001	0.978 (017)	<0.001	<0.001	>0.32	>0.32	<0.001	>0.32	<0.001	>0.32	<0.001	>0.32	<0.001	>0.32	<0.001	>0.32

We Claim:

1. A method for detecting a plurality of kallikrein markers associated with ovarian cancer in a patient comprising:
 - 5 (a) obtaining a sample from a patient;
 - (b) detecting in the sample a plurality of kallikrein markers and optionally CA125, wherein the kallikrein markers comprise or are selected from the group consisting of kallikrein 5, kallikrein 6, kallikrein 7, kallikrein 8, kallikrein 10, and kallikrein 11; and
 - (c) comparing the detected amounts with amounts detected for a standard.
- 10 2. A method for diagnosing and monitoring ovarian cancer in a subject comprising detecting in a sample from the subject a plurality of kallikrein markers, wherein the kallikrein markers comprise or are selected from the group consisting of kallikrein 5, kallikrein 6, kallikrein 7, kallikrein 8, kallikrein 10, and kallikrein.
- 15 3. A method as claimed in claim 1 or 2 wherein the plurality of kallikrein markers are detected using antibodies that bind to each of the plurality of kallikrein markers or parts thereof
4. A method as claimed in claim 1, 2, 3 which further comprises detecting CA125.
5. A method of detecting ovarian cancer in a patient, the method comprising comparing:
 - 20 (a) levels of a plurality of kallikrein markers, and optionally CA125, in a sample from the patient, wherein the kallikrein markers comprise or are selected from the group consisting of kallikrein 5, kallikrein 6, kallikrein 7, kallikrein 8, kallikrein 10, and kallikrein 11; and
 - (b) normal levels of expression of the plurality of kallikrein markers, and optionally CA125, in a control sample, wherein a significant difference in levels of kallikrein markers and optionally CA125, relative to the corresponding normal levels, is indicative of ovarian cancer.
- 25 6. A method for monitoring the progression of ovarian cancer in a patient, the method comprising: (a) detecting in a sample from the patient at a first time point, a plurality of kallikrein markers, wherein the kallikrein markers comprise or are selected from the group consisting of kallikrein 5, kallikrein 6, kallikrein 7, kallikrein 8, kallikrein 10, and kallikrein 11; (b) repeating step (a) at a subsequent point in time; and (c) comparing levels detected in steps (a) and (b), and thereby monitoring the progression of ovarian cancer.
- 30 7. A method for determining in a patient whether ovarian cancer has metastasized or is likely to metastasize in the future, the method comprising comparing (a) levels of a plurality of kallikrein markers, and optionally CA125, in a patient sample, wherein the kallikrein markers comprise or are selected from the group consisting of kallikrein 5, kallikrein 6, kallikrein 7, kallikrein 8, kallikrein 10, and kallikrein 11; and (b) normal levels or non-metastatic levels of the kallikrein markers and optionally CA125, in a control sample wherein a significant difference between the levels of expression in the patient sample and the normal levels or non-metastatic levels is an indication that the ovarian cancer has metastasized.
- 35 8. A method for assessing the aggressiveness or indolence of ovarian cancer comprising comparing:

- 43 -

- (a) levels of expression of a plurality of kallikrein markers, and optionally CA125, in a patient sample, wherein the kallikrein markers comprise or are selected from the group consisting of kallikrein 5, kallikrein 6, kallikrein 7, kallikrein 8, kallikrein 10, and kallikrein 11; and (b) normal levels of expression of the plurality of markers and optionally CA125, in a control sample, wherein a significant difference between the levels in the patient sample and normal levels is an indication that the cancer is aggressive or indolent.
- 5
9. A method for diagnosing and monitoring ovarian cancer in a sample from a subject comprising isolating nucleic acids from the sample; and detecting in the sample polynucleotides encoding a plurality of kallikrein markers, and optionally CA125, wherein the kallikrein markers comprise or are selected from the group consisting of kallikrein 5, kallikrein 6, kallikrein 7, kallikrein 8, kallikrein 10, and kallikrein.
- 10
10. A method as claimed in claim 9 wherein significant differences in the levels of the polynucleotides in the sample compared to a control is indicative of disease, disease stage, and/or prognosis.
11. A method for determining the presence or absence of ovarian cancer in a subject comprising: (a) contacting a sample obtained from the subject with oligonucleotides that hybridize to polynucleotides encoding kallikrein markers, and optionally CA125, wherein the kallikrein markers comprise or are selected from the group consisting of kallikrein 5, kallikrein 6, kallikrein 7, kallikrein 8, kallikrein 10, and kallikrein 11; and (b) detecting in the sample a level of nucleic acids in the sample that hybridize to the polynucleotides relative to a predetermined cut-off value, and therefrom determining the presence or absence of ovarian cancer in the subject.
- 15
12. A method as claimed in claim 11, wherein the nucleic acids are mRNA and the levels of nucleic acids are detected by polymerase chain reaction.
- 20
13. A method as claimed in claim 11 wherein the nucleic acids are mRNA and the amounts of mRNA are detected using a hybridization technique, employing oligonucleotide probes that hybridize to kallikrein markers, and optionally CA125.
- 25
14. A method for assessing the potential efficacy of a test agent for inhibiting ovarian cancer in a patient, the method comprising comparing: (a) levels of a plurality of kallikrein markers, optionally CA125, and/or polynucleotides encoding same, in a first sample obtained from a patient and exposed to the test agent, wherein the kallikrein markers comprise or are selected from the group consisting of kallikrein 5, kallikrein 6, kallikrein 7, kallikrein 8, kallikrein 10, and kallikrein 11, and (b) levels of the plurality of kallikrein markers, optionally CA125, and/or polynucleotides encoding same, in a second sample obtained from the patient, wherein the sample is not exposed to the test agent, wherein a significant difference in the levels of expression of the plurality of kallikrein markers, optionally CA125, and/or polynucleotides encoding same, in the first sample, relative to the second sample, is an indication that the test agent is potentially efficacious for inhibiting ovarian cancer in the patient.
- 30
15. A method of claim 14 wherein the first and second samples are portions of a single sample obtained from the patient.
- 35
16. A method of claim 14 wherein the first and second samples are portions of pooled samples obtained

- 44 -

from the patient.


17. A method of assessing the efficacy of a therapy for inhibiting ovarian cancer in a patient, the method comprising comparing: (a) levels of a plurality of kallikrein markers, optionally CA125, and/or polynucleotides encoding same, in a first sample obtained from the patient, wherein the kallikrein markers comprise or are selected from the group consisting of kallikrein 5, kallikrein 6, kallikrein 7, kallikrein 8, kallikrein 10, and kallikrein 11, and (b) levels of the kallikrein markers, optionally CA125, and/or polynucleotides encoding same, in a second sample obtained from the patient following therapy, wherein a significant difference in the levels of expression of the kallikrein markers, optionally CA125, and/or polynucleotides encoding same, in the second sample, relative to the first sample, is an indication that the therapy is efficacious for inhibiting ovarian cancer in the patient.
18. A method of selecting an agent for inhibiting ovarian cancer in a patient the method comprising (a) obtaining a sample comprising cancer cells from the patient; (b) separately exposing aliquots of the sample in the presence of a plurality of test agents; (c) comparing levels of a plurality of kallikrein markers, optionally CA125, and/or polynucleotides encoding same, in each of the aliquots, wherein the kallikrein markers comprise or are selected from the group consisting of kallikrein 5, kallikrein 6, kallikrein 7, kallikrein 8, kallikrein 10, and kallikrein 11; and (d) selecting one of the test agents which alters the levels of kallikrein markers, optionally CA125, and/or polynucleotides encoding same, in the aliquot containing that test agent, relative to other test agents.
19. A method of inhibiting ovarian cancer in a patient, the method comprising (a) obtaining a sample comprising cancer cells from the patient; (b) separately maintaining aliquots of the sample in the presence of a plurality of test agents; (c) comparing levels of a plurality of kallikrein markers, optionally CA125, and/or polynucleotides encoding same, in each of the aliquots, wherein the kallikrein markers comprise or are selected from the group consisting of kallikrein 5, kallikrein 6, kallikrein 7, kallikrein 8, kallikrein 10, and kallikrein 11; and (d) administering to the patient at least one of the test agents which alters the levels of kallikrein markers, optionally CA125, and/or polynucleotides encoding same, in the aliquot containing that test agent, relative to other test agents.
20. A method of assessing the ovarian cell carcinogenic potential of a test compound, the method comprising: (a) maintaining separate aliquots of ovarian cells in the presence and absence of the test compound; and (b) comparing expression of a plurality of markers, optionally CA125, and/or polynucleotides encoding same, in each of the aliquots, wherein the markers comprise or are selected from the group consisting of kallikrein 5, kallikrein 6, kallikrein 7, kallikrein 8, kallikrein 10, and kallikrein 11, and wherein a significant difference in levels of kallikrein markers, optionally CA125, and/or polynucleotides encoding same, in the aliquot maintained in the presence of the test compound, relative to the aliquot maintained in the absence of the test compound, is an indication that the test compound possesses ovarian cell carcinogenic potential.
21. A method of inhibiting ovarian cancer in a patient at risk for developing ovarian cancer, the method comprising inhibiting expression of genes encoding kallikrein markers and optionally CA125, wherein the kallikrein markers comprise or are selected from the group consisting of kallikrein 5,

- 45 -

- kallikrein 6, kallikrein 7, kallikrein 8, kallikrein 10, and kallikrein 11.
22. A method of any preceding claim wherein the plurality comprises at least three of the markers.
23. A method of any preceding claim wherein the plurality comprises at least five of the markers.
24. A method of any preceding claim wherein the plurality of kallikrein markers is selected from the
5 group consisting of kallikrein 5, kallikrein 7, and kallikrein 8; kallikrein 5, kallikrein 8, and kallikrein 10; kallikrein 7, kallikrein 8, and kallikrein 10; kallikrein 5, kallikrein 7, kallikrein 8, and kallikrein 10; kallikrein 7, kallikrein 8, kallikrein 10, and kallikrein 11; kallikrein 5, kallikrein 7, kallikrein 8, kallikrein 10, and kallikrein 11; or kallikrein 5, kallikrein 6, kallikrein 7, kallikrein 8, kallikrein 10 and kallikrein 11.
- 10 25. A method of any proceeding claims wherein the kallikrein markers are kallikrein 7, kallikrein 8, kallikrein 10 and kallirkein 11.
26. A method of any preceding claim wherein the patient sample comprises serum obtained from the patient.
27. A kit for carrying out a method as claimed in any preceding claim.
- 15 28. A kit for assessing whether a patient is afflicted with ovarian cancer, the kit comprising reagents that specifically bind with a plurality of kallikrein markers and optionally CA125, wherein the kallikrein markers comprise or are selected from the group consisting of kallikrein 5, kallikrein 6, kallikrein 7, kallikrein 8, kallikrein 10, and kallikrein 11.
- 20 29. A kit for assessing the suitability of each of a plurality of agents for inhibiting ovarian cancer in a patient, the kit comprising: (a) the plurality of agents; and (b) reagents for detecting a plurality of kallikrein markers and optionally CA125, wherein the kallikrein markers comprise or are selected from the group consisting of kallikrein 5, kallikrein 6, kallikrein 7, kallikrein 8, kallikrein 10, and kallikrein 11.
- 25 30. A kit as claimed in claim 28 or 29 wherein the reagents are antibodies that specifically bind with protein or protein fragments corresponding to kallikrein markers and optionally CA125.


1/8

Figure 1




2/8

Figure 2




3/8

Figure 3




4/8

Figure 4




5/8

Figure 5




6/8

Figure 6




7/8

Figure 7



8/8

Figure 8



Sequence Listing

SEQ ID NO. 1

CA125 amino acid

```

5      1 mlkpsglpgs ssptrsmltg srstkatpem dsgrtgatls pktstgaivv tehtlpftsp
      61 dktlasptss vvgrrttqslg vmssalpest srgmthseqr tpslspqvn gtpsrnypat
      121 smvsglsspr trtsstegnfn tkeastytlv vettsgpvte kytvptetst tegdstetpw
      181 dtryipvkit spmktfadst askenapvsm tpaettvtds htpgrtnpsf gtlyssfldl
      241 spkgtpnsgy etslelilst tgyppsspep gsaghsrist saplssasv ldnkisetsi
10     301 fsgqsltspl spgvpearas tmpnsaipfs mtlsnaetsa ervrtissl gtpsisatkqt
      361 aetiltfhaf aetmdipsth iaktlasewl gspgtlpgts tsalttttsp tllvseetnt
      421 hhstsgkete gtlnstmtpl etsapgeese mtatlvtplg fttldskirs psqvssshpt
      481 relrttgsts grqssstaah gssdilratt sstskasswt sestagqfse pqhtqvwets
      541 psmkterppa stavaapitt svpsvvsqft tlktsstkgi wleetsadtl igestagptt
15     601 hqfavptgis mtggsstrgs qgtthlltra tassetsadl tlatngvpvs vspavsktaa
      661 gsspppgtkp sytmvssvip etsslqssaf regtslgltp lntrhpfsep epdsaghtki
      721 stsipllssa svledkvsat stfshhkats sittgtpeis tktkpssavl ssmtlsnaat
      781 spervrnats plthpspsge etagsvltls tsaettdspn ihtgtltse ssespstlsl
      841 psvsgvkttf sstpspthlf tsgeeteets npsvsgpets vsrvrttlas tsvptpvfpt
20     901 mdtwptrsaq fssshlvsel ratestsvtn stgsalpkis hltgtatmsq tnrtdfndsa
      961 apqsttwpet sprfkgtlps attvtstsat slsatvmvsk ftsptatssme atsirepstt
      1021 ilttettngp gsmavaastni pigkgyiteg rldtshlpig ttassetsmd ftmakesvsm
      1081 svspaqsmda agsstpgrts qfvdtsfddv yhltsreiti prdgtssalt pqmtathpps
      1141 pdpgsarstw lgilsspsps ptpkvtsast fstqrvttsm imdtvetsrw nmpnlpstts
25     1201 ltpsniptsg aigkstlvppl dtpspatsle asegglptls typestntps ihlgahasse
      1261 spstikltma svvkpgsytp ltfpsieithi hvstarmays sgsspemtap getntgatwd
      1321 pttiytttdp kdtssaqvst phsvrtlrtt enhpktesat paaysgspki sspnltspa
      1381 tkawtitdtt ehstqlhytk laekssgfet qsapgpvsvv iptspitgss tleltadvpg
      1441 eplvlapseq ttitlpmatw latslteema stdldissps spmatfaifp pmatpshels
30     1501 kseadtsair ntdsttldqh lgirslgrtg dlrtvptipl tttwtsvieh stgaqdtlsa
      1561 tmspthvtgs lkdqtsipas aspshltevy pelgtqgrss seattfwkps tdtlsreiet
      1621 gptnlqstpp mdntttgess sgvtlgiah lpgtsspaet stnmalerr statvsmagt
      1681 mgllvtsapg rsisqslgrv ssvlseeste gvtddskgss prlntqgnta lsslepsy
      1741 egsgmstsis ltaspttpdv efiggstfwt kevttvmtsd iskssartes ssatlmstal
35     1801 gstentgkek lrtasmdlps ptpsmevtpw isltlsnapn ttdsldlshg vhtssagtl
      1861 tdrslntgvt rasrlengsd tsakslsmgn sthtsmtde ksevsstihp rptsapgae
      1921 tltstpgnr aistltpfss ipveevistg itagpdinsa pmthspitpp tiwvtstgti
      1981 eqstqplhav ssekvsvtgq stpyvnsavv saasphensv ssgsstsspy ssasleslds
      2041 tisermais wldlttslp tttwpstsls ealssghsgv snpsstttef plfsaastsa
40     2101 akqrnptetg hgpqntaast lntdassvtg lsetpvgasi ssevlpmal tsrsdvsglt
      2161 sestansplg tassagtklt rtislptses lvsfrmmkdp wtvsiplgsh pttntetsip
      2221 vnsagppgls tvasdvidtp sdgaesiptv sfspspdev ttishfpekt thafrtissl
      2281 theltsrvtp ipgdwmssam stkptgasps itlgerrrit saapttsplv ltasfttetst
      2341 vsldnettkv tsdildarkt nelpsdssss sdlnstias stmdvktas isptsiagmt
45     2401 asspslfs drpqvptstt etntatpsv ssntysldgg snvggtptsl ppftithpve
      2461 tssallawsr pvrtfstmvs tdtasgenpt ssnsvvtsvp apgtwasvgs ttdlpamgfl
      2521 ktspageahs llastiepat aftphlsaav vtgssatsea slttseska ihsspqtppt
      2581 ptsganwets atpesllvvt etsdttltask ilvtdtilfs tvstppskfp stgtlsgasf
      2641 ptllpdpai pltateptss latsfdstpl vtiasdslgt vpetlttmse tsngdalvfk
50     2701 tvsnpdrris gitigvtes plhpstspss kivaprntty egstivalst lpagttgslv
      2761 fsqssenset talvdssagl erasvmltt gsggmassgg irsgsthtg tktfsslplt
      2821 mnpgevtams eittrnlrat qstapkgipv kptsaesgll tpvsasssps kafaslttap
      2881 pmtwgipqst ltfevsevp ldtksaslpt pgqslntipd sdastassl skspeknpra
      2941 xmntstakals assfgstgft etpegsasps magheprvpt egtgdpryas esmsypdpks
55     3001 assamtstsl asklttlfst gqaarsgsss spislsteke tsflsptast srktslflgp
      3061 smarqpnilv hlqtsaltls ptstlnmsqe eppeltssqt iaeeegttae tqtltftpse
      3121 tptslpvss pteptarrks spetwassiss vpaktslvet tdgtlvttik mssqaaggs
      3181 twpapaeetg tsagtspps pevsttlkim sskepsispe irstvrnspw ktpevtvme
      3241 ttvepvtlqs talgsgstsi shlptgttsp tksptenmla tervslspsp peawtnlysg

```


	3301	tpggtrqsla	tmssvslesp	tarsitgtgq	qsspelvskt	tgmefsmwhg	stgggttgdh
	3361	vsletssnil	edpvtspnsv	ssltkkskhk	tetwsttai	pstvlmnkim	aaeqqtsrsv
	3421	deaysstasw	sdqtsgsdit	lgaspdvnt	lyitstaqt	slvslpsgdq	gitsltnpsg
5	3481	gktsassvt	spsigletlr	anvsavksdi	aptaghsqt	sspaevsild	vttaptpgis
	3541	ttittmgtns	isttttpeuv	gmstmdstpa	terrtsteh	pstwsstaas	dswtvtmts
	3601	nlkvarspgt	istmhttsfl	assteldsms	tphgritvig	tslvtpsdda	savktetsts
	3661	ertlspdttt	astpistfsr	vqrmsisvpd	ilstswtpss	teaedvpvsm	vstdhastrkt
	3721	dpntplstfl	fdslstldwd	tgrslssata	ttsapggatt	pgeltletmi	spatsqlpfs
10	3781	ighitsavtp	aamarssgvt	fzrpdptskk	aeqtstqlpt	ttsahpggvp	rsaattldvi
	3841	phtaktptdat	fqrqggtalt	tearatsdsw	nekekstpsa	pwitemmnsv	sedtikevts
	3901	sssvlkdpay	aghklgiwdd	fipkfgkaah	mrelpllspp	qdkaihpst	ntvettgwtv
	3961	ssehashsti	pahsasklt	spvvtsttre	qaivsmsttt	wpestrarte	pnsfltielr
	4021	dvspymdtes	ttqtsiissp	gstaitkgpr	teitsskris	ssflagmsrs	sdpseaitr
15	4081	lsnfamtes	ggmilamqts	ppgatslsap	tltdsatasw	tgtplattqr	ftysekttlf
	4141	skgpedtsqp	sppsveetss	ssslvpihat	tspsnillts	qghspsstpp	vtsvflsets
	4201	glgkttmdsr	islegptslp	pnlsstagea	lstyeasrdt	kaihhsadta	vtmneatese
	4261	yspipghtkp	skatsplvts	himgditsst	svfgssette	ietvssvngq	lqerstsqva
	4321	ssatetstvi	thvssgdatt	hvtktqatfs	sgtsissphq	fitstntftd	vstnpstali
	4381	mtessgvttit	tqgtgptgat	qgpylltdst	mpyltetpla	vtpdfmqsek	tliskgpkd
20	4441	vtwtspssva	etsyppsltp	flvttippat	stlqgghtss	pvsatsevlts	glvkttdmln
	4501	tsmepvtnsp	qnlmnpnei	latlaattidi	etihpsinka	vtmngtassa	hvlhstlpvs
	4561	sepstatspm	vpasmgdal	asisipgset	tdiegeptss	ltagrkenst	lqemnsttes
	4621	niilnsvavg	aiteatkmev	psfdatfipt	paqstkfpdi	fsvassrlsn	sppmtisthm
25	4681	tttqtgssga	tskiplaldt	stletsagtp	svvtgefahs	kittamndv	kdvsgtqnpf
	4741	qdeasspsq	apvlvtllps	svaftpqwhs	tsppvsmasv	ltsslvktag	kvdtsletvt
	4801	sspqmsntli	ddisvtsaat	tdietthpsi	ntvvtngvt	gsafeshstv	saypepskvt
	4861	spnvtsttme	dttsisripk	askttrtete	ttssltpklr	etsisqeits	stetstvpky
	4921	eltgattevs	rtldvtsssst	sfpqgdqstv	sldistetnt	rlstspimte	saeitittqt
30	4981	gphgatsqdt	ftmdpsnttp	qagihsamth	gfsqldvttl	msripqdvsw	tsppsvdkts
	5041	spssflsapa	mttspilisst	lpedklsspm	tslltsglvk	itdlrltrle	pvtsslpnfs
	5101	stsdkilats	kdkdkdkeif	psinteetnv	kannsgghesh	spaladsetp	kattqmvitt
	5161	tvgdapapsts	mpvhgssett	nikreptyfl	tprlretsts	qessfptdts	fllskvptgt
	5221	itevestgva	ssskistpdh	dkstvpddtf	tgeiprvfts	siktkaemt	ittqasppes
35	5281	ashstlpldt	sttlsgggh	stvtqgfpys	evttlmgmpp	gnvswmttpp	veetssvssl
	5341	msspamtsps	pvsstspqsi	pssplvtal	ptsvlvttd	vlgttspesv	tspppnlessi
	5401	therpatykd	tahteamhh	stntavtnvg	tsghghksqs	svladsetsk	atplmsttst
	5461	lgdtsvstst	pnisqtnqig	teptaslspr	lresstsekt	asttetntaf	syvptgaitq
	5521	asrteissar	tsisdldrpt	lapdistgmi	trlftspimt	ksaemtvtq	tttpgatsqg
	5581	ilpwtsttl	fqqgthstvs	qgfphseitt	lrsrtpgdvs	wmttppveet	ssgfsmlmps
40	5641	mtspspvssst	spesipsspl	pvtalltsvl	vtttnvlgtt	spetvtspp	nlsptqerl
	5701	ttkykdahte	amhasmhtnt	avanvgtsis	ghesqssvpa	dshtskatsp	mgitfamgdt
	5761	svststpaff	etriqtests	slipglrdtr	tseeintvte	tsvlssevt	tttvevste
	5821	vitssrttis	gpdhskmspy	istetitrls	tfpftvgste	maitnqtgpi	gtisqatltil
45	5881	dtssstasweg	thspvtqrfp	hseetttsmr	stkgvswqsp	psveetssps	spvplpait
	5941	hsslysavsg	ssptsalpv	sltsgrrrkt	idmldthsel	vtsslpssas	fsgelstsea
	6001	stntetihfs	entaetnmg	tnsmhklhss	vsihsqpsgh	tppkvtgsmm	edaivstetp
	6061	gspektknvdr	dstspltpel	kedstaltvm	sttesntvfs	svsldaatev	sraevtyydp
	6121	tfmpasaqst	kspdispeas	sshsnspplt	isthktiatq	tgpsgvtslg	qltldtstia
50	6181	tsagtpart	qdfvdsetts	vmnndlndvl	ktspfsaeea	nlsssqapl	vttspspvts
	6241	tlqehstssl	vsvtsvptpt	lakitdmtdn	lepvtrspqn	lntlatsea	tdtthtmhps
	6301	intamanvgt	tssepnefyft	vspdsdpka	tsavvitsts	gdsivstsm	rssamkkies
	6361	ettflslfrl	retstsqkig	sssdstsvfd	kaftaattev	srteitsssr	tsiqgtektpt
	6421	msspdtsrsv	tmlstfaglt	ksaertiatq	tgphratsqg	tltwdtsitt	sqagthsam
	6481	hgfsqldlst	ltsrvpeyis	gtsppsvekt	ssssllslp	aitspspvpt	tlpearspsp
55	6541	vhltslptsg	lvkttmdlas	vaslppnlgs	tskhipttse	dikdtekmy	stniavtng
	6601	tttsekesys	svpayseppk	vtspmvtsfn	irdtivistm	pgsseitrie	mestfsvahg
	6661	lkgtsqsdq	ivsteksavl	hklttgatet	srtevassrr	tsipgpdhst	espdistevi
	6721	pslpislgit	essnmliitr	tgpplgatsq	gtftldtptt	ssragthsm	tqefphsemt
	6781	lvmttdtlgt	swtippsiek	tsfssslmps	pamtsppvas	tlpktihpt	spmtalttpe
60	6841	lvmtdtlgt	spepttsspp	nlstshvil	ttddettaie	amhpsstaa	tnvettcsgh
	6901	gsqssvltts	ektkatapmd	ttstmghtt	stsmvssset	tkikrestys	ltpglretsi

6961 sqnasfstdt sivilsevpstg ttaevsrtev tssgrtsipg psqstvlpei strtmtrlfa
 7021 sptmtesaem tiptqtgpgsg stsqdtltld tatktsqakt hstltqrph semttlmsrg
 7081 pgdmswqssp slenpsslpss llslpattsp ppisstlpvt isseslpvts lltsspvttt
 7141 dmlhtspelv tssppklsht aderlttgkd ttnteavhps tntaasnvei psfghepsps
 5 7201 aladsetska tspmfitstg edttvaistp hfletsriqk esisslsplk retgssvets
 7261 saietsavls evsigattei srtevtsssr tsisgsaest mlpeisttrk iikfptepil
 7321 aessemtikt qtspggtse stftldtstt pelvithstm tqrlphseit tlvsrgagdv
 7381 prpselpvee tsspsqlsl samispspvs stlpasshss sasvtspltp gqvkttevl
 7441 asaepetssp pslsstavei latevtttdt ekihpfpnta vtkvgtsseg hespsvlpd
 10 7501 settkatsam gtisimgdts vstltplasn trkiqsepas slttrlrts tseetslate
 7561 antvlskvst gattevsrte aisfsrtsms gpegstmsqd isigtipris assvltesak
 7621 mtittqtggs estlestlnl ntattpswve thsiviqgfp hpemttsmgr gpggvswpsp
 7681 pfvketspps splslpavts phpvsttfla hippslpvt sltsgpatt tdilgtstep
 7741 gtsessslst tsherltyk dtahteavhp stntggtnva tssgyksqs svladsapmc
 15 7801 ttstmgdtsv ltstpafler rriqtelass ltpglresg segtssgckm stvlskvptg
 7861 atteiskedv tsipgpaqst ispdistrtv swfstspvmt esaeitmth tsplgattqg
 7921 tstlatsett sltmthatis qgfshsqmst lmrrgpedvs wmspllekt rpsfslmss
 7981 attspspvss tlpesisspp lpvtslitg lakttamlhk ssepvtspna nlsstaveil
 8041 atsevttdte kthpssnrtv tdvgtssgh estsfvlads qtskvtspmv itstmedtsv
 20 8101 ststpgffet sriqteptss ltlglrktss segtslatem stvlsgvptg ataevxrtv
 8161 tsssrtsisg faqltvspet stetitrlpt ssimtesaem miktqtdppg stpesthtvd
 8221 isttpnwvet hstvtqrfsh semttlvrs pgdmlwpsqs sveetssass llslpattsp
 8281 spvssltved fpsaslpvts lltpglvitt drmgisrepg tssstnlsst sherlttled
 8341 tvdtedmpps thtavnrtv sisghesqss vlsdsetpka tspmgttytm gatsvsiets
 25 8401 dffetsriqi eptssltsgl retssseris sategstvlsv evpsgattev srtevisrg
 8461 tsmgpdqft ispdisteai trlstspimt esaesaitie tgspgatseg tltldtatt
 8521 fwsghstas pgfshsemt lmsrtpgdvp wpslpveea ssvssslasp amtstssffa
 8581 lpesisspph pvtalltlgp vkttdmlrts sepetsappn lssstaeila tsevtkdrek
 8641 ihpsantpvt nvgtviykhk spssvldlv ttkptspmat tstlgntsvs tstpafpetm
 30 8701 mtqptsslt glreistsqe tssatersas lsgmptgatt kvsrtealsl grtstppaq
 8761 stispeiste titristplt ttgsaemtitt pktghsgass qgtftldtss raswpgthsa
 8821 athrsphsgm ttpmsrgped vswpsrpsve ktsspslvs lsavtspsp ystpsesshs
 8881 splrvtslft pvmmkttddl dtslepvtts ppsmmttsde slatskatme teaiqlsent
 8941 avtqmgtsia rgefysyppg lpepskvts vvtssstikdi vsttipasse itriemests
 35 9001 tltptprets tsqeihsatk pstvpykalt satiedsmtg vmsssrgpsp dgtmsqdis
 9061 sevitrslts pikaestemt ittqtgspga tsrgtltldt sttfmsgths tasqgfshsq
 9121 mtalmsrtpg dvpwlsphsv eeassasfsl sspvmtsssp vstlpsdsh ssalpvtsll
 9181 tsglvkttel lgtsssepets sppnlsssta eilattevtt dteklemtnv vtsgythesp
 9241 ssvladvst katssmgity ptgdnvlt tpfadtsri qtksklsltpl glmetsisee
 40 9301 tssatekstv lssvptgatt evsrteaiss srtsipgpaq stmsstdtame titristplt
 9361 rkestdmait pktgpgats qgtftldss taswpgthsa ttqrfpqsvv ttpmsrgped
 9421 vswpsplave knsppslvs ssvtspsp ystpsgsshs spvpvtslft simmkatdml
 9481 daslepetts apnmmttsde slatskatte teaihvfent aashvettsa teelyssspg
 9541 fseptkvisp vvtsssiird mvsttmgss gitrieiesm sstlpglret rtsqditest
 45 9601 etstvlykms sgatpevsrt evmpssrtsi pgpaqstmsl disdevvtrl stspimtesa
 9661 eititttqgy slatsqvltl lgtsmntflg thstmsqgls hsemtlmar gpeslwtsp
 9721 rfvettrss sltslplts lpsvstltd sspsslpvt slilpglvkt tevltdassep
 9781 ktssspnlss tveipatse imtdtekihp ssntavakvr tsssvhshs svladsetti
 9841 tipsmgitsa vddtvtftsn pafsetrrip teptfsltp fretstseet tsitetsavl
 50 9901 ygvptsatte vsmteimssn rthipdsdgs tmspditev itrssssmm sestqmtitt
 9961 qksspgataq stltlattta plarthstvp prflhsemt lmsrpenps wkasspfekt
 10021 sssssllslp vttspvsst lpqsspsf svtslltpgm vkttdtstep gtslspnlsg
 10081 tsveilaase vtttekihp ssmavtnvg ttssghelys svaihsepsk atypvgtpss
 10141 maetsistm panfettgfe aepfshltsg frktnmsldt ssvtptntps spgsthlqs
 55 10201 sktdftssak tsspdwppas qyteipvdii tpfnaspsit estgitsfpe srftmsvtes
 10261 thhlstdllp saetistgtv mpalsseamts fattgvprai sgsgspfert eagpgdatls
 10321 tiaeslpsat pvpfssstft ttdestipal heitsssatp yrvdtslge ssttegrlvm
 10381 vstldtssqp grtsstpild trmtesvelg tvtsayqvps lstrlstrtdg imehitkipn
 10441 eaahrgttrp vkqpqtstap aspqlhtgg tkrmetttta lktttalkt tsratltsv
 60 10501 ytptrlgtlt lnasrqmast iltemmittp yvfpdvpett sslatslgae tsalprttt
 10561 svlnresett aslvrsregae rsvpiqtlav ssssepdtas wvhipaetip tvskttppnff

10621 hseltdvsst atshgadvs aiptnispse ldaltplvti sgttdtsttft tltksphete
 10681 trttwlthpa etsstiprti pnfshhesda tpsiatspga etssaipimt vspgaedlvt
 10741 sqvtssgtdr nmtiptltls pgepkiasl vthpeaqtss aiptstispa vsrlvtsmvt
 10801 slaaktsttn raltntspgpe attvslvthp aqtsptvpwt tsiffhkskd ttpsmtshg
 5 10861 aesssavtp tvstevpgvv tpltvssrav isttipiltl spgepettps matshgeas
 10921 saiptptvop gvpvvtslv tssravtstt ipiltfslge pettpsmats hgteagsavp
 10981 tvlpevpvpmv tsolvassrav tsttltltl spgepettps matshgaeas stvptvapev
 11041 pgvvtslvts segvnstsis tllispgele ttpsmatshg aeassavtp tvspgvsgrv
 11101 tpltvssrav tsttipiltl sssepettps matshgveas savltvapev pgmvtslvt
 10 11161 sravtsttip tltissdepe tttslvthse akmisaiptl avsptvqglv tsylvtsagse
 11221 tsafsnltva ssqpetidsw vahpgteass vvptltvstg epftnislvt hpaessstlp
 11281 rttsrfshse ldtmptstvt peaeassais ttispigipgv ltslvtsagr disatfptvp
 11341 espheaseata swvthpavts ttvprttvny shsepdtts iatpagaat sdfptitvsp
 11401 dvpdmvtsqv tssgtdtsit iptltlsage petttstfity sethtssaip tlpvpgask
 15 11461 mltslvissg tdstttfptl tetpyepett aiqlhpaet ntmvpkttk fshksdttl
 11521 pvaitspgge assavsttti spdmsdlvts lvpssgtdts ttfptlsetp yepettvtwl
 11581 thpaetsttv sgtipnfshr gsdapasmvt apgvdrsgv ptttippsip gvvtsqvtss
 11641 atdtstaip ltpspgepet tassathpgt qtgftvpipt vpssepdtma swvthppqts
 11701 tpvrtstss shsspdapv matsprteas savlttispg apemvtsqit ssgaatsttv
 20 11761 ptlthspgmp ettallsthp rtgtsktfpa stvfpgvset tasltirpga etstaltptq
 11821 tsslftllvt gtsrvdlst aspvsakta plsthpgtet stmiptstls lglettgll
 11881 atsssaetst stltltvspa vsllssasit tdkpqtvtsw ntetspsvts vgppefartv
 11941 tgtmtlips emptppktsh gegvspttil rttmveatnl attgssptva kttttfntla
 12001 gslftpltt gmstlasev tsrtsynhrs wisttssynr rywtpatstp vtstfsgis
 25 12061 tssipsstaa tvpvmvftl nftitnlqye edmrhpgsrk fnaterelqg llkplfrnss
 12121 leylysgcrl aslrpekds amavdaicth rdpedlglr rerlywelsn ltngiqelgp
 12181 ytlrnslyv ngfthrsmp tttstpgstsv dvgtsgtpps spsptaagpl lmpftlnfti
 12241 tnlqyeedmr rtgsrkfntm esvlqgllk lfkntsvgl ysgcrltlr pekdaatgv
 12301 daicthrlp kspglnreql ywelsklnd ieelgpytld rnslyvngft hqsavstst
 30 12361 pgtstvdirt sgtpslsssp timaagpllv pftlnftitn lqygedmghp gsrkfntter
 12421 vlqgllgplf kntsvgplys gcrltslrse kdgaatgvda icihhldpks pglrnrlyw
 12481 elsqtlngik elgpytldrn slyvngfthr tsvpttstpg tstvdltsg tpfslpspat
 12541 agpllviftl nftitnlkye edmrhpgsrk fnttervltg llgpmfknts vgllysgcrl
 12601 tllrsekda atgvdaicth rldpkspgld reqlywelsq ltngikelgp ytlrnslyv
 35 12661 ngfthwipvp tsstpgstsv dlsgstpsal psptaagpl vpftlnftit nlqyeedmhh
 12721 pgsrkfntte xvlqgllgpm fknsvglly sgcrlltllr ekdgaatgvda aicthrlpdk
 12781 spgvdrqly welsqltngi kelgpytldr nslyvngfth qtsapntstp gtstvdltgs
 12841 gtpsslpsept sagpllvft lntitnlqy eedmrhpgsr kfnttervltg gllkplfkst
 12901 svgplysgcr ltlrsekdg aatgvdaic hrlpdkspgv dreqlywels qltngikelg
 40 12961 pytldrnaly vngfthqtsa pntstpgtst vdlgtsgtps slpsptsagp llvpftlnft
 13021 itnlqyeedm hbpgrskfnt tervlqgllg pmfkntsvgl lysgcrltl rpekngaag
 13081 mdaicshrd pkspglnreq lywelsqlth gikelgpytl drnslyvngft thrssvapt
 13141 tpgtstvdlt tsgtpsslps pttavpllv ftlnftitnl qygedmrhpg srkfntterv
 13201 lqgllgplfk nssvgplysg crlslrsek dgaatgvda cthhlnpqsp gldreqlwq
 45 13261 lqmntngike lgytldrn lyvngfthre sglttstpw stvdltsgt pspvpsptta
 13321 gpllvftln ftitnlqye dmhrpgsrkf nttervltg lsfiknssv gplysgcrlt
 13381 slrpekdaa tgmdavclyh pnpkrpgldr eqlywelsql thnitelgpy slrdsllyv
 13441 gfhqnsvpt ttpgtstvy wattgtpssf pghtepgpl ipftfnftit nlhyeenmqh
 13501 pgsrkfntte xvlqgllkpl fknsvgply sgcrlltllr ekdgaatgmd avclyhpnk
 50 13561 rpgldreql welsqlthni telgpyldr dslyvngfth qnsvptstp gtstvywatt
 13621 gtpssfpght epgpilipft fnftitnlhy eenmqhpgsr kfnttervltg gllkplfknt
 13681 svgplysgcr ltlrpekhe aatgvdtict hrvidpiggpl drerlywels qltnsitelg
 13741 pytldrdely vngfnprssv pttstpgtst vhlatsgtps slpghtapvp llipftlnft
 13801 itnlhyeenm qhpgsrkfnt tervlqgllk plfkntsvgp lysgcrltl rpekheaag
 55 13861 vdticthrvd pigpllxex lywelsxltx xixelgpytl drxsllyvngft thxxsppts
 13921 tpgtstvxg tsgtpssxpx xtsagpllv ftlnftitnl qyeedmhhpg srkfntterv
 13981 lqgllgpmfk ntsvglllyg crltllrpek ngaatgmdai cshrlpdksp gldreqlwe
 14041 lsqllthgike lgytldrn lyvngfthre svaptstpgt stvdltsgt psslpstpta
 14101 vpllvftln ftitnlqye dmhrpgsrkf nttervltg lglplfkns vplysgcrl
 60 14161 slrsekdaa tgvdaicth lnpqspgldr eqlywelsqm tngikelgpy tldrnsllyv
 14221 gfhthrsagl ttpwtstvd lgtsgtpspv pspttagpl vpftlnftit nlqyeedmhr

14281 pgsrkfnate rvlqgllspi fknssvgply sgcrlltslrp ekdgaatgmd avclyhpnpk
 14341 rpgldreqly welsqlthni telgpylsldr dslyvngfth qssmtttrtp dstatmhlats
 14401 rtpaslsqpt taspilvlft inctitnlqy eedmrtrgsr kfntmesvlq gllkplfknt
 14461 svgplysgcr ltllrpkkdg aatgvdaict hrlpkspgpl nreqlywels klndieelg
 5 14521 pytlldrnsly vngfthqssv ststpgtst vdlrtsgtps slsptimxx xpllxpftxn
 14581 xtltlxxxxx xmxxpgsrkf nttervlggl lrplfkntsv sslysgcrlt llrpekdgaa
 14641 trvdaactyr pdpkspgldr eqlywelsql thsitelgpy tldrvalyvn gfnprssvpt
 14701 tstpgtstvh latsgtpssl pgghtxxppl xpftxnxtit nlxxxxmxx pgsrkfntte
 14761 rvlqgllkpl frnssleyly sgcrllaslrp ekdssamavd aicthrpdp dlglrdlerly
 10 14821 welsnltnqi qelgpytlr nslyvngfth rsgltsststp wtstvdlgts gtpspvpst
 14881 tagpllvpt lnftitnlqy eedmrhrgsr rfnttervlq glltplfknt svgplysgcr
 14941 ltllrpekqe aatgvdtict hrvdpgpgl drerlywels qltnsitelg pytlrdsly
 15001 vngfnpwssv pttstpgtst vhlatsgtps slpghtapvp llipftlnft itdlhyeenm
 15061 qhpgsrkfnt tervlgllk plfktsvgp lysgcrltll rpekhaatg vdaictlrd
 15 15121 ptgpgldrer lywelsqltn svtelgpytl drdslyvngf thrssvpts ipgtsavhle
 15181 tsqtpaslp htapgppllv ftlnftitnl qyeedmrhpg srkfstterv lqgllkplfk
 15241 ntsvsslysg crltllrpek dgaatrddav cthrpdpksp glrdlerlywk lsqthgite
 15301 lgpytlrds lyvngfthqs smtttrtpdt stmhlatart paslsgptta spllvftin
 15361 ftitnlryee nmhpgsrkf nttervlggl lrpvfkntsv gplysgcrlt tlrpkkdga
 20 15421 tkvdaictyr pdpkspgldr eqlywelsql thsitelgpy tqdrdslyvn gfnprssvpt
 15481 tsipgtsavh letsgtpasl pgghtapgl vpftlnftit nlqyeedmrh pgsrkfntte
 15541 rvlqgllkpl fktsvgply sgcrlltllr ekrgaatgvd ticthrlppl npgldreqly
 15601 welskltrgi ielgpyllr gslyvngfth rtsvpttstp gtstvdlgts gtpfslpsa
 15661 xxxpplxft xxtitnlxx xxxmxxpger kfnttervlq tllgpmfkt svglllysgcr
 25 15721 ltllrsekdg aatgvdaict hrlpkspgv dreglywels qltnsikelg pytlrdsly
 15781 vngfthwipv pttstpgtst vdlsgtpps lpspttagpl lvpftlnfti tnlkyeedmh
 15841 cpgsrkfntt ervlqslgpl mfknsvgpl ysgcrltllr sekdgatgv daicthrlp
 15901 kspgvdreq lywelsqltn ikelgpytlr nslyvngfth hqtsapntst pgtstvdltg
 15961 sgtpslpsp txxpplxft txxxtitnlx xxxmxxpger rkfnttexvl tllgpmfkt
 30 16021 xsvgxlysgc rltxlrxekx gaatgxdaic xhxxpkkpg lxxexlywel sltxxixel
 16081 gpytlrdsx lyvngfthwip vptstpgts tvdlsgtpps slpspttagpl llvpftlnft
 16141 itnlkyeedm hcpgsrkfnt tervlqslg pmfkntsvgpl lysgcrltll rsekdgatg
 16201 vdaicthrvd pkspgvdreq lywelsqltn gikelgpytl drnslyvngf thqtsapnts
 16261 tpgtstvxg tsqtpssxp xtsagpllv ftlnftitnl qyeedmrhpg srkfntterv
 35 16321 lqgllgpmfk ntsvglysg crltllrpek ngattgmdai cthrlpksp glxxexlywe
 16381 lsxltxxixe lgpytlrds lyvngfthxx sxpttstpgt stvxxtsgt psxpxxtxx
 16441 xpllxpftxn xtltlxxxxx xmxxpgsrkf nttervlggl lkplfrnssl eylsgcrla
 16501 slrpekdsaa mavdaicthr dpdpdglldr erlywelsnl tngiqelgpy tldrdslyvn
 16561 gfthrsmpst tstpgtstvd vgtsgtpsss pspttagpl ipftlnftit nlqygedmgh
 40 16621 pgsrkfntte rvlqgllgpi fkntsvgply sgcrlltslrs ekdgaatgvd aicthrlp
 16681 spglrnrerly welsqltnqi kelgpytlr nslyvngfth rtsvpttstp gtstvdlgts
 16741 gtpfslpsa tagpllvft lnftitnlky eedmrhrgsr kfnttervlq tllgpmfkt
 16801 svglllysgcr ltllrsekdg aatgvdaict hrlpkspgl xxexlywels xltxxixelg
 16861 pytlrdsxly vngfthxxsx pttstpgtst vxxtsgtpps expxxtxxx lxpftxnx
 45 16921 itnlxxxxm xxpgsrkfnt tervlgllr pvfkntsvgpl lysgcrltll rpkkdgaat
 16981 vdaictyrpd pkspgldreq lywelsqltn sitelgpytl drdslyvngf thrssvpts
 17041 ipgtsavhle ttgtpssfp htepgpllip ftfnftitnl ryeenmqhpg srkfntterv
 17101 lqglltplfk ntsvgplysg crltllrpek qaatgvditi cthrvdpigp glrdlerlywe
 17161 lsqtnsite lgpytlrds lyvdgfnps svpttstpgt stvhlatsgt psplpghtap
 50 17221 vppllpftln ftitdlhyee nmhpgsrkf nttervlggl lkplfktsv gplysgcrlt
 17281 llrpekhaa tgvdaiactl ldpdpgldr erlywelsql tnsitelgpy tldrdslyvn
 17341 gfnpwssvpt tstpgtstvh latsgtpssl pgghtagpl vpftlnftit nlkyeedmh
 17401 pgsrkfntte rvlqslhgm fmknsvgply sgcrlltslrs ekdgaatgvd aicthrlp
 17461 spglxxexly welsxltxxi xelgpytlr xelyvngfth xxsxpttstp gtstvxxtg
 55 17521 gtpssxpxxt xxxpplxft xxtitnlxx xxxmxxpger kfnttexvl gllxpfxkx
 17581 svgxlysgcr ltxlrxekx aatgxdaic hxxpkkpgl xxexlywels xltnsitelg
 17641 pytlrdsly vngfthrsmp pttstpgtsa vhlatsgtpa slpghtapgl llvpftlnft
 17701 itnlqyeedm rhpgsrkfnt tervlgllk plfktsvgp lysgcrltll rpekrgaat
 17761 vdticthrl plnpglxxex lywelsxlt xixelgpytl drxlyvngf thxxsptts
 60 17821 tpgtstvxg tsqtpssxp xtxpplxft ftxxtitnl xxxmxxpger srkfnttexv
 17881 lqgllpxfk nxsvgxlysg crltxlrxek xgaatgxdai cxhxxpkkp glxxexlywe

17941 lsxltxxixe lgpytldrxx lyvngfhprx svpttstpgt stvhlatsgt psslpghtap
 18001 vp1lipftln ftitnlhyee nmqhpgrkxf nttervlggl lgpmmkntsv gllysgcrlt
 18061 llrpekngaa tgmdaicshr ldpkspglxx exlywelsxl txxixelgpy tldrxxslyvn
 18121 gftthxxsxt tstopgtstvx xgtsgtpssx pxttxxopl xpfthxntit nlxxxxmxx
 5 18181 pgsrkfntte xvlqglxpx fknxsvgxly sgcr1txlrx ekxgaatgxd aicxhxxoxpk
 18241 xpglxxexly welsxltxxi xelgpytldr xslyvngfth qnsvpststp gtstvywatt
 18301 gtpssfpght epgp1lipft fnftitnlhy eenmqhpgsr kfnttervlg gllt1plfnt
 18361 svpglysgcr lt1lrpekqe aatgvdtict hrvdpigpgl xxexlywels xltxxixelg
 18421 pytldrxxsly vngfthxxsx pttstpgtst vxxtsgtsp sxxxtxxoxp lxpftxnt
 10 18481 itnlxxxxm xxpgsrkfnt texvlgglx pxfknxsvgx lysgcrltxl rxekxgaatg
 18541 xdaicxhxxk pxxpglxxex lywelsxltx xixelgpytl drxslyvngf thrssvpts
 18601 spgtstvhla tsgtpsslp htapvp1lip ftlnftitnl hyeenmqhpg srkfntterv
 18661 lqgllkplfk stsvpglysg crlt1lrpek hgaatgvda ct1rldptgp glxxexlywe
 18721 lsxltxxixe lgpytldrxx lyvngfthxx sxpttstpgt stvxxtsgt pssxxxtxx
 15 18781 xpllxpftxn xtitnlxxxi mxxpgsrkxf nttervlggl lxpffknxsv gllysgcrlt
 18841 xlrkekxgaa tgxdaicxh xxpkxpglxx exlywelsxl txxixelgpy tldrxxslyvn
 18901 gftthrtvpt tstopgtstvh latsgtpss1 pghtapvp1l ipftlnftit nlqyeedmhr
 18961 pgsrkfntte rvlqglspi fknssvgply sgcr1tslrp ekdgaatgmd avclyhpnk
 20 19021 rpgldreqly celsqlthni telgpyldr dslyvngfth qnsvpststp gtstvywatt
 19081 gtpssfpght xxxpllxpft xntitnlxx xxxmxxpgsr kfnttervlg gllxpxfkx
 19141 svxlysgcr ltxlrkekxg aatgxdaicx hxxpkxpgl xxexlywels xltxxixelg
 19201 pytldrxxsly vngfthwssg lttstpwtst vdlgtsgtps pvpsttagp llvpftlnft
 19261 itnlqyeedm hrpgsrkfna tervlglls pifkntsvgp lysgcrlt1l rpekqaatg
 25 19321 vdticthrvd pigpglxxex lywelsxltx xixelgpytl drxslyvngf thxxsxpts
 19381 tpgtstvxg tsgtpssxp xtxxxpllxp ftxntitnl xxxmxxpg srkfntterv
 19441 lqgllxpxfk nxsvgxlysg crltxlrkek xgaatgvda cxxhxxoxp glxxexlywe
 19501 lsxltxxixe lgpytldrxx lyvngfthrs fglttstpwt stvdlgtsgt pspvpstta
 19561 gp1lvftln ftitnlqyee dmhrpgsrkxf nttervlggl ltplfntsv sslysgcrlt
 30 19621 llrpekdgaa trvdavcthr pdpkspglxx exlywelsxl txxixelgpy tldrxxslyvn
 19681 gftthxxsxt tstopgtstvx xgtsgtpssx pxttxxopl xpfthxntit nlxxxxmxx
 19741 pgsrkfntte xvlqglxpx fknxsvgxly sgcr1txlrx ekxgaatgxd aicxhxxoxpk
 19801 xpglxxexly welsxltxxi xelgpytldr xslyvngfth wipvptstp gtstvd1gag
 19861 tpsslpstt agp1lvftl nftitnlqy edmhpgsrk fnttervlg l1gpfknts
 35 19921 vpglysgcr1 ts1rsekda atgvdaic1h hldpkspglx xexlywelsx ltxixelgp
 19981 ytldrxxsly ngfthxxsx tstopgtstvx xxtsgtpss xpxxtxxopl lxpftxnti
 20041 tnlxxxxmxx xpgsrkfntt exvlgglxp xfkxsvgxly ysgcr1txlr xekxgaatg
 20101 daicxhxxoxp kxpglxxex lywelsxltxx ixelgpytld xslyvngfth hgtfapntst
 20161 pgtstvd1gt sgtps1lpsp tsagp1lvft tlnftitnlq yeedmhpgs rkfntterv
 40 20221 qgllgpmfkn tsvgllysgc r1t1lrpek gaatr1d1vc thrpdpkspg lxxexlywel
 20281 sxltxxixel gpytldrxxs lyvngfthxxs xpttstpgts vxxtsgtsgt sxxpxt1p
 20341 p1lipftlnf titnlhyeen mqhpgsrkfn ttervlggl kplfkstvg plysgcr1l
 20401 lrpekhaat gvdaict1rl dptgpgldre rlywelsqlt nsvtelgpyt ldrdslyvng
 20461 ftqrs1vptt sipgtsavhl etsgtpaslp ghtapgp1lv pftlnftitn lqyevdmrhp
 45 20521 gsrkfntter vlgllkplf kts1vgplys gcr1t1lrpe krgaatgvdt ict1rldpln
 20581 pgldreqlyw elsk1trgii elgpy1ldrg slyvngfthr nfvpitstpg tstv1lgtse
 20641 tpss1lprpiv pgp1lvftl nftitnlqye eamrhpgrk fnttervlg l1rplfknts
 20701 igplysscr1 t1lrpekda atrvdaicth hdpdpspgln reqlywelsq lthgitelgp
 20761 ytldrdslyv dgfthwsp1p tstopgtsiv nlgtsgipps lpettxxopl lxpftxnti
 50 20821 tnlxxxxmxx xpgsrkfntt ervlgglkp lfkts1vgp1 ysgcr1t1lr pekdgvatrv
 20881 daicthrpdp kipgldrqql ywelsqlths itelgpytld rdslyvngft qrs1vpttst
 20941 pgtftvqpet setps1lpgp tatgp1lvft tlnftitnlq yeedmhpgs rkfntterv
 21001 qgllmp1fkn ts1v1sgc r1t1lrpek gaatr1d1vc thrpdpkspg ldrerlywk1
 21061 sq1thgitel gpytldrxxs lyvngfthqss mtttrtpdts tmh1atsrt1 as1sgpttas
 55 21121 p1lv1ftinf titnlryeen mhhpgsrkfn ttervlggl rpvfkntsvg plysgcr1l
 21181 lrpkkdgaat kvdaictyrp dpkspgldre qlywelsqlt hsitelgpyt ldrdslyvng
 21241 ftqrs1vptt sipgtp1vdl gts1p1vskp gpsaas1lv lftlnftitn lryeenmqhp
 21301 gsrkfntter vlgllr1elf kts1vgplys gcr1t1lrpe kdgtatgvda ict1hdpkps
 21361 prldreqlyw elsq1thnit elghyaldnd slfvngfthr ssvsttstpg tptv1lgask
 21421 tpas1fgpsa ash1l1ftl nftitnlrye enmwpgrkxf nttervlggl l1rplfknts
 60 21481 gp1ysgcr1t llrpekdgaa tgvdac1thr pdptgpgldr eqly1elsql thsitelgpy
 21541 t1drdslyvn gft1r1svpt tsg1v1seep ftlnftinnl rymadm1gqpg slkfnt1dnv

21601 mkhlslplfq rslgarytg crvialrsvk ngaetrvdll ctylqplsgp glpikqvfhc
 21661 lsqgthgitr lgpysldkds lylngynepg ldeppptpkp attflpplse attamgyhlc
 21721 tltlnftien lqyspdmkgg satfnstegv lqhlrlplfq kssmgpfylg cqlislrpek
 21781 dgaatgvdtc ctyhpdvpvg gldiqqllye lsqllthgvtg lgfyvldrds lfingyapqn
 5 21841 lsirgeyqin fhivnwnlsl pdptssseyit llrdiqdkvt tlykgsqldh tfrfclvtnl
 21901 tmdsvlvtvk alfssnldps lveqvfdkt lnasfhwlg tyqlvdihvt emessvyqpt
 21961 sssstqhfyf nftitnlpy qdkaqpgttn yqmkknied alnqlfrnss ikayfscdqv
 22021 stfrsvpnrh htgvdslncl splarrvdrv aiyeeflrmr rngtqlqnt ldrssvldvg
 22081 yspnrnepl gnsdlpfwav iliglagllg litcliegvl vttrrrkkee eyavqgqcpq
 10 22141 yyqshldled lq

SEQ ID NO. 2

15 CA125 nucleic acid Genbank No. AF414442

CDS 205..66663

1 aagcgttgca caattccccc aacctccata catacggcag ctcttctaga cacaggtttt
 61 cccaggtcaa atgcggggac cccagccata tctcccacc tgagaaattt tggagtttca
 121 gggagctcag aagctctgca gaggccaccc tctctgaggg gattcttctt agacctccat
 20 181 ccagaggcaa atgttgacct gtccatgctg aaaccctcag gccttctctg gtcattctct
 241 cccacccgct ccttgatgac agggagcagg agcactaaag ccacaccaga aatggattca
 301 ggactgacag gagccacctt gtcacctaa acatctacag gtgcaatcgt ggtgacagaa
 361 catactctgc cctttacttc cccagataag accttgccca gtcctacatc ttcgggtgtg
 421 ggaagaacca cccagtcttt gggggtgatg tccctctgct tccctgagtc aacctctaga
 25 481 ggaatgacac actccgagca aagaaccagc ccatcgctga gtccccagg caatggaact
 541 ccctctagga actacctgc tacaagcatg gtttcaggat tgagtctccc aaggaccagg
 601 accagttcca cagaaggaaa ttttaccaaa gaagcatcta catacacact cactgtagag
 661 accacaagtg gccagtcac tgagaagtac acagtcccca ctgagacctc aacaactgaa
 721 ggtgacagca cagagacccc ctgggacaca agatataatt ctgtaaaaat cacatctcca
 30 781 atgaaacat ttgcagattc aactgcatcc aaggaaaatg cccagtgctc tatgactcca
 841 gctgagacca cagttactga ctcacatact ccaggaaagga caaaccctat atttgggaca
 901 ctttattctt ccttccttga cctatcacct aaagggaacc caaattccag aggtgaaaca
 961 agcctggaac tgattctatc aacctctgga tatccctctt cctctcctga acctggctct
 1021 gcaggacaca gcagaataag taccagtgcg cctttgtcat catctgcttc agttctcgat
 35 1081 aataaaatat cagagaccag catattctca ggccagagtc tcacctcccc tctgtctctt
 1141 ggggtgcccg aggccagagc cagcacaatg cccaactcag ctatcccttt ttcctagaca
 1201 ctaagcaatg cagaaacaag tgccgaaagg gtcagaagca caatttcttc tctggggact
 1261 ccatcaatat ccacaaagca gacagcagag actatcctta ccttccatgc cttcgctgag
 1321 accatggata taccagcac ccacatagcc aagactttgg cttcagaagt gttgggaagt
 40 1381 ccaggtaccc ttggtggcac cagcacttca gcgctgacaa ccacatctcc atctaccact
 1441 ttagtctcag aggagaccaa caccatcac tccacgagtg gaaaggaaac agaaggaaact
 1501 ttgaatacat ctatgactcc acttgagacc tctgctcctg gagaagagtc cgaatgact
 1561 gccaccttgg tccccactct aggttttaca actcttgaca gcaagatcag aagtccatct
 1621 caggtctctt catcccaccc aacaagagag ctcagaacca caggcagcac cctctggagg
 45 1681 cagagttcca gcacagctgc ccacgggagc tctgacatcc tgagggcaac cacttccagc
 1741 acctcaaaag catcatcatg gaccagtga agcacagctc agcaatttag tgaaccccag
 1801 cacacacagt ggggtggagc aagtcctagc atgaaaaacag agagaccccc agcatcaacc
 1861 agtgtggcag cccctatcac cacttctgtt cctcagtggt tctctggctt caccacctg
 1921 aagaccagct ccacaaaagg gatttggctt gaagaaacat ctgcagacac actcatcgga
 50 1981 gaatccacag ctggcccaac caccatcag tttgtgttcc cactgggat ttcattgaca
 2041 ggaggcagca gcaccagggg aagccagggc acaaccaccc tactaccag agccacagca
 2101 tcatctgaga catccgcaga tttgactctg gccacgaag gtgtcccagt ctcggtgtct
 2161 ccagcagtg gcaagacggc tgctggctca agtcctccag gagggacaaa gccatcatat
 2221 acaatggttt cttctgtcat ccctgagaca tcatctctac agtcctcagc tttcagggaa
 55 2281 ggaaccagcc tgggactgac tccattaaac actagacatc ccttctcttc cctgaacca
 2341 gactctgcag gacacaccaa gataagcacc agcattcttc tgttgcacat tgcttcagtt
 2401 cttgaggata aagtgtcagc gaccagcaca ttctcacacc acaaaagccac ctcattctatt
 2461 accacagggg ctcctgaaat ctcaacaaag acaaaagccca gctcagccgt tcttctctcc
 2521 atgaccctaa gcaatgcagc aacaagtcct gaaagagtc gaaatgcaac ttcctctctg

2581 actcatccat ctccatcagg ggaagagaca gcagggagtg tcctcactct cagcacctct
2641 gctgagacta cagactcacc taacatccac ccaactggga cactgacttc agaactcgtca
2701 gagagtccca gcaactctcag cctcccaagt gtctctggag tcaaaaccac attttcttca
2761 tctactcctt ccactcatct atttactagt ggagaagaaa cagaggaaac ttcgaatcca
5 2821 tctgtgtctc aacctgagac ttctgtttcc agagtaagga ccaccttggc cagcacctct
2881 gtccctaccc cagtattccc caccatggac acctggccta cagttcagc tcagttctct
2941 tcatccacc tagtgagtga gctcagagct acgagcagta cctcagttac aaactcaact
3001 ggttcagctc ttccataaat atctcacctc actgggacgg caacaatgtc acagaccaat
3061 agagacacgt ttaatgactc tgctgcaccc caaagcacia cttggccaga gactagtccc
10 3121 agattcaaga cagggttacc ttcagcaaca accactgttt caacctctgc cacttctctc
3181 tctgtacttg taatggtctc taatttcact tctccagcaa ctagtccatc ggaagcaact
3241 tctatcaggg aacctcaac aacctcctc acaacagaga ccacgaatgg cccaggtctc
3301 atggtctgtg cttctaccaa catcccaatt ggaaagggct acattactga aggaagattg
3361 gacacaagcc atctgccc atggaaacaca gcttctctct agacatctat ggattttacc
15 3421 atggccaaag aaagtgtctc aatgtcagta tctccatctc agtccatgga gtgtctggc
3481 tcaagcactc caggaaggac aagccaattc gttgacacat tttctgatga tgtctatcat
3541 ttaacatcca gagaaattac aatacctaga gatggaacaa gctcagctct gactccacaa
3601 atgactgcaa ctcacctcc atctcctgat cctggctctg ctagaagcac ctgggttggc
3661 atcttgtcct catctcctc tctcctact cccaaagtca caatgagctc cacattttca
20 3721 actcagagag tcaccacaag catgataatg gacacagttg aaactagtgc gtggaactag
3781 cccaacttac cttccacgac ttccctgaca ccaagtaata ttccaacaag tgggtgcata
3841 ggaaaaagca ccctggttcc cttggacact ccatctccag ccacatcatt ggaggcatca
3901 gaagggggac ttccaacctc cagcacctac cctgaatcaa caaacacacc cagcatccac
3961 ctcgagcacc acgctagtct agaaagtcca agcaccatca aacttaccat ggcttcagta
25 4021 gtaaaacctg gctcttacac acctctcacc ttccctcaa tagagacca cattcatgta
4081 tcaacagcca gaatggctta ctcttctggg tcttcacctg agatgacagc tcctggagag
4141 actaacactg gtagtacctg ggacccacc acctacatca ccactacgga tcctaaggat
4201 acaagttcag ctcaggtctc tacacccacc tcagttagga cactcagaac cacagaaaac
4261 catccaaaga cagagtccgc caccctcagc gcttaactct gaagtcctaa aatctcaagt
30 4321 tcacccaatc tcaccagtc ggccacaaaa gcatggacca tcacagacac aactgaacac
4381 tccactcaat tacattacac aaaattggca gaaaaatcat ctggatttga gacacagtca
4441 gctccaggac ctgtctctgt agtaatccct acctccccta ccattggaag cagcacattg
4501 gaactaactt ctgatgtccc aggggaaccc ctggtccttg ctccagtgga gcagaccaca
4561 atcactctcc ccatggcaac atggctgagt accagtttga cagaggaaat ggcttcaaca
35 4621 gaccttgata tttcaagtcc aagttcacc atgagtacat ttgctatttt tccacctatg
4681 tccacacctt ctcattgaact ttcaaagtca gaggcagata ccagtgccat tagaaatata
4741 gattcaacaa cggttgatca gcaactagga atcaggagtt tgggcagaaac tggggactta
4801 acaactgttc ctatcacccc actgacaacc acgtggacca gtgtgattga acactcaaca
4861 caagcacagg acaccttttc tgcaacgatg agtccactc acgtgacaca gtcactcaaa
40 4921 gatcaaacat ctataccagc ctacagatcc ccttcccata ttactgaagt ctacctgag
4981 ctgggacac aagggagaag ctctctgag gcaaccactt ttggaaaaac atctacagac
5041 acactgtcca gagagattga gactggccca acaaacattc aatccactcc acctaggac
5101 aacacaacaa caggagcag tagtagtgga gtcacctg gcatagccca ccttcccata
5161 ggaacatcct cccagctga gacatccaca aacatggcac tggaaagaag aagttctaca
45 5221 gccactgtct ctatggctgg gacaatggga ctcttgttga ctagtgtctc aggaagaagc
5281 atcagccagt cattaggaag agtttctct gtcttctct agtcaactac tgaaggagtc
5341 acagattcta gtaagggaag cagcccaagg ctgaacacac agggaaatac agctctctcc
5401 tcctctcttg aacctcagta tgctgaagga agccagatga gcacaagcat cctctcaacc
5461 tcatctccta caactcctga tgtggaattc atagggggca gcacattttg gaccaaggag
50 5521 gtcaccacag ttatgacctc agacatctcc aagtcttcag caaggacaga gtcagctca
5581 gctaccttta tgtccacagc tttgggaagc actgaaaata caggaaaaga aaaactcaga
5641 actgcctcta tggatcttcc atctccaact ccatcaatgg aggtgacacc atggatttct
5701 ctcactctca gtaatgcccc caataccaca gattcacttg acctcagcca tgggtgacac
5761 accagctctg cagggaactt ggccactgac aggtcattga atactggtgt cactagagcc
55 5821 tccagatttg aaaacggctc tgatacctct tctaagtcct tgtctatggg aaacagact
5881 cactctcca tgactgacac agagaagagt gaagtgtctt cttcaatcca tccccagact
5941 gagacctcag ctctggagc agagaccact ttgacttcca ctctggaaa cagggccata
6001 agcttaacat tgccttttcc atccattcca gtggaagaag tcatttctac aggcataacc
6061 tcaggaccag acatcaactc agcaccatg acacattctc ccatcaccac accaactt
6121 gtatggacca gtacaggcac aattgaacag tccactcaac cactacatgc agtttcttca
60 6181 gaaaaagttt ctgtgcagac acagtcaact ccatatgtca actctgtggc agtgtctgct

	6241	tcccctaccc	atgagaattc	agtctcttct	ggaagcagca	catcctctcc	atattcctca
	6301	gcctcacttg	aatccttggg	ttccacaatc	agtaggagga	atgcaatcac	ttcctggcta
	6361	tgggacctca	ctacatctct	ccccactaca	acttggccaa	gtactagttt	atctgaggca
	6421	ctgtcctcag	gccattctgg	ggtttcaaac	ccaagttaa	ctacgactga	atttccactc
5	6481	ttttcagctg	catccacatc	tgctgctaag	caaagaaatc	cagaaacaga	gacccatggt
	6541	ccccagaata	cagccgcgag	tactttgaac	actgatgcat	cctcgggtcac	aggtctttct
	6601	gagactcctg	tgggggcaag	tatcagctct	gaagtccctc	ttccaatggc	cataacttct
	6661	agatcagatg	tttctggcct	tacatctgag	agtactgcta	acccgagttt	aggcacagcc
	6721	tcttcagcag	ggaccaaatt	aactaggaca	atatccctgc	ccacttcaga	gtctttgggt
10	6781	tccttttaga	tgaacaagga	tcctaggaca	gtgtcaatcc	ctttgggggtc	ccatccaact
	6841	actaatacac	aaacaagcat	cccagtaaac	agcgaggttc	cacctggctt	gtccacagta
	6901	gcatcagatg	taattgacac	accttcagat	ggggctgaga	gtattcccac	tgtctccttt
	6961	tccccctccc	ctgatactga	agtgacaact	atctcacatt	tcccagaaaa	gacaaactcat
	7021	tcattttaga	ccatttcac	tctcactcat	gagttgactt	caagagtgc	acctattcct
15	7081	ggggatttga	tgagttcagc	tatgtctaca	aagccacag	gagccagtc	ctccattaca
	7141	ctgggagaga	gaaggacaat	cacctctgct	gtcccaacca	cttcccccat	agttctcact
	7201	gctagtttca	cagagaccag	cacagtttca	ctggataatg	aaactacagt	aaaaacctca
	7261	gatatccttg	acgcacggaa	aacaaatgag	ctccccctcag	atagcagttc	ttctcttgat
	7321	ctgatcaaca	cctccatagc	ttcttcaact	atggatgtca	ctaaaacagc	ctccatcagt
20	7381	cccactagca	tctcaggaat	gacagcaagt	tcctccccat	ctctcttctc	ttcagataga
	7441	cccaggttc	ccacatctac	aacagagaca	aatacagcca	cctctccatc	tgtttccagt
	7501	aacacctatt	ctcttgatgg	gggtcccaat	gtgggtggca	ctccatccac	tttaccaccc
	7561	tttacaatca	cccaccctgt	cgagacaagc	tcggccctat	tagcctggtc	tagaccagta
	7621	agaactttca	gcacccatggt	cagcactgac	actgcctccg	gagaaaaatc	tacctctagc
25	7681	aattctgtgg	tgacttctgt	tcagcacca	ggtacatggg	ccagtgtagg	cagtactact
	7741	gaattacctg	ccatgggctt	tctcaagaca	agtccctgcag	gagaggcaca	ctcacttcta
	7801	gcatacaact	ttgaaccagc	cactgccttc	actccccatc	tctcagcagc	agtggtcact
	7861	ggatccagtg	ctacatcaga	agccagtctt	ctcactacga	gtgaaagcaa	agccattcat
	7921	tcttcaccac	agaccccaac	tacacccacc	tctggagcaa	actgggaaac	ttcagctact
30	7981	cctgagagcc	ttttggtagt	cactgagact	tcagacacaa	cacttacctc	aaagattttg
	8041	gtcacagata	ccatcttgtt	ttcaactgtg	tccacgccac	cttctaaatt	tccaagtacg
	8101	gggactctgt	ctggagcttc	cttccctact	ttactcccgg	acactccagc	catccctctc
	8161	actgccactg	agccaacaag	ttcattagct	acatcccttg	attccacccc	actggtgact
	8221	atagcttcgg	atagtcttgg	cacagtccca	gagactaccc	tgaccatgtc	agagacctca
35	8281	aatgggtgatg	cactggttct	taagacagta	agtaaccacg	ataggagcat	ccctggaatc
	8341	actatccaag	gagtaacaga	aagtccaatc	catccttctt	ccacttcccc	ctctaagatt
	8401	gttgctccac	ggaatacaac	ctatgaaggt	tcgatcacag	tggcacttcc	tactttgcct
	8461	gcgggaacta	ctgggtccct	tgtattcagt	cagagttctg	aaaactcaga	gacaacggct
	8521	ttggttagact	catcagctgg	gcttgagagg	gcatctgtga	tgccactaac	cacaggaagc
40	8581	caggggtatgg	ctagctctgg	aggaatcaga	agtggtgtcca	ctcactcaac	tggaaacaaa
	8641	acattttctt	ctctccctct	gacctgaac	ccaggtgagg	ttacagccat	gtctgaaatc
	8701	accacgaaca	gactgacagc	tactcaatca	acagcaccca	aaggggatacc	tgtgaagccc
	8761	accagtgtcg	agtcaggcct	cctaacacct	gtctctgcct	cctcaagccc	atcaaaggcc
	8821	tttgccctcac	tgactacagc	tcccccatca	acttggggga	tcccacagtc	taccttgaca
45	8881	tttgagtttt	ctgaggtccc	aagtttggat	actaagtccg	cttctttacc	aactcctgga
	8941	cagtcctcga	acaccattcc	agactcagat	gcaagcacag	catcttccct	actgtccaag
	9001	tctccagaaa	aaaacccaag	ggcaaggatg	atgacttcca	caaaggccat	aagtgcgaagc
	9061	tcattttcaat	caacagggtt	tactgaaacc	cctgagggat	ctgcctcccc	ttctatggca
	9121	gggcatgaac	ccagagtccc	cacttcagga	acaggggacc	ctagatatgc	ctcagagagc
50	9181	atgtcttatc	cagacccaag	caaggcatca	tcagctatga	catcgacctc	tcttgcatca
	9241	aaactcacia	ctctcttcag	cacaggtcaa	gcagcaaggt	ctggttctag	ttcctctccc
	9301	ataagcctat	ccactgagaa	agaaacaagc	ttcctttccc	ccactgcatc	cacctccaga
	9361	aagacttcac	tatttcttgg	gccttccatg	gcaaggcagc	ccaacatatt	ggtgcatctt
	9421	cagacttcag	ctctgacact	ttctccaaca	tccactctaa	atatgtccca	ggaggagcct
55	9481	cctgagttta	cctcaagcca	gaccattgca	gaagaagagg	gaacaacacg	tgaaacacag
	9541	acgttaacct	tcacaccatc	tgagacccca	acatccttgt	tacctgtctc	ttctccaca
	9601	gaaccacacg	ccagaagaaa	gagttctcca	gaaacatggg	caagctctat	ttcagttcct
	9661	gccaagacct	ccttggttga	aacaactgat	ggaacgctag	tgaccaccat	aaagatgtca
	9721	agccaggcag	cacaagggaa	ttccacgtgg	cctgccccag	cagaggagac	ggggaccagt
60	9781	ccagcaggca	catccccagg	aagccccaga	gtgtctacca	ctctcaaaat	catgagctcc
	9841	aaggaaccca	gcatcagccc	agagatcagg	tccactgtgc	gaaattctcc	ttggaagact

	9901	ccagaaacaa	ctgttcccat	ggagaccaca	gtggaaccag	tcacccttca	gtccacagcc
	9961	ctaggaagtg	gcagcaccag	catctctcac	ctgcccacag	gaaccacatc	accaaccaag
	10021	tcaccaacag	aaaatatgtt	ggctacagaa	aggggtctccc	tctccccatc	cccacctgag
5	10081	gcttggacca	acctttatct	tggaaactcca	ggagggacca	ggcagtcact	ggccacaatg
	10141	tcctctgtct	ccctagagtc	accaactgct	agaagcatca	cagggactgg	tcagcaaagc
	10201	agtccagaac	tggtttcaaa	gacaactgga	atggaattct	ctatgtggca	tggtctact
	10261	ggagggacca	caggggacac	acatgtctct	ctgagcacat	cttccaatat	ccttgaagac
	10321	cctgtaacca	gcccacactc	tgtgagctca	ttgacagata	aatccaaaca	taaaaccgag
10	10381	acatgggtaa	gcaccacagc	cattccctcc	actgtcctga	ataataagat	aatggcagct
	10441	gaacaacaga	caagtcgac	tgtggatgag	gcttattcat	caactagttc	ttggtcagat
	10501	cagacatctg	ggagtgcac	cacccttggt	gcattctcctg	atgtcacaaa	cacattatac
	10561	atcacctcca	cagcacaaac	cacctcacta	gtgtctctgc	cctctggaga	ccaaggcatt
	10621	acaagcctca	ccaatccctc	aggaggaaaa	acaagctctg	cgtcactctg	catctctcct
	10681	tcaatagggc	ttgagactct	gagggccaat	gtaagtgcag	tgaagagtga	cattgcccct
15	10741	actgctgggc	atctatctca	gacttcatct	cctgcgggaag	tgagcatcct	ggagctaacc
	10801	acagctccta	ctccagggtat	ctccaccacc	atcaccacca	tgggaaccaa	ctcaatctca
	10861	actaccacac	ccaaccacaga	agtgggtatg	agtaccatgg	acagcaccoc	ggccacagag
	10921	aggcgacaaa	cttctacaga	acacccttcc	acctggctct	ccacagctgc	atcagattcc
20	10981	tggaactgtca	cagacatgac	ttcaaaacttg	aaagttgcaa	gatctcctgg	aacaatttcc
	11041	acaatgcata	caacttcatt	cttagcctca	agcactgaat	tagactccat	gtctactccc
	11101	catggccgta	taactgtcat	tggaaaccag	ctggctcactc	catcctctga	tgcttcagct
	11161	gtaagacag	agaccagtac	aagtgaagaa	acattgagtc	cttcagacac	aactgcatct
	11221	actcccatct	caacttttcc	tcgtgtccag	aggatgagca	tctcagttcc	tgacatttta
25	11281	agtacaagtt	ggactcccag	tagtacagaa	gcagaagatg	tgctgtttcc	aatggttctt
	11341	acagatcatg	ctagtacaaa	gactgaccca	aatacgcctc	tgctccacttt	tctgtttgat
	11401	tctctgtcca	ctcttgactg	ggacactggg	agatctctgt	catcagccac	agccactacc
	11461	tcagctcctc	agggggccac	aactcccag	gaactcactt	tggaaaccat	gatcagccca
	11521	gctacctcac	agttgcctct	ctctataggg	cacattacaa	gtgcagtcac	accagctgca
	11581	atggcaagga	gctctggagt	tactttttca	agaccagatc	ccacaagcaa	aaaggcagag
30	11641	cagacttcca	ctcagcttcc	caccaccact	tctgcacatc	cagggcaggt	gccagatca
	11701	gcagcaacaa	ctctggatgt	gatcccacac	acagcaaaaa	ctccagatgc	aacttttcag
	11761	agacaagggc	agacagctct	tacaacagag	gcaagagcta	catctgactc	ctggaatgag
	11821	aaagaaaaat	caaccccaag	tgacacttgg	atcactgaga	tgatgaattc	tgtctcagaa
35	11881	gataccatca	aggaggttac	cagctcctcc	agtgtattaa	aggacctga	atacgttgga
	11941	cataaacttg	gaatctggga	cgacttcatc	cccaagtttg	gaaaagcagc	ccatagtaga
	12001	gagttgcccc	ttctgagtc	accacaggac	aaagaggcaa	ttcacccttc	tacaacaca
	12061	gtagagacca	caggctgggt	cacaagttcc	gaacatgctt	ctcattccac	tatcccgacc
	12121	cactcagcgt	catccaaact	cacatctcca	gtggttacaa	cctccaccag	ggaacaagca
40	12181	atagtttota	tgtcaacaac	cacatggcca	gagctacaaa	gggctagaac	agagccta
	12241	tccttcttga	ctattgaact	gagggacgct	agcccttaca	tggacaccag	ctcaaccaca
	12301	caaacaagta	ttatctcttc	cccaggttcc	actgcgatca	ccaagggggc	tagaacagaa
	12361	attacctcct	ctaagagaat	atccagctca	ttccttgccc	agtcctatgag	gtcgtcagac
	12421	agccctcctc	aagccatcac	caggctgtct	aactttcctg	ccatgacaga	atctggagga
	12481	atgatccttg	ctatgcaaac	aagtccacct	ggcgctacat	cactaagtgc	acctactttg
45	12541	gatacatcag	ccacagcctc	ctggacaggg	actccactgg	ctacgactca	gagatttaca
	12601	tactcagaga	agaccactct	ctttagcaaa	ggctcctgag	atacatcaca	gccaagccct
	12661	cctctctgtg	aagaaaccag	ctcttctctc	tccttggtac	ctatccatgc	tacaacctcg
	12721	ccttccaata	ttttgttgac	atcacaaagg	cacagtcctc	cctctactcc	acctgtgacc
50	12781	tcagttttct	tgtctgagac	ctctggcctg	gggaagacca	cagacatgtc	gaggataagc
	12841	ttggaacctg	gcacaagttt	acctcccaat	ttgagcagta	cagcaggtga	ggcggtatcc
	12901	acttatgaag	cctccagaga	tacaaaggca	attcatcatt	ctgcagacac	agcagtgaag
	12961	aatatggagg	caaccagttc	tgaatattct	cctatcccag	gccatacaaa	gccatccaaa
	13021	gccacatctc	cattgggttac	ctcccacatc	atgggggaca	tcacttcttc	cacatcagta
55	13081	tttggctcct	cagagaccac	agagattgag	acagtgtcct	ctgtgaacca	gggacttccag
	13141	gagagaagca	catcccaggt	ggccagctct	gctacagaga	caagcactgt	cattaccctc
	13201	gtgtctagtg	gtgatgctac	tactcatgtc	accaagacac	aagccacttt	ctctagcgga
	13261	acatccatct	caagccctca	tcagtttata	acttctacca	acacattttac	agatgtgagc
	13321	accaaccctc	ccacctctct	gataatgaca	gaatcttcag	gagtgaccat	caccacccaa
60	13381	acaggtccta	ctggagctgc	aacacagggt	ccatatctct	tggacacatc	aaccatgcct
	13441	tacttgacag	agactccatt	agctgtgact	ccagatttta	tgcaatcaga	gaagaccact
	13501	ctcataagca	aagggtcccaa	ggatgtgacc	tggacaagcc	ctccctctgt	ggcagaaacc

	13561	agctatccct	cttccctgac	acctttcttg	gtcacaacca	tacctcctgc	cacttccacg
	13621	ttacaagggc	aacatacatc	ctctcctgtt	tctgcgactt	cagttcttac	ctctggactg
	13681	gtgaagacca	cagatatgtt	gaacacaagc	atggaacctg	tgaccaattc	acctcaaaat
	13741	ttgaacaatc	catcaaatga	gatactggcc	acttttgccg	ccaccacaga	tatagagact
5	13801	attcatcctt	ccataaacia	agcagtgacc	aatatgggga	ctgccagttc	agcacatgta
	13861	ctgcattcca	ctctcccagt	cagctcagaa	ccatctacag	ccacatctcc	aatgggtcct
	13921	gcctccagca	tgggggagcg	tcttgcttct	atatcaatac	ctgggtctga	gaccacagac
	13981	attgagggag	agccaacatc	ctccctgact	gctggacgaa	aagagaacag	caccctccag
	14041	gagatgaact	caactacaga	gtcaaacatc	atcctctcca	atgtgtctgt	gggggctatt
10	14101	actgaagcca	caaaaatgga	agtccccctc	tttgatgcaa	cattcatacc	aactcctgct
	14161	cagtcaacaa	agttcccaga	tattttctca	gtagccagca	gtagactttc	aaactctcct
	14221	cccattgaca	tatctaccca	catgaccacc	acccagacag	ggctctctgg	agctacatca
	14281	aagattccac	ttgccttaga	cacatcaacc	ttggaaacct	cagcagggac	tccatcagtg
	14341	gtgactgagg	ggtttgccca	ctcaaaaata	accactgcaa	tgaacaatga	tgtcaaggac
15	14401	gtgtcacaga	caaaccctcc	ctttcaggat	gaagccagct	ctccctcttc	tcaagcacct
	14461	gtccttgtca	caaccttacc	ttcttctgtt	gctttcacac	cgcaatggca	cagtacctcc
	14521	tctcctgttt	ctatgtcctc	agttcttact	tcttctactg	taaagaccgc	aggcaagggtg
	14581	gatacaagct	tagaaacagt	gaccagttca	cctcaaagta	tgagcaaac	tttggatgac
	14641	atatcgggtc	cttcagcagc	caccacagat	atagagacaa	cgcctccttc	tcaaaacaca
20	14701	gtagttagca	atgtggggac	caccgggtca	gcatttgaat	cacattctac	tgtctcagct
	14761	taccagagc	catctaaagt	cacatctcca	aatgttagca	cctccaccat	ggaagacacc
	14821	acaatttccc	gatcaatacc	taaaacctct	aagactacaa	gaactgagac	tgagacaact
	14881	tcctccctga	ctcctaaact	gagggagacc	agcatctccc	aggagatcac	ctcgtccaca
25	14941	gagacaagca	ctgttcctta	caaagagctc	actgggtgca	ctaccgaggt	atccaggaca
	15001	gatgtcactt	cctctagcag	tacatccttc	cctggccctg	atcagtcac	agtgtcacta
	15061	gacatctcca	cagaaaccaa	caccaggctg	tctacctccc	caataatgac	agaatctgca
	15121	gaaataacca	tcaccaccca	aacaggctct	catgggggta	catcacagga	tacttttacc
	15181	atggacccat	caaatacaac	ccccaggcca	gggatccact	cagctatgac	tcatggattt
	15241	tcacaattgg	atgtgaccac	tcttatgagc	agaattccac	aggatgtatc	atggacaagt
30	15301	cctccctctg	tggataaaac	cagctcccc	tcttctcttc	tgtcctcacc	tgcaatgacc
	15361	acaccttccc	tgatttcttc	taccttacca	gaggataaag	tctcctctcc	tatgacttca
	15421	cttctcacct	ctggcctagt	gaagattaca	gacatattac	gtacacgctt	ggaacctgtg
	15481	accagctcac	ttccaaattt	cagcagcacc	tcagataaga	tactggccac	ttctaaagac
35	15541	agtaaagaca	caaaggaaat	ttttccttct	ataaacacag	aagagaccaa	tgtgaaagcc
	15601	aacaactctg	gacatgaatc	ccattcccc	gcactggctg	actcagagac	acccaaagcc
	15661	acaactcaaa	tgggtatcac	caccactgtg	ggagatccag	ctccttccac	atcaatgcca
	15721	gtgcatgggt	cctctgagac	tacaaacatt	aagagagagc	caacatattt	cttgactcct
	15781	agactgagag	agaccagtac	ctctcaggag	tccagcttct	ccacggacac	aagttttcta
	15841	ctttccaaag	tccccactgg	tactattact	gaggtctcca	gtacaggggt	caactcttct
40	15901	agcaaaattt	ccaccccaga	ccatgataag	tccacagtgc	cacctgacac	cttcacagga
	15961	gagatcccca	gggtcttcac	ctcctctatt	aagacaaaat	ctgcagaaaat	gacgatcacc
	16021	acccaagcaa	gtcctcctga	gtctgcacgc	cacagtaacc	ttcccttgga	cacatcaacc
	16081	acactttccc	agggaggggc	tcattcaact	gtgactcagg	gattcccata	ctcagagggtg
	16141	accactctca	tgggcatggg	tcctgggaat	gtgtcatgga	tgacaactcc	ccctgtggaa
45	16201	gaaaccagct	ctgtgtcttc	cctgatgtct	tcacctgcca	tgacatcccc	ttctcctgtt
	16261	tcctccacat	caccacagag	catccccctc	tctcctcttc	ctgtgactgc	acttctactt
	16321	tctgttctgg	tgacaaccac	agatgtgttg	ggcacaacaa	gcccagagtc	tgtaaccagt
	16381	tcacctccaa	atttgagcag	catcactcat	gagagaccgg	ccacttacaa	agacactgca
	16441	cacacagaag	ccgccatgca	tcattccaca	aacaccgcag	tgaccaatgt	agggacttcc
50	16501	gggtctggac	ataaatcaca	atcctctgtc	ctagctgact	cagagacatc	gaaagccaca
	16561	cctctgatga	gtaccacctc	caccctgggg	gacacaagtg	tttccacatc	aactccta
	16621	atctctcaga	ctaaccaaat	tcaaacagag	ccaacagcat	ccctgagccc	tagactgagg
	16681	gagagcagca	cgtctgagaa	gaccagctca	acaacagaga	caaatactgc	cttttcttat
	16741	gtgcccacag	gtgctattac	tcaggcctcc	agaacagaaa	tctcctctag	cagaacatcc
55	16801	atctcagacc	ttgatcggcc	cacaatagca	cccgacatct	ccacaggaat	gatcaccagg
	16861	ctcttcacct	cccccatcat	gacaaaatct	gcagaaatga	ccgtcaccac	tcaaaacact
	16921	actcctgggg	ctacatcaca	gggtatcctt	ccttggggaca	catcaaccac	acttttccag
	16981	ggaggggactc	attcaaccgt	gtctcaggga	ttcccacact	cagagataac	cactcttcgg
	17041	agcagaaccc	ctggagatgt	gtcatggatg	acaactcccc	ctgtgggaat	aaccagctct
60	17101	gggttttccc	tgatgtcacc	ttccatgaca	tccccctctc	ctgtttctctc	cacatcacca
	17161	gagagcatcc	cctcctctcc	tctcctctgt	actgcacttc	ttacttctgt	tctggtgaca

	17221	accaccaatg	tattggggcac	aacaagccca	gagacogtaa	cgagttcacc	tccaaattta
	17281	agcagcccca	cacaggagag	actgaccact	tacaaagaca	ctgcgcacac	agaagccatg
	17341	catgcttcca	tgcatacaaa	cactgcagtg	gccaacgtcg	ggacctccat	ttctggacat
5	17401	gaatcacaa	cttctgtccc	agctgattca	cacacatcca	aagccacatc	tccaatgggt
	17461	atcaccttcg	ccatggggga	tacaagtgtt	tctacatcaa	ctcctgcctt	ctttgagact
	17521	agaattcaga	ctgaatcaac	atcctctttg	attcctggat	taagggacac	caggacgtct
	17581	gaggagatca	acactgtgac	agagaccage	actgtccttt	cagaagtgcc	cactactact
	17641	actactgagg	tctccaggac	agaagtattc	acttccagca	gaacaacat	ctcagggcct
	17701	gatcattcca	aatgttcacc	ctacatctcc	acagaaacca	tcaccaggct	ctccactttt
10	17761	ccttttgtaa	caggatccac	agaaatggcc	atcaccaacc	aaacagggtc	tatagggact
	17821	atctcacagg	ctacccttac	cctggacaca	tcaagcacag	cttccctgga	agggactcac
	17881	tcacctgtga	ctcagagatt	tccacactca	gaggagacca	ctactatgag	cagaagtact
	17941	aagggcggtg	catggcaaa	ccctccctct	gtggaagaaa	ccagttctcc	ttcttcccca
	18001	gtgcctttac	ctgcaataac	ctcacattca	tctctttatt	ccgcagtatc	aggaagttagc
15	18061	cccacttctg	ctctccctgt	gacttccctt	ctcacctctg	gcaggaggaa	gacctatagc
	18121	atgttggaca	cacactcaga	acttgtgacc	agctccttac	caagtgcagg	tagcttctca
	18181	ggtgagatac	tcaacttctga	agcctccaca	aatacagaga	caattcactt	ttcagagaac
	18241	acagcagaaa	ccaatattgg	gaccaccaat	tctatgcata	aactacattc	ctctgtctca
20	18301	atccactccc	agccatccgg	acacacacct	ccaaagggtta	ctggatctat	gatggaggac
	18361	gctattgttt	ccacatcaac	acctgggtct	cctgagacta	aaaatgttga	cagagactca
	18421	acatcccctc	tgaactcctga	actgaaagag	gacagcaccg	ccctgggtgat	gaactcaact
	18481	acagagtcaa	acactgtttt	ctccagtgtg	tcccctggatg	ctgctactga	ggtctccagg
	18541	gcagaagtca	cctactatga	tcctacattc	atgccagctt	ctgctcagtc	aacaaagtcc
25	18601	ccagacattt	cacctgaagc	cagcagcagt	cattctaact	ctcctccctt	gacaatatct
	18661	acacacaaga	ccatcgccac	acaaacaggt	ccttctgggg	tgacatctct	tggccaactg
	18721	accctggaca	catcaacca	agccacctca	gcaggaaactc	catcagccag	aactcaggat
	18781	tttgtagatt	cagaacaac	cagtgtcatg	aacaatgatc	tcaatgatgt	ggtgaagaca
	18841	agccctttct	ctgcagaaga	agccaaactct	ctctcttctc	agggacctct	ccttgtgaca
30	18901	acctcacctt	ctcctgtaac	ttccacattg	caagagcaca	gtacctctc	tcttgtttct
	18961	gtgacctcag	taccaccccc	tacactggcg	aagatcacag	acatggacac	aaacttagaa
	19021	cctgtgactc	gttcacctca	aaatttaagg	aacaccttgg	ccacttcaga	agccaccaca
	19081	gatacacaca	caatgcaccc	ttctataaac	acagcaatgg	ccaatgtggg	gaccaccagt
	19141	tcaccaaatg	aattctattt	tactgtctca	cctgactcag	acccatataa	agccacatcc
35	19201	gcagtagtta	tcaactccac	ctcgggggac	tcaatagttt	ccacatcaat	gcctagatcc
	19261	tctgcgatga	aaaagattga	gtctgagaca	actttctccc	tgatatttag	actgagggag
	19321	actagcacct	cccagaaaat	tggctcatcc	tcagacacaa	gcacggctct	tgacaaagca
	19381	ttcactgctg	ctactactga	gggtctccaga	acagaactca	cctcctctag	cagaacatcc
	19441	atccaaggca	ctgaaaagcc	cacaatgtca	ccggacacct	ccacaagatc	tgtcaccatg
40	19501	ctttctactt	ttgtctggct	gacaaaatcc	gaagaaagga	ccattgccac	ccaaacaggt
	19561	cctcataggg	cgacatcaca	gggtaccctt	acctgggaca	catcaatcac	aacctcacag
	19621	gcagggaccc	actcagctat	gactcatgga	ttttcacaa	tagatttgct	cactcttacg
	19681	agtagagttc	ctgagtacat	atcaggggaca	agccacacct	ctgtgggaaa	aaccagctct
	19741	tcctcttccc	ttctgtcttt	accagcaata	acctcaccgt	cccctgtacc	tactacatta
45	19801	ccagaaagta	ggcctgtctc	tcctgttcat	ctgacttcac	tcctccacct	tggcctagtg
	19861	aagaccacag	atatgtctgg	atctgtggcc	agtttacctc	caaacttggg	cagcacctca
	19921	cataagatac	cgactacttc	agaagacatt	aaagatacag	agaaaatgta	tccttccaca
	19981	aacatagcag	taaccaatgt	ggggaccacc	acttctgaaa	aggaatctta	ttcgtctgtc
	20041	ccagcctact	cagaaccacc	caaagtcacc	tctccaatgg	ttacctcttt	caacataagg
50	20101	gacaccattg	tttccacatc	catgcctggc	tcctctgaga	ttacaaggat	tgagatggag
	20161	tcaacattct	ccgtggctca	tgggctgaag	ggaaccagca	octcccagga	ccccatcgta
	20221	tccacagaga	aaagtgtctg	ccttcacaag	ttgacctg	gtgctactga	gaccttagg
	20281	acagaagtgt	cctcttctag	aagaacatcc	attccaggcc	ctgatcattc	cacagagtca
	20341	ccagacatct	ccactgaagt	gatccccagc	ctgcctatct	cccttggcat	tacagaatct
55	20401	tcaaatatga	ccatcatcac	tcgaacaggt	cctcctcttg	gctctacatc	acagggcaca
	20461	tttaccttgg	acacaccaac	tacatcctcc	agggcaggaa	cacactcgat	ggcgactcag
	20521	gaatttccac	actcagaaat	gacctgtctc	atgaacaagg	acctgagat	tctatcatgg
	20581	acaatccctc	cttctataga	gaaaaccagc	ttctcctctt	ccctgatgcc	ttcaccagcc
	20641	atgacttcac	ctcctgttct	ctcaacatta	ccaaagacca	ttcacaccac	tccttctcct
60	20701	atgacctcac	tgctcacccc	tagcctagt	atgaccacag	acacattggg	cacaagccca
	20761	gaacctacaa	ccagttcacc	tccaaatttg	agcagtacct	cacatgtgat	actgacaaca
	20821	gatgaagaca	ccacagctat	agaagccatg	catccttcca	caagcacagc	agcgactaat

20881 gtggaaacca cctgttctgg acatgggtca caatcctctg tcctaactga ctcagaaaaa
 20941 accaaggcca cagctccaat ggataccacc tccaccatgg ggcatacaac tgtttccaca
 21001 tcaatgtctg tttcctctga gactacaaaa attaaagagag agtcaacata ttccttgact
 21061 cctggactga gagagaccag catttcccaa aatgccagct tttccactga cacaagtatt
 5 21121 gttctttcag aagtccccac tggactact gctgaggtct ccaggacaga agtcacctcc
 21181 tctggtagaa catccatccc tggcccttct cagtccacag ttttgccaga aatatccaca
 21241 agaacaatga caaggctctt tgcctcgccc accatgacag aatcagcaga aatgaccatc
 21301 cccactcaaa caggctcctt tgggtctacc tcacaggata cccttacctt ggacacatcc
 21361 accacaaagt cccaggcaaa gactcattca actttgactc agagatttcc acactcagag
 10 21421 atgaccactc tcatgagcag aggtcctgga gatatgtcat ggcaaagctc tccctctctg
 21481 gaaaaatccca gctctctccc ttcctctctg tctttacctg ccacaacctc acctcctccc
 21541 atttctctca cattaccagt gactatctcc tctctctctc ttcctgtgac ttcactttct
 21601 acctctagcc cggtaacgac cacagacatg ttacacacaa gcccagaact tgtaaccagt
 21661 tcacctccaa agctgagcca cacttcagat gagagactga ccactggcaa ggacaccaca
 15 21721 aatacagaag ctgtgcatcc ttcacaaaac acagcagcgt ccaatgtgga gattcccagc
 21781 tttggacatg aatccccctc ctctgcctta gctgactcag agacatccaa agccacatca
 21841 ccaatgttta ttacctccac ccaggaggat acaactgttg ccatatcaac cctcacttcc
 21901 ttggagacta gcagaattca gaaagagtca atttctctcc tgagccctaa attgagggag
 21961 acaggcagtt ctgtggagac aagctcagcc atagagacaa gtgctgtctt tctggaagt
 20 22021 tccattgggtg ctactactga gatctccagg acagaagtca cctcctctag cagaacatcc
 22081 atctctggtt ctgctgagtc cacaatgttg ccagaaatat ccaccacaag aaaaatcatt
 22141 aagttcccta cttcccccat cctggcagaa tcatcagaaa tgaccatcaa gacccaaaca
 22201 agtctctctg ggtctacatc agagagtacc tttacattag acacatcaac cactcctctc
 22261 ttggaataaa cccattcgac tatgactcag agattgcoac actcagagat aacctctctt
 25 22321 gtgagtagag gtgctgggga tgtgccacgg ccagctctct tccctgtgga agaaacaagc
 22381 cctccatctt cccagctgtc tttatctgcc atgatctcac cttctctctg tcttccaca
 22441 ttaccagcaa gtaccactc ctcttctgct tctgtgactt cactctctac accaggccaa
 22501 gtgaagacta ctgaggtgtt ggacgcaagt gcagaacctg aaaccagtcc acctccaagt
 22561 ttgagcagca cctcagttga aatactggcc acctctgaag tcaccacaga tacggagaaa
 30 22621 attcatctt tcccaaacac ggagtaacc aaagtggaa cttccagttc tggacatgaa
 22681 tccccctctc ctgtctctac tgactcagag acaaccaaag ccacatcggc aatgggtacc
 22741 atctccatta tgggggatac aagtgtttct acattaacte ctgccttacc taacactagg
 22801 aaaattcagt cagagccagc ttcctcactg accaccagat tgaggagagc cagcactctt
 22861 gaagagacca gcttagccac agaagccatc actgttcttt cttaaagtgc cactgggtgt
 35 22921 actactgagg tctccaggac agaagccatc tcccttagca gaacatccat gtcaggccct
 22981 gagcagtcga caatgtcaca agacatctcc ataggaacca tccccaggat tttctgcctc
 23041 tctgtcctga cagaatctgc aaaaatgacc atcacaaacc aaacaggtcc ttcggagttc
 23101 aactagaaa gtacccttaa tttgaacaca gcaaccacac cctcttgggt ggaaaccac
 40 23161 tctatagtaa ttcagggatt tccacaccca gagatgacca cttccatggg cagaggtcct
 23221 ggaggtgtgt catggcctag cctcctctt gtgaaagaaa ccagccctcc atcctccccg
 23281 ctgtctttac ctgcccgtgac ctcacctcat cctgtttcca ccacattcct agcacatatc
 23341 cccccctctc ccttctctgt gacttcaact ctcacctctg gcccgccgac aaccacagat
 23401 atcttgggta caagcacaga acctggaacc agttcatctt caagtttgag caccacctcc
 23461 catgagagac tgaccactta caagacact gcacatacag aagccgtgca tccctccaca
 45 23521 aacacaggag ggaccaatgt ggcaaccacc agctctggat ataaatcaca gtcctctgtc
 23581 ctgactgact catctccaat gtgtaccacc tccacctagg gggatacaag tgttctcaca
 23641 tcaactcctg ccttctctga gactaggagg attcagacag agctagcttc ctccttgacc
 23701 cctggattga gggagtccag tggctctgaa gggaccagct caggcaccaa gatgagcact
 23761 gtcctctcta aagtgccac tgggtctact actgagatct ccaaggaaga cgtcacctcc
 50 23821 atcccaggtc ccgctcaatc cacaatatca ccagacatct ccacaagaac cgtcagctgg
 23881 ttctctacat cccctgtcat gacagaatca gcagaaataa ccatgaacac ccatcaagt
 23941 ccttttaggg ccacaacaca aggcaccagt actttggcca cgtcaagcac aacctcttg
 24001 acaatgacac actcaactat atctcaagga ttttcacact cacagatgag cactcttatg
 55 24061 aggaggggtc ctgaggatgt atcatggatg agccctcccc tcttgaaaaa aactagacct
 24121 tctttttctc tgatgtcttc accagccaca acttcacctt cctctgtttc ctcacatta
 24181 ccagagagca tctcttctc tctcttctct gtgacttca cctcactgct tggcttgga
 24241 aaaactacag atagtgtgca caaaagctca gaacctgtaa ccaactcacc tgcaaatgtg
 24301 agcagcacct cagttgaaat actggccacc tctgaagtca ccacagatac agagaaaaact
 24361 catcctctt ccaacgaaac agtgaccgat gtggggacct ccagttctg acatgaatcc
 60 24421 acttctcttg tcttagctga ctcacagaca tccaaagtca catctccaat gggtattacc
 24481 tccaccatgg aggatacagag tgtctccaca tcaactcctg gcttttttga gactagcaga

	24541	attcagacag	aaccaacatc	ctccctgacc	cttggactga	gaaagaccag	cagctctgag
	24601	gggaccagct	tagccacaga	gatgagcact	gtcctttctg	gagtgccac	tggtgccact
	24661	gctgaagtct	ccaggacaga	agtacacctc	tctagcagaa	catccatctc	aggctttgct
	24721	cagctcacag	tgtcaccaga	gacttcacac	gaaaccatca	ccagactccc	tacctccagc
5	24781	ataatgacag	aatcagcaga	aatgatgatc	aagacacaaa	cagatccctc	tggtgtctaca
	24841	ccagagagta	ctcatactgt	ggacatatca	acaacaccca	actgggtaga	aacccactcg
	24901	actgtgactc	agagattttc	acactcagag	atgaccactc	ttgtgagcag	aagccctggg
	24961	gatatgttat	ggcctagtca	atcctctgtg	gaagaaacca	gctctgcctc	ttccctgctg
	25021	tctctgcctg	ccacgacctc	accttctcct	gtttcctcta	cattagtaga	ggatttccct
10	25081	tccgcttctc	ttcctgtgac	ttctcttctc	acccctggcc	tggtgataac	cacagacagg
	25141	atgggcataa	gcagagaacc	tggaaccagt	tccacttcaa	atgtgagcag	cacctcccat
	25201	gagagactga	ccactttgga	agacactgta	gatacagaag	acatgcagcc	ttccacacac
	25261	acagcagtga	ccaacgtgag	gacctccatt	tctggacatg	aatcacatc	ttctgtccta
	25321	tctgactcag	agacacccaa	agccacatct	ccaatgggta	ccacctacac	catgggggaa
15	25381	acgagtgttt	ccatatccac	ttctgacttc	tttgagacca	gcagaattca	gatagaacca
	25441	acatcctccc	tgacttctgg	attgagggag	accagcagct	ctgagaggat	cagctcagcc
	25501	acagagggaa	gcactgtcct	ttctgaagtg	cccagtgggtg	ctaccactga	ggtctccagg
	25561	acagaagtga	tatcctctag	gggaacatcc	atgtcagggc	ctgatcagtt	cacctatatca
	25621	ccagacatct	ctactgaagc	gatcaccagg	ctttctactt	ccccattat	gacagaatca
20	25681	gcagaaaagt	ccatcactat	tgagacagg	tctcctgggg	ctacatcaga	gggtaccctc
	25741	accttggaca	cotcaacaac	aaccttttgg	tcagggaccc	actcaactgc	atctccagga
	25801	ttttcacact	cagagatgac	cactcttatg	agtagaactc	ctggagatgt	gccatggccg
	25861	agccttccct	ctgtggaaga	agccagctct	gtctcttctc	cactgtcttc	acctgccatg
	25921	acctcaactt	cttttttctc	cgcattacca	gagagcatct	cctcctctcc	tcactctgtg
25	25981	actgcacttc	tcacccttgg	cccagtgaag	accacagaca	tgttgccgac	aagctcagaa
	26041	cctgaaacca	gttcacctcc	aaatttgagc	agcacctcag	ctgaaatatt	agccacgtct
	26101	gaagtccaca	aagatagaga	gaaaattcat	ccctcctcaa	acacacctgt	agtcaatgta
	26161	gggactgtga	tttataaaca	tctatccctc	tctctgtttt	tggtgactt	agtgacaaca
	26221	aaacccacat	ctccaatggc	taccacctcc	actctgggga	atacaagtgt	ttccacatca
30	26281	actcctgcct	tcccagaaac	tatgatgaca	cagccaactt	cctccctgac	ttctggatta
	26341	aggagatca	gtacctctca	agagaccago	tcagcaacag	agagaagtgc	ttctctttct
	26401	ggaatgccca	ctgggtgctac	tactaaggct	tccagaacag	aagccctctc	cttaggcaga
	26461	acatccaccc	cagggtcctgc	tcaatccaca	atatcaccag	aaatctccac	ggaaaccatc
	26521	actagaattt	ctactcccct	caccacgaca	ggatcagcag	aaatgaccat	cacccccaaa
35	26581	acaggtcatt	ctggggcatc	ctcacaagg	acctttacct	tggaacacac	aagcagagcc
	26641	tcttgccag	gaactcactc	agctgcaact	cacagatctc	cacactcagg	gatgaccact
	26701	cctatgagca	gagggtcctga	ggatgtgtca	tgggcaagcc	gccccatcag	ggaaaaaact
	26761	agccctccat	cttccctgg	gtctttatct	gcagtaacct	cacctctgcc	actttattcc
	26821	acaccatctg	agagtagcca	ctcatctcct	ctccgggtga	cttctctttt	cacccctgtc
40	26881	atgatgaaga	ccacagacat	gttgagacaca	agcttggaac	ctgtgaccac	ttcacctccc
	26941	agtatgaata	tcacctcaga	tgagagtctg	gccacttcta	aagccaccat	ggagacagag
	27001	gcaattcagc	tttcagaaaa	cacagctgtg	actcagatgg	gcaccatcag	cgctagacaa
	27061	gaattctatt	cctcttatcc	aggcctccca	gagccatcca	aagtgcacac	tccagtgggtc
	27121	acctcttcca	ccataaaaaga	cattgtttct	acaaccatac	ctgcttctc	tgagataaca
45	27181	agaattgaga	tggagtcaac	atccaccctg	acccccacac	caagggagac	cagcaccctc
	27241	caggagatcc	actcagccac	aaagccaagc	actgttctct	acaaggcact	cactagtgcc
	27301	acgattgagg	actccatgac	acaagtcatg	tcctctagca	gaggacctag	ccctgatcag
	27361	tccacaatgt	cacaagacat	atccagtga	gtgatcacca	ggctctctac	ctccccatc
	27421	aaggcagaat	ctacagaaat	gaccattacc	acccaaacag	gttctcctgg	ggctacatca
50	27481	aggggtaccc	ttaccttgg	cacttcaaca	acttttatgt	cagggaccac	ctcaactgca
	27541	tctcaaggat	tttcacactc	acagatgacc	gtctctatga	gtagaactcc	tgagagatgt
	27601	ccatggctaa	gccatccctc	tgtggaagaa	gccagctctg	cctctttctc	actgtcttca
	27661	cctgtcatga	cctcatcttc	tcccgtttct	tccacattac	cagacagcat	ccactcttct
	27721	tcgcttctg	tgacatcact	tctcacctca	gggctgggtga	agaccacaga	gctgttgggc
55	27781	acaagctcag	aacctgaaac	cagttcaccc	ccaaatttga	gcagcacctc	agctgaaata
	27841	ctggccacca	ctgaagtcat	tacagataca	gagaaactgg	agatgaccaa	tggtgtaacc
	27901	tcagggtata	cacatgaatc	tccttctctc	gtcctagctg	actcagtga	aacaaaggcc
	27961	acatcttcaa	tgggtatcac	ctacccacac	ggagatacaa	atgttctcac	atcaaacctc
	28021	gccttctctg	acaccagtag	gattcaaaac	aagtcaaagc	tctcactgac	tcctgggttg
60	28081	atggagacca	gcattctctga	agagaccagc	tctgccacag	aaaaaagcac	tgctcttctc
	28141	agtgtgcccc	ctgggtgctac	tactgaggtc	tccaggacag	aagccatctc	ttctagcaga

	28201	acatccatcc	caggccctgc	tcaatccaca	atgtcatcag	acacctccat	ggaaaccatc
	28261	actagaatth	ctacccccct	cacaaggaaa	gaatcaacag	acatgggcoat	cacccccaaa
	28321	acaggtcctt	ctgggggtac	ctcgcagggt	acctttacct	tggactcatc	aagcacagcc
	28381	tcctggccag	gaactcactc	agctacaact	cagagatttc	cacagtcatg	ggtgacaact
5	28441	cctatgagca	gaggtcctga	ggatgtgtca	tggccaagcc	cgctgtctgt	ggaaaaaaac
	28501	agccctccat	cttccctggg	atcttcatct	tcagtaacct	caccttcgcc	actttattcc
	28561	acaccatctg	ggagttagcc	ctcctctcct	gtccctgtca	cttctctttt	caacctctatc
	28621	atgatgaagg	ccacagacat	gttggatgca	agtttggaaac	ctgagaccac	ttcagctccc
	28681	aatatgaata	tcacctcaga	tgagagtctg	gccacttcta	aagccaccac	ggagacagag
10	28741	gcaattcacg	tttttgaaaa	tacagcagcg	tcccatgtgg	aaaccaccag	tgctacagag
	28801	gaactctatt	cctcttcccc	aggcttctca	gagccaacaa	aagtgatata	tccagtggtc
	28861	acctcttctc	ctataagaga	caacatgggt	tccacaacaa	tgcttggtgc	ctctggcatt
	28921	acaaggattg	agatagagtc	aagtgcctct	ctgacctctg	gactgaggga	gaccagaacc
	28981	tcccaggaca	tcacctcatc	cacagagaca	agcactgtcc	tttacaagat	gtcctctggg
15	29041	gccactcctg	aggtctccag	gacagaagtt	atgccctcta	gcagaacata	cattcctggc
	29101	cctgctcagt	ccacaatgtc	actagacatc	tccgatgaag	ttgtcaccag	gctgtctacc
	29161	tctcccatca	tgacagaatc	tgacagaata	accatcacca	cccaaacagg	ttattctctg
	29221	gctacatccc	agggttacct	tcccttgggg	acctcaatga	cctttttgtc	agggaccacc
	29281	tcaactatgt	ctcaaggact	ttcacactca	gagatgacca	atcttatgag	caggggtcct
20	29341	gaaagtctgt	catggacgag	ccctcgcttt	gtggaaacaa	ctagatcttc	ctcttctctg
	29401	acatcattac	ctctcacgac	ctcactttct	cctgtgtcct	ccacattact	agacagtagc
	29461	ccctcctctc	ctcttctctg	gacttccact	atcctcccag	gcctgggtgaa	gactacagaa
	29521	gtgttgata	caagctcaga	gcctaaaaac	agttcatctc	caaatttgag	cagcacctca
	29581	gttgaaatac	cgccacctc	tgaaatcatg	acagatacag	agaaaattca	tccttctcta
25	29641	aaacacagcg	tggccaaagt	gaggacctcc	agttctgttc	atgaatctca	ttcctctgtc
	29701	ctagctgact	cagaaacaac	cataaccata	ccttcaatgg	gtatcacctc	cgctgtggac
	29761	gataccactg	ttttcacatc	aaatcctgcc	ttctctgaga	ctaggaggat	tccgacagag
	29821	ccaacattct	cattgactcc	tggattcagg	gagactagca	cctctgaaga	gaccacctca
	29881	atcacagaaa	caagtgcagt	cctttatgga	gtgcccacta	gtgctactac	tccttctctc
30	29941	atgacagaaa	tcattgtcctc	taatagaaca	cacatccctg	actctgatca	gtccacgatg
	30001	tctccagaca	tcattcactga	agtgtatcac	aggctctctt	cctcatccat	gatgtcagaa
	30061	tcaacacaaa	tgaccatcac	cacccaaaaa	agttctcctg	gggctacagc	acagagtact
	30121	cttaccttgg	ccacaacaac	agcccccctg	gcaaggaccc	actcaactgt	tcctcctaga
35	30181	tttttacact	cagagatgac	aactcttatg	agtaggagtc	ctgaaaatcc	atcatggaag
	30241	agctctccct	ttgtgaaaaa	aactagctct	tcattctctc	tgttgtcctt	acctgtcacg
	30301	acctcacctt	ctgtttcttc	cacattaccg	cagagtatcc	cttctctctc	ttttcttgtg
	30361	acttcactcc	tcaccccagg	catgggtgaag	actacagaca	caagcacaga	acctggaacc
	30421	agtttatctc	caaactctgag	tggcacctca	gttgaaatac	tggctgcctc	tgaagtcaac
40	30481	acagatacag	agaaaattca	tccttcttca	agcatggcag	tgaccaatgt	gggaaccacc
	30541	agttctggac	atgaactata	ttcctctgtt	tcaatccact	cggagccatc	caaggctaca
	30601	tacccagtgg	gtactccctc	ttccatgggt	gaaacctcta	tttccacatc	aatgcctgct
	30661	aattttgaga	ccacaggatt	tgaggctgag	ccattttctc	atttgacttc	tggatttagg
	30721	aagacaaaac	tgtccctgga	caccagctca	gtcacaccaa	caaatacacc	ttcttctcct
	30781	gggtccactc	acctttttaca	gagttccaag	actgaaatcc	cctcttctgc	aaaaacatca
45	30841	tccccagact	ggcctccagc	ctcacagtat	actgaaatcc	cagtggacat	aatcaccccc
	30901	tttaatgctt	ctccatctat	tacggagtcc	actgggataa	cctccttccc	agaatccagg
	30961	tttactatgt	ctgtaacaga	aagtactcat	catctgagta	cagatttgct	gccttcagct
	31021	gagactatth	ccactggcac	agtgtatgct	tctctatcag	aggccatgac	ttcatttgcc
	31081	accactggag	ttccacgagc	catctcaggt	tcaggtagtc	cattctctag	gacagagtca
50	31141	ggccctgggg	atgctactct	gtccaccatt	gcagagagcc	tgccctcatc	cactcctgtg
	31201	ccattctcct	cttcaacctt	cactaccact	gattcttcaa	ccatcccagc	cctccatgag
	31261	ataacttctc	cttcagctac	cccatataga	gtggacacca	gtcttgggac	agagagcagc
	31321	actactgaag	gacgcttggt	tatgggtcagt	actttggaca	cttcaagcca	accaggcagg
	31381	acatcttcaa	cacccatttt	ggataccaga	atgacagaga	gcgttgagct	gggaacagtg
55	31441	acaagtgcct	atcaagtctc	ttcactctca	acacggttga	caagaactga	tggcattatg
	31501	gaacacatca	caaaaatacc	caatgaagca	gcacacagag	gtaccataag	accagtcaaa
	31561	ggccctcaga	catccacttc	gcctgcccag	cctaaggagc	tacacacagg	agggacaaaa
	31621	agaatggaga	ccaccaccac	agctttgaag	accaccacca	cagctttgaa	gaccacttcc
	31681	agagccacct	tgaccaccag	tgtctatact	cccactttgg	gaacactgac	tccccctaat
60	31741	gcatcaaggc	aaatggccag	cacaatcctc	acagaaatga	tgatcacaac	cccatatggt
	31801	ttccctgatg	ttccagaaac	gacatcctca	ttggctacca	gcctggggagc	agaaaccagc

	31861	acagctcttc	ccaggacaac	cccatctgtt	ctcaatagag	aatcagagac	cacagcctca
	31921	ctggtctctc	gttctggggc	agagagaagt	ccggttattc	aaactctaga	tgtttcttct
	31981	agtgagccag	atacaacagc	ttcatgggtt	atccatcctg	cagagaccat	cccaactggt
5	32041	tccaagacaa	cccccaattt	tttccacagt	gaattagaca	ctgtatcttc	cacagccacc
	32101	agtcattggg	cagacgtcag	ctcagccatt	ccaacaaata	tctcacctag	tgaactagat
	32161	gcactgacct	cactggtcac	tatttcgggg	acagatacta	gtacaacatt	cccaactctg
	32221	actaagtccc	cacatgaaac	agagacaaga	accacatggc	tcactcatcc	tgacagagacc
	32281	agctcaacta	ttcccagaac	aatccccaat	ttttctcctc	atgaatcaga	tgccacacct
	32341	tcaatagcca	ccagtcctgg	ggcagaaacc	agttcagcta	ttccaattat	gactgtctca
10	32401	cctgggtgag	aagatctggt	gacctcacag	gtcactagtt	ctgggacaga	cagaaatatg
	32461	actattccaa	ctttgactct	ttctcctggt	gaaccaaaga	cgatagcctc	attagtcacc
	32521	catcctgaag	cacagacaag	ttcggccatt	ccaacttcaa	ctatctcgcc	tgctgtatca
	32581	cggttggtga	cctcaatggt	caccagtttg	gcggcaaaga	caagtacaac	taatcgagct
	32641	ctgacaaaact	cccctgggtg	accagctaca	acagtttcat	tggtcacgca	tcctgcacag
15	32701	accagcccaa	cagttccctg	gacaaacttc	atttttttcc	atagtaaatc	agacaccaca
	32761	ccttcaatga	ccaccagtca	tggggcagaa	tccagttcag	ctgttccaac	tccaactggt
	32821	tcaactgagg	taccaggagt	agtgacctct	ttggtcacca	gttctagggc	agtgatcagt
	32881	acaactattc	caattctgac	tctttctcct	ggtgaaccag	agaccacacc	ttcaattggcc
	32941	accagtcagt	gggaagaagc	cagttctgct	attccaactc	caactgtttc	acctggggga
20	33001	ccaggagtgg	tgacctctct	ggtcactagt	tctagggcag	tgactagtac	aactattcca
	33061	attctgactt	tttctcttgg	tgaaccagag	accacacctt	caatggccac	cagtcattggg
	33121	acagaagctg	gctcagctgt	tccaactggt	ttacctgagg	taccaggaaat	ggtgacctct
	33181	ctggttgcta	gttctagggc	agtaaccagt	acaactcttc	caactctgac	tctttctcct
	33241	ggtgaaccag	agaccacacc	ttcaatggcc	accagtcagt	gggcagaagc	cagctcaact
25	33301	gttccaactg	tttccacctg	ggtaccagga	gtggtgacct	ctctgggtcac	tagttctagt
	33361	ggagtaaaac	gtacaagtat	tccaactctg	attctttctc	ctggtgaact	agaaaccaca
	33421	ccttcaatgg	ccaccagtca	tggggcagaa	gccagctcag	ctgttccaac	tccaactggt
	33481	tcacctgggg	tatcaggagt	ggtgacctct	ctggtcacta	gttccagggc	agtgaccagt
	33541	acaactattc	caattctaac	tctttcttct	agtgagccag	agaccacacc	ttcaattggcc
30	33601	accagtcagt	gggtagaagc	cagctcagct	gttctaactg	tttccacctg	ggtaccagga
	33661	atggtgacct	ctctggtcac	tagttctaga	gcagtaacca	gtacaactat	tccaactctg
	33721	actatttctt	ctgatgaacc	agagaccaca	acttcattgg	tcaccatttc	tgaggcaaaag
	33781	atgatttcag	ccattccaac	tttagctgtc	tcccctactg	tacaagggtc	ggtgacttca
	33841	ctggtcacta	gttctgggtc	agagaccagt	gcgttttcaa	atctaactgt	tgctcaagt
35	33901	caaccagaga	ccatagactc	atgggtcgct	catcctggga	cagaagcaag	ttctgttgtt
	33961	ccaactttga	ctgtctccac	tggtgagccg	tttacaataa	tctcattggg	cacctatcct
	34021	gcagagagta	gctcaactct	tcccaggaca	acctcaagg	tttccacag	tgaattagac
	34081	actatgcctt	ctacagtcac	cagtcctgag	gcagaatcca	gctcagccat	ttcaactact
	34141	atttcacctg	gtataaccag	tggtctgaca	tcactgggtc	ctagctctgg	gagagacatc
40	34201	agtgcaactt	ttccaacagt	gctgagtcct	ccacatgaat	cagaggcaac	agcctcatgg
	34261	gttactcatc	ctgcagtcac	cagcacaca	gttcccagga	caacccttaa	ttattctcat
	34321	agtgaaaccag	acaccacacc	atcaatagcc	accagtcctg	gggcagaagc	cacttcagat
	34381	tttccaacaa	taactgtctc	acctgatgta	ccagatatgg	taacctcaca	ggtcactagt
	34441	tctgggacag	acaccagtat	aactattcca	actctgactc	tttcttctgg	tgagccagag
45	34501	accacaacct	catttatcac	ctattctgag	acacacacaa	gttcagccat	tccaactctc
	34561	cctgtctccc	ctggtgcatc	aaagatgctg	acctcactgg	tcactagttc	tgggacagac
	34621	agcactacaa	ctttcccaac	actgacggag	accccatatg	aaccagagac	aacagccata
	34681	cagctcattc	atcctgcaga	gaccaacaca	atggttccca	agacaactcc	caagttttcc
	34741	catagtaagt	cagacaccac	actcccagta	gccatcacca	gtcctggggc	agaagccagt
50	34801	tcagctgttt	caacgacaac	tatctcacct	gatagtgcag	atctggtgac	ctcactgggtc
	34861	cctagtctctg	ggacagacac	cagtacaacc	ttcccaacat	tgagttagac	cccatatgaa
	34921	ccagagacta	cagtcacgtg	gctcactcat	cctgcagaaa	ccagcacaa	ggtttctggg
	34981	acaattccca	acttttccca	taggggatca	gacactgcac	cctcaatggt	caccagtcct
	35041	ggagtagaca	cgaggtcagg	tggtccaact	acaaccatcc	caccagtagt	accaggggta
55	35101	gtgacctcac	aggctactag	ttctgcaaca	gacactagta	cagctattcc	aactttgact
	35161	ccttctcctg	gtgaaccaga	gaccacagcc	tcactagcta	cccatcctgg	gacacagact
	35221	ggcttctactg	ttccaattcg	gactgttccc	tctagttagc	cagatacaat	ggcttctctg
	35281	gtcactcatc	ctccacagac	cagcacacct	gtttccagaa	caacctccag	tttttcccat
	35341	atgagtccag	atgccacacc	tgtaattggc	accagtccta	ggacagaagc	cagttcagct
60	35401	gtactgacaa	caatctcacc	tggtgcacca	gagatgggtg	cttcacagat	cactagttct
	35461	ggggcagcaa	ccagtacaac	tggtccaact	ttgactcatt	ctcctggtat	gccagagacc

	35521	acagccttat	tgagcaccca	tcccagaaca	gggacaagta	aaacatttcc	tgcttcaact
	35581	gtgtttcctc	aagtatcaga	gaccacagcc	tcactcacca	ttagacctgg	tcgacagact
	35641	agcacagctc	tcccaactca	gacaacatcc	tctctcttca	ccctacttgt	aactggaacc
5	35701	agcagagttg	atctaagtcc	aactgcttca	cctggtgttt	ctgcaaaaac	agccccaactt
	35761	tccacccatc	cagggacaga	gaccagcaca	atgattccaa	cttcaactct	ttcccttggt
	35821	ttactagaga	ctacaggctt	actggccacc	agctcttcag	cagagaccag	cacgagtact
	35881	ctaactctga	ctgtttcccc	tgctgtctct	gggctttcca	gtgcctctat	aacaactgat
	35941	aagccccaaa	ctgtgacctc	ctggaacaca	gaaacctcac	catctgtaac	ttcagttgga
	36001	cccccagaat	tttccaggac	tgtcacaggc	accactatga	ccttgatacc	atcagagatg
10	36061	ccaacaccac	ctaaaaaccag	tcattggagaa	ggagtgaagc	caaccactat	cttgagaact
	36121	acaatgggtg	aagccactaa	tttagctacc	acagggtcca	gtcccaactgt	ggccaagaca
	36181	acaaccacct	tcaatacact	ggctggaagc	ctctttactc	ctctgaccac	acctgggatg
	36241	tccaccttgg	cctctgagag	tgtagacctc	agaacaagtt	ataaaccatcg	gtcctggatc
	36301	tccaccacca	gcagttataa	ccgtcggtac	tggaacctcg	ccaccagcac	tccagtgtact
15	36361	tctacattct	ccccagggat	ttccacatcc	tccatcccc	gtcccaagtc	agccacagtc
	36421	ccattcatgg	tgccattcac	cctcaacttc	accatcacca	acctgcagta	cgaggaggac
	36481	atgoggcacc	ctgggtccag	gaagttcaac	gccacagaga	gagaactgca	gggtctgctc
	36541	aaacccttgt	tcaggaatag	cagtctggaa	tacctctatt	caggctgcag	actagcctca
	36601	ctcaggccag	agaaggatag	ctcagccatg	gcagtggatg	ccatctgcac	acatcgccct
20	36661	gacctgaag	acctcggaat	ggacagagag	cgactgtact	gggagctgag	caatctgaca
	36721	aatggcatcc	aggagctggg	ccctacaccc	ctggaccgga	acagtctcta	tgtcaatggg
	36781	ttcaccatcc	gaagctctat	gcccaccacc	agcactcctg	ggacctccac	agtggatgtg
	36841	ggaacctcag	ggactccatc	ctccagcccc	agccccacgg	ctgctggccc	tctctgtatg
	36901	ccgttcaccc	tcaacttcac	catcaccaac	ctgcagtacg	aggaggacat	gcgtcgcaat
25	36961	ggctccagga	agttcaacac	catggagagt	gtcctgcagg	gtctgtctca	gcccttgttc
	37021	aagaacacca	gtgttggccc	tctgtactct	ggctgcagat	tgaccttgct	caggcccagc
	37081	aaagatgggg	cagccactgg	agtggatgcc	atctgcaccc	accgccttga	ccccaaaagc
	37141	cctggactca	acagggagca	gctgtactgg	gagctaagca	aactgaccaa	tgacattgaa
	37201	gagctggggc	cctacaccct	ggacaggaac	agtctctatg	tcaatggttt	cacccatcag
30	37261	agctctgtgt	ccaccaccag	cactcctggg	acctccacag	tgatctcag	aacctcaggg
	37321	actccatcct	ccctctccag	ccccacaatt	atggctgtctg	gccctctcct	ggtaccattc
	37381	accctcaact	tcaccatcac	caacctgcag	tatggggagg	acatgggtca	ccctggctcc
	37441	aggaagttca	acaccacaga	gagggctcctg	caggggtctgc	ttgggtcccat	attcaagaac
	37501	accagtgttg	gccctctgta	ctctggctgc	agactgacct	ctctcaggtc	tgagaaggat
35	37561	ggagcagcca	ctggagtggg	tgccatctgc	atccatcctc	ttgaccccaa	aagccctgga
	37621	ctcaacagag	agcggctgta	ctgggagctg	agccaaactga	ccaatggcat	caaagagctg
	37681	ggcccttaca	ccctggacag	gaacagtctc	tatgtcaatg	gtttcaccac	tcggacctct
	37741	gtgcccacca	ccagcactcc	tgggacctcc	acagtggacc	ttggaacctc	agggactcca
	37801	ttctccctcc	caagccccgc	aactgctggc	cctctcctgg	tgctgttcac	cctcaacttc
40	37861	accatcacca	acctgaagta	tgaggaggac	atgcactgcc	ctggctccag	gaagttcaac
	37921	accactgaga	gggtcctgca	gactctgctt	ggctcctatg	tcaagaacac	cagtgttggc
	37981	cttctgtact	ctggctgcag	actgaccttg	ctcagggtccg	agaaggatgg	agcagccact
	38041	ggagtggatg	ccatctgcac	ccaccgtctt	gaccccaaaa	gccctggact	ggacagagag
	38101	cagctatact	gggagctgag	ccagctgacc	aatggcatca	aagagctggg	cccctacacc
45	38161	ctggacagga	acagtctcta	tgtaaatggt	ttcaccctat	ggatccctgt	gcccaccagc
	38221	agcactcctg	ggacctccac	agtggacctt	gggtcaggga	ctccatccct	cctccccagc
	38281	cccacagctg	ctggccctct	cctgggtgcca	ttcaccctca	acttcaccat	caccaacctg
	38341	cagtacgagg	aggacatgca	tcacccaggc	tccaggaagt	tcaacaccac	ggagcgggtc
	38401	ctgcagggtc	tgcttgggtc	catgttcaag	aacaccagtg	tcggccttct	gtactctggc
50	38461	tgagactgga	ccttgctcag	gtccgagaag	gatggagcag	ccactggagt	ggatgccatc
	38521	tgacccacc	gtcttgacct	caaaagccct	ggagtggaca	gggagcagct	atactgggag
	38581	ctgagccagc	tgaccaatgg	catcaaaagag	ctgggtccct	acaccctgga	cagaaacagt
	38641	ctctatgtca	atggtttcac	ccatcagacc	tctgcgcccc	acaccagcac	tcctgggacc
	38701	tccacagtgg	accttgggac	ctcagggact	ccatccctcc	tcccccagcc	tacatcngct
55	38761	ggccctctcc	tggttccntt	cacctcaac	ttcaccatca	ccaacctgca	gtacaggagg
	38821	gacatgcggc	accnngntc	cagggaagttc	aacaccacng	agagggtnot	gcagggtctg
	38881	ctnaagcccc	tnttcaagag	caccagtgtt	ggccctctgt	actctggctg	cagactgacc
	38941	ttgctcaggt	ccgagaagga	tgagcagccc	actggagtgg	atgccatctg	cacccaccgt
	39001	cttgacccca	aaagccctgg	agtggacagg	gagcagctat	actgggagct	gagccagctg
60	39061	accaatggca	tcaaagagct	gggtccctac	accctggaca	gaaacagtct	ctatgtcaat
	39121	ggtttcaccc	atcagacctc	tgcccccacc	accagcactc	ctgggacctc	cacagtggac

5 39181 cttgggacct cagggaactcc atcctccctc cccagcccta catctgctgg ccctctcctg
39241 gtgccattca ccctcaactt caccatcacc aacctgcagt acgaggagga catgcatcac
39301 ccaggctcca ggaagttaa caccacggag cgggtcctgc agggctctgt tgggtcccatg
39361 ttcaagaaca ccagtgtcgg cctctctgtac tctggctgca gactgacctt gctcaggcct
39421 gagaagaatg gggcagccac tgggaatgat gccatctgca gccaccgtct tgaccccaaa
39481 agccctggac tcaacagaga gcagctgtac tgggagctga gccagctgac ccatggcatc
39541 aaagagctgg gcccctacac cctggacagg aacagtctct atgtcaatgg ttccaccat
10 39601 cggagctctg tggccccccac cagcactcct gggacctcca cagtggacct tgggacctca
39661 gggactccat cctccctccc cagccccaca acagctgttc ctctcctggt gccgttcacc
39721 ctcaacttta ccatcaccaa tctgcagtat ggggaggaca tgcgtcacc tggctccagg
39781 aagttcaaca ccacagagag ggtcctgcag ggtctgcttg gtcccttgtt caagaactcc
39841 agtgtcggcc ctctgtactc tggctgcaga ctgatctctc tcaggcttga gaaggatggg
39901 gcagccactg gagtggatgc catctgcacc caccacctta accctcaaag ccctggactg
15 39961 gacagggagc agctgtactg gcagctgagc cagatgacca atggcatcaa agagctgggc
40021 ccctacaccc tggaccggaa cagtctctac gtcaatggtt taacctatcg gagctctggg
40081 ctcaccacca gcactccttg gacttccaca gttgaccttg gaacctcagg gactccatcc
40141 cccgtcccca gccccacaac tgcctggcct ctctggtgac cattaccctt caacttcacc
40201 atcaccaacc tgcagtatga ggaggacatg catcgccctg gatctaggaa gttcaacacc
20 40261 acagagaggg tctctcaggg tctgcttagt ccatcttca agaactccag tgttggccct
40321 ctgtactctg gctgcagact gacctctctc agggccgaga aggatggggc agcaactgga
40381 atggatgctg tctgcctcta ccacctaat cccaaaagac ctggactgga cagagagcag
40441 ctgtactggg agctaagcca gctgaccac aacatcactg agctggggcc ctacagcctg
40501 gacagggaca gtctctatgt caatggtttc acccatcaga actctgtgac caccaccagt
25 40561 actcctggga cctccacagt gtactgggca accactggga ctccatctc ctccccggc
40621 cacacagagc ctggccctct cctgatacca ttactttca actttaccat caccacctg
40681 cattatgagg aaaacatgca acaccctggt tccagggaag tcaacaccac ggagagggtt
40741 ctgcaggggc tgcctcaagc cttgttcaag aacaccagt tggccctct gtactctggc
40801 tgcagactga cctctctcag gcccgagaag gatggggcag caactggaat ggtatgctgc
30 40861 tgcctctacc accctaatac caaaagacct gggctggaca gagagcagc gtactgggag
40921 ctaagccagc tgaccacaa catcactgag ctgggcccct acagcctgga cagggacagt
40981 ctctatgtca atggtttcac ccatcagaac tctgtgccca ccaccagtac tctgggacc
41041 tccacagtgt actgggcaac cactgggact ccatcctcct tccccggcca cacagagcct
35 41101 ggcctctctc tgataccatt cactttcaac ttaccatca ccaacctgca ttatgaggaa
41161 aacatgcaac accctggttc cagggaagttc aacaccacgg agagggttct gcagggtctg
41221 ctcaagccct tgttcaagaa caccagtgtt ggccctctgt actctggtg cagactgacc
41281 ttgctcagac ctgagaagca tgaggcagcc actggagtgg acaccatctg taccaccgc
41341 gttgatccca tcggacctgg actggacagg gagcggtat actgggagct gagccagctg
41401 accaacagca ttaccgaact gggacctac accctggaca gggacagtct ctatgtcaat
41461 ggcttcaacc ctcgagctc tgtgccaacc accagcactc ctgggacctc cacagtgcac
40 41521 ctggcaacct ctgggactcc atcctccctg cctggccaca cagccctgt cctctctctg
41581 ataccattca ccctcaactt taccatcacc aacctgcatt atgaggaaaa catgcaacac
41641 cctggttcca ggaagttaa caccacggag aggggtctgc aggggtctgt caagccctg
41701 ttcaagaaca ccagtgttg cctctgtac tctggctgca gactgacctt gctcagacct
41761 gagaagcatg aggcagccac tggagtggac accatctgta cccaccgctg tgatcccatc
45 41821 ggacctggac tgnacagnga gcngctntac tgggagctna gccanctgac caannncatc
41881 nnnagctgg gncctacac cctggacagg nacagtctct atgtcaatgg ttccaccat
41941 cnganctctg ngcccaccac cagcactcct gggacctcca cagtgnacnt nggnacctcn
42001 gggactccat cctccntccc cngccncaca tctgctggcc ctctcctggt gccattcacc
50 42061 ctcaacttca ccatcaccaa cctgcagtac gaggaggaca tgcacaccc aggtccagg
42121 aagttcaaca ccacggagcg ggtcctgcag ggtctgcttg gtcccatgtt caagaacacc
42181 agtgtcggcc ttctgtactc tggctgcaga ctgaccttgc tcaggcctga gaagaatggg
42241 gcagccactg gaatggatgc catctgcagc cacogtcttg accccaaaag ccctggactc
42301 gacagagagc agctgtactg ggagctgagc cagctgaccc atggcatcaa agagctgggc
42361 ccctacaccc tggacaggaa cagtctctat gtcaatgggt tcacctatcg gagctctgtg
55 42421 gccccacca gcactcctgg gacctccaca gtggaccttg ggacctcagg gactccatcc
42481 tccctcccca gccccacaac agctgttctt ctctggtgac cgttaccctt caactttacc
42541 atcaccaatc tgcagtatgg ggaggacatg cgtcaccctg gctccaggaa gttcaacacc
42601 acagagaggg tctgcaggg tctgcttggc ccctgttca agaactccag tgtcggccct
60 42661 ctgtactctg gctgcagact gatctctctc aggtctgaga aggatggggc agccactgga
42721 gtggatgcca tctgcaccca ccaccttaac cctcaaagcc ctggactgga caggagcag
42781 ctgtactggc agctgagcca gatgaccaat ggcacaaag agctggggcc ctacaccctg

	42841	gaccggaaca	gtctctacgt	caatgggttc	acccatcgga	gctctgggct	caccaccagc
	42901	actccttggg	cttccacagt	tgaccttggg	acctcagggg	ctccatcccc	cgccccagc
	42961	cccacaactg	ctggccctct	cctgggtgcca	ttcacccctaa	acttcaccat	caccaacctg
	43021	cagtattgagg	aggacatgca	tcgcccctgga	tctaggaagt	tcaacgccac	agagagggtc
5	43081	ctgcagggtc	tgcttagtcc	catattcaag	aactccagtg	ttggccctct	gtactctggc
	43141	tgacagactg	cctctctcag	gcccggagaag	gatggggcag	caactggaat	ggatgctgtc
	43201	tgccctctacc	accctaatacc	caaaagacct	ggactggaga	gagagcagct	gtactgggag
	43261	ctaagccagc	tgaccaccaa	catcactgag	ctggggccct	acagcctgga	cagggacagt
	43321	ctctatgtca	atgggtttcac	ccatcagagc	tctatgacga	ccaccagaac	tcctgatacc
10	43381	tccacaatgc	acctggcaac	ctcgagaact	ccagcctccc	tgtctggacc	tacgacggcc
	43441	agccctctcc	tgggtgctatt	cacaatcaac	tgcaccatca	ccaacctgca	gtacgaggag
	43501	gacatgctgc	gcactggctc	caggaagtcc	aacaccatgg	agagtgtcct	gcagggtctg
	43561	ctcaagccct	tggttcaagaa	caccagtgtt	ggccctctgt	actctggctg	cagattgacc
	43621	ttgctcaggc	ccaagaaaga	tggggcagcc	actggagtg	atgccatctg	caccaccgcg
15	43681	cttgacccca	aaagccctgg	actcaacagg	gagcagctgt	actgggagct	aagcaaatg
	43741	accaatgaca	ttgaagagct	ggggccctac	accctggaca	ggaacagtct	ctatgtcaat
	43801	ggtttcaccc	atcagagctc	tggttccacc	accagcactc	ctgggacctc	cacagtggat
	43861	ctcagaacct	cagggactcc	atcctccctc	tccagcccca	caattatgnc	nnctgnccct
	43921	ctcctgntnc	cmttcacct	cacaatnacc	atcaccaacc	tgcantangn	ggannacatg
20	43981	cnnccccng	gntccaggaa	gttcaacacc	acngagagg	tcctacaggg	tctgtcagg
	44041	cccttggtca	agaacaccag	tgtagctct	ctgtactctg	gttgacagct	gaccttgctc
	44101	aggcctgaga	aggatggggc	agccaccaga	gtggatgctg	cctgcaccta	ccgcccctgat
	44161	cccaaaagcc	ctggactgga	cagagagcaa	ctatactggg	agctgagcca	gctaaccac
	44221	agcatcactg	agctggggacc	ctacaccctg	gacaggggtca	gtctctatgt	caatggcttc
25	44281	aaccctcgga	gctctgtgcc	aaccaccagc	actcctggga	cctccacagt	gcacctggca
	44341	acctctggga	ctccatcctc	cctgcctggc	cacacancnn	ctgnccctct	cctgntnccn
	44401	ttcacntca	acttnaccat	caccaacctg	cantangngg	annacatgcn	nccccnggn
	44461	tccaggaagt	tcaacaccac	ngagagggtt	ctgcagggtc	tgctcaaacc	cttgttcagg
	44521	aatagcagtc	tggaaatact	ctattcaggg	tgacagactag	cctcactcag	gccagagaag
30	44581	gatagctcag	ccatggcagt	ggatgccatc	tgacacatc	gccctgaccc	tgaagacctc
	44641	ggactggaca	gagagcgact	gtactgggag	ctgagcaatc	tgacaaatgg	catccaggag
	44701	ctggggccct	acaccctgga	ccggaacagt	ctctacgtca	atgggttcac	ccatcggagc
	44761	tctgggctca	ccaccagcac	tccttggtg	tccacagttg	accttggaac	ctcagggact
	44821	ccatcccccg	tccccagccc	cacaactgct	ggccctctcc	tggtgccatt	cacctcaac
35	44881	ttcaccatca	ccaacctgca	gtatgaggag	gacatgcatc	gccctggttc	caggagggtc
	44941	aacaccacgg	agagggttct	gcagggtctg	ctcacgccct	tgttcaagaa	caccagtgtt
	45001	ggccctctgt	actctggctg	cagactgacc	ttgtctcagc	ctgagaagca	agaggcagcc
	45061	actggagtg	acaccatctg	taccacccgc	gttgatccca	tcggacctgg	actggacaga
	45121	gagcggctat	actgggagct	gagccagctg	accaacagca	tcacagagct	gggacctac
40	45181	accctggata	gggacagtct	ctatgtcaat	ggcttcaacc	ctgggagctc	tgtgccaacc
	45241	accagcactc	ctgggacctc	cacagtgcac	ctggcaacct	ctgggactcc	atcctccctg
	45301	cctggccaca	cagccctgtg	ccctctcttg	ataccattca	ccctcaactt	taccatcacc
	45361	gacctgcatt	atgaagaaaa	catgcaaac	cctgggtcca	ggaagttcaa	caccacggag
	45421	agggttctgc	agggtctgct	caagcccttg	ttcaagagca	ccagcgttgg	ccctctgtac
45	45481	tctggctgca	gactgaacct	gctcagacct	gagaaacatg	gggcagccac	tggagtggac
	45541	gccatctgca	ccctccgctc	tgatcccaact	ggtcctggac	tggacagaga	gcggctatac
	45601	tgggagctga	gccagctgac	caacagcgtt	acagagctgg	gccccacac	cctggacagg
	45661	gacagtctct	atgtcaatgg	cttcacccat	cgagctctctg	tgccaaccac	cagtattcct
	45721	gggacctctg	cagtgcacct	ggaacctctc	gggactccag	cctccctccc	tggccacaca
50	45781	gccccgggcc	ctctcctggt	gccattcacc	ctcaacttca	ctatcaccaa	cctgcagtat
	45841	gaggaggaca	tgctgcacct	tgggtccagg	aagttcagca	ccacggagag	agtccctgag
	45901	ggtctgctca	agcccttggt	caagaacacc	agtgtcagct	ctctgtactc	tgggtgcaga
	45961	ctgaccttgc	tcaggcctga	gaaggatggg	gcagccacca	gagtggatgc	tgtctgcacc
	46021	catcgctctg	accccaaaag	ccctggactg	gacagagagc	ggctgtactg	gaagtgcagc
55	46081	cagctgaccc	acggcatcac	tgagctgggc	ccctacaccc	tggacagga	cagctctctat
	46141	gtcaatgggt	tcacccatca	gagctctatg	acgaccacca	gaactcctga	tacctccaca
	46201	atgcacctgg	caacctcgag	aactccagcc	tcctgtctctg	gacctacgac	cgccagccct
	46261	ctcctggctg	tattcacaat	taacttcacc	atcactaac	tgcggatga	ggagaacatg
	46321	catcaccctg	gctctagaaa	gtttaacacc	acggagagag	tccttcagg	tctgtcagg
60	46381	cctgtgttca	agaacaccag	tgttggccct	ctgtactctg	gctgcagact	gaccacgctc
	46441	aggcccaaga	aggatggggc	agccacccaa	gtggatgcca	tctgcaccta	ccgcccctgat

46501 cccaaaagcc ctggactgga cagagagcag ctatactggg agctgagcca gctaaccac
 46561 agcatcactg agctgggccc ctacaccag gacagggaca gtctctatgt caatggcttc
 46621 acccatcgga gctctgtgccc aaccaccagt attcctggga cctctgcagt gcacctggaa
 46681 acctctggga ctccagcctc cctcctggc cacacagccc ctggccctct cctggtgcca
 5 46741 ttcacctca acttcactat caccaacctg cagtatgagg aggacatgcy tcacctgggt
 46801 tccaggaagt tcaacaccac ggagagagtc ctgcaagggtc tgctcaagcc cttgttcaag
 46861 agcaccagtg ttggccctct gtactctggc tgcagactga ccttgctcag gcctgaaaaa
 46921 cgtggggcag ccaccggcgt ggacaccatc tgcactcacc gccttgaccc tctaaaccca
 46981 ggactggaca gagagcagct atactgggag ctgagcaaac tgaccctgg catcatcgag
 10 47041 ctggggccct acctcctgga cagaggcagt ctctatgtca atggtttcac ccatcggaac
 47101 tctgtgcccc ccaccagcac tcttgggacc tccacagtgg accttggaac ctcagggaac
 47161 ccattctccc tcccaagccc cgcancnct gnccctctcc tgnntcncnt caccntcaac
 47221 ttnaccatca ccaacctgca ntangnggan nacatgcnnn nccnngntc cagggaagttc
 47281 aacaccacng agagggtcct gcagactctg cttggtccta tgttcaagaa caccagtgtt
 15 47341 ggcccttctgt actctggctg cagactgacc ttgctcaggt ccgagaagga tggagcagcc
 47401 actggagtgg atgcatctg caccaccgt cttgacccca aaagccctgg agtggacagg
 47461 gagcaactat actgggagct gagccagctg accaatggca ttaagaact gggccccctac
 47521 acctggaca ggaacagtct ctatgtcaat gggttcacc attggatccc tgtgccacc
 47581 agcagcactc ctgggacctc cacagtggac cttgggtcag ggactccatc cctcctccc
 20 47641 agccccacaa ctgctggccc tctcctggtg ccgttcacc tcaacttcac catcaccaac
 47701 ctgaagtacg aggaggacat gcattgccct ggctccagga agttcaaac cacagagaga
 47761 gtctctcaga gtctgtctgg tcccatgttc aagaacacca gtgttggccc tctgtactct
 47821 ggctgcagac tgacctgtct caggtccgag aaggatggag cagccactgg agtggatgcc
 47881 atctgcaccc accgtcttga ccccaaaagc cctggagtgg acagggagca gctatactgg
 25 47941 gagctgagcc agctgaccaa tggcatcaaa gagctgggtc cctacaccct ggacagaac
 48001 agtctctatg tcaatggttt caccatcag acctctgcgc ccaacaccag cactcctggg
 48061 acctccacag tggaccttgg gacctcaggg actccatcct cctccccac ccctacancn
 48121 nctgnccctc tctgntncc nttaccntc aacttnacca tcaccaacct gcantangng
 48181 gannacatgc nncnccng ntccaggaag ttcaacacca cngagngnt nctgcagggt
 30 48241 ctgctnnnnc cntnttcaa gaacnccagt gtnggcntc tgtactctgg ctgcagactg
 48301 acctnnctca ggnccagaa gnatggngca gccactggan tggatgccat ctgcancac
 48361 cnnctnanc ccaaaagncc tggactgnac agngagcngc tntactggga gctnagcan
 48421 ctgaccaann ncactnnnga gctgggnccc tacaccctgg acaggnacag tctctatgtc
 48481 aatggtttca cccattggat cctgtgccc accagcagca ctctgggac ctccacagtg
 35 48541 gaccttgggt cagggactcc atctcctcc cccagcccca caactgctgg cctctcctg
 48601 gtgccgttca cctcaactt caccatcacc aaactgaagt acgaggagga catgcatg
 48661 cctgggtcca ggaagtcca caccacagag agagtctgtc agagtctgtc tttccatg
 48721 tcaagaaca ccagtgttg cctctgtac tctgggtgca gactgacctc gctcagggtc
 48781 gagaaggatg gagcagccac tggagtggat gccatctgca cccacctgt tgaccccaaa
 40 48841 agccctggag tggacaggga gcagctatac tgggagctga gccagctgac caatggcatc
 48901 aaagagctgg gtccctacac cctggacaga aacagtctct atgtcaatgg tttcaccat
 48961 cagacctctg cgcacacac cagcactcct gggacctcca cagtgnacnt nggnacctcn
 49021 gggactccat cctcctccc cngccncaca tctgctggcc ctctcctggt gccattcacc
 49081 ctcaacttca ccattcaccia cctgcagtac gaggaggaca tgcattcacc aggtccagg
 45 49141 aagttcaaca ccacggagcg ggtcctgcag ggtctgcttg gtccatgtt caagaacacc
 49201 agtgtcgccc ttctgtactc tggctgcaga ctgacctgtc tcaggcctga gaagaatggg
 49261 gcaaccactg gaatggatgc catctgcacc caccgtcttg accccaaaag cctggactg
 49321 nacagngagc ngctntactg ggagctnagc canctgacca annncatcnn ngagctgggn
 49381 cctacacccc tggacaggna cagtctctat gtcaatgggt taccatcctn gantctgng
 50 49441 cccaccacca gactcctgg gacctccaca gtgnacntng gnacctcng gactccatcc
 49501 tccntcccn gccncacanc nctgnccct ctctgntnc cnttcacont caacttnacc
 49561 atcaccaacc tgcantangn ggannacatg cnncccmg gntccaggaa gttaacacc
 49621 acngagaggg ttctgcagg tctgtcaaa ccttgttca ggaatagcag tctggaatac
 49681 ctctattcag gctgcagact agctcactc aggcagaga aggatagtc agccatggca
 55 49741 gtggatgcca tctgcacaca tgcctgtgac cctgaagacc tggactgga cagagagcga
 49801 ctgtactggg agctgagcaa tctgacaaat ggcattccagg agctgggccc ctacacctg
 49861 gaccggaaca gtctctatgt caatgggttc acccatcgaa gctctatgcc caccaccagc
 49921 actcctggga cctccacagt ggtgtggga acctcaggga ctccatctc cagccccagc
 49981 cccagactg ctggccctct cctgatacca ttcacctca acttaccat caccacactg
 60 50041 cagtatgggg aggacatggg tcacctggc tccaggaagt tcaacaccac agagagggtc
 50101 ctgcagggtc tgcctgtgct catattcaag aacaccagt ttggccctct gtactctggc

	50161	tgcagactga	cctctctcag	gtctgagaag	gatggagcag	ccactggagt	ggatgccatc
	50221	tgcatccatc	atcttgaccc	caaaagccct	ggactcaaca	gagagcggct	gtactgggag
	50281	ctgagccaac	tgaccaatgg	catcaaagag	ctgggcccct	acaccctgga	caggaacagt
	50341	ctctatgtca	atgggtttcac	ccatcggacc	tctgtgccca	ccaccagcac	tcctgggacc
5	50401	tccacagtgg	accttggaa	ctcaggga	ccattctccc	tcccaagccc	cgcaactgct
	50461	ggccctctcc	tggtgctggt	cacctcaac	ttcaccatca	ccaacctgaa	gtatgaggag
	50521	gacatgcac	gccctggctc	caggaagtcc	aacaccactg	agagggtcct	gcagactctg
	50581	cttggctcta	tgttcaagaa	caccagtgtt	ggccttctgt	actctggctg	cagactgacc
	50641	ttgctcaggt	ccgagaagga	tggagcagcc	actggagtgg	atgccatctg	caccacccgt
10	50701	cttgacccca	aaagccctgg	actgnacagn	gagcngctnt	actgggagct	nagccanctg
	50761	accaannnca	tcnnngagct	gggnccctac	accctggaca	ggnacagtct	ctatgtcaat
	50821	ggtttcaccc	atcngancct	tgngcccacc	accagcactc	ctgggacctc	cacagtgnac
	50881	ntnggnacct	cngggactcc	atcctccntc	cccnccncca	cancnncctg	ccctctcctg
	50941	ntnccnttca	ccntcaactt	naccatcacc	aacctgcant	angngganna	catgcnncnc
15	51001	ccnggntcca	ggaagtcca	caccacngag	agagtccctc	agggctctgt	caggcctgtg
	51061	ttcaagaaca	ccagtgttgg	ccctctgtac	tctggctgca	gactgacctt	gctcaggccc
	51121	aagaaggatg	gggcagccac	caaagtggat	gccatctgca	cctaccgccc	tgatcccaaa
	51181	agccctggac	tggacagaga	gcagctatac	tgggagctga	gccagctaac	ccacagcatc
	51241	actgagctgg	gcccctacac	ccaggacagg	gacagtctct	atgtcaatgg	cttcacccat
20	51301	cggagctctg	tgccaaccac	cagttatcct	gggacctctg	cagtgcacct	ggaaaacct
	51361	gggactccat	cctccttccc	cggccacaca	gagcctggcc	ctctcctgat	accattcact
	51421	ttcaacttta	ccatcaccaa	cctgcgttat	gaggaaaaca	tgcaacaccc	tggttccagg
	51481	aagttcaaca	ccacggagag	ggttctgcag	ggtctgtctc	cgcccttgtt	caagaacacc
	51541	agtgttgccc	ctctgtactc	tggctgcaga	ctgaccttgc	tcagacctga	gaagcaggag
25	51601	gcagccactg	gagtggacac	catctgtacc	caccgcgttg	atcccatcgg	acctggactg
	51661	gacagagagc	ggctatactg	ggagctgagc	cagctgacca	acagcatcac	agagctggga
	51721	ccctacaccc	tgatagggga	cagtctctat	gtcgatggct	tcaacccctg	gagctctgtg
	51781	ccaaccacca	gcactcctgg	gacctccaca	gtgcacctgg	caacctctgg	gactccatcc
	51841	cccctgcctg	gccacacagc	ccctgtccct	ctcttgatac	cattcacctc	caactttacc
30	51901	atcacogacc	tgcatatga	agaaaacatg	caacaccctg	gttccaggaa	gttcaacacc
	51961	acggagaggg	ttctgcaggg	tctgtctcaag	cccttggtca	agagcaccag	cgttggccct
	52021	ctgtactctg	gctgcagact	gaccttgctc	agacctgaga	aacatggggc	agccactgga
	52081	gtggacgcca	ctgcaccctc	ccgcttgat	ccactgggtc	ctggactgga	cagagagcgg
	52141	ctatactggg	agctgagcca	gctgaccaac	agcatcacag	agctgggacc	ctacaccctg
35	52201	gatagggaca	gtctctatgt	caatggcttc	aaccttgga	gctctgtgcc	aaccaccagc
	52261	actcctggga	cctccacagt	gcacctggca	acctctggga	ctccatctc	cctgcctggc
	52321	cacacaactg	ctggccctct	cctggtgcg	ttcacctcca	acttcacct	caccaacctg
	52381	aagtacgagg	aggacatgca	ttgcccctgg	tccagggaagt	tcaacaccac	agagagagtc
	52441	ctgcagagtc	tgcatggctc	catgttcaag	aacaccagtg	ttggccctct	gtactctggc
40	52501	tgcagactga	ccttgctcag	gtccgagaag	gatggagcag	ccactggagt	ggatgccatc
	52561	tgcacccacc	gtcttgaccc	caaaagccct	ggactgnaca	gngagcngct	ntactgggag
	52621	ctnagccanc	tgaccaannn	catcnnngag	ctgggnccct	acaccttgga	cagggnacagt
	52681	ctctatgtca	atgggtttcac	ccatcnganc	tctngcccca	ccaccagcac	tcctgggacc
	52741	tccacagtgn	acntnggnac	ctcngggact	ccatcctccn	tcccngccn	cacancnnc
45	52801	gnccctctcc	tgntnccntt	caacntcaac	ttnacatca	ccaacctgca	ntangnggan
	52861	nacatgcnnn	ncccnngntc	caggaagtcc	aacaccacng	agnngntnct	gcagggtctg
	52921	ctnnnncccn	tnntcaagaa	cnccagtgtg	ggcctctgtg	actctggctg	cagactgacc
	52981	tnnctcaggn	cngagaagna	tggngcagcc	actggantgg	atgccatctg	cancacacnn
	53041	cntnanccca	aaagncctgg	actgnacagn	gagcngctnt	actgggagct	nagccanctg
50	53101	accaacagca	tcacagagct	gggacccctc	accctggata	gggacagtct	ctatgtcaat
	53161	ggtttcaccc	atcgaagctc	tatgcccacc	accagtattc	ctgggacctc	tgcagtgcac
	53221	ctggaaacct	ctgggactcc	agcctccctc	cctggccaca	cagccctcgg	ccctctcctg
	53281	gtgccattca	ccctcaactt	cactatcacc	aacctgcagt	atgaggagga	catgcgtcac
	53341	cctgggtcca	ggaagtcca	caccacggag	agagtctctg	agggctctgt	caagccctgt
55	53401	ttcaagagca	ccagtgttgg	ccctctgtac	tctggctgca	gactgacctt	gctcaggcct
	53461	gaaaaacgtg	gggcagccac	cggcgtggac	accatctgca	ctcaccgcct	tgacctctca
	53521	aacctcggac	tnnacagnga	gcngctntac	tgggagctna	gccanctgac	caannncatc
	53581	nnngagctgg	gnccctacac	cctggacagg	nacagtctct	atgtcaatgg	tttcacccat
	53641	cngancctct	ngcccacac	cagcactcct	gggacctcca	cagtgnacnt	nggnacntcn
60	53701	gggactccat	cctccntccc	cngccncaca	ncnncctgnc	ctctcctgnt	ncnttcacc
	53761	ntcaacttna	ccatcaccaa	cctgcantn	gngganmaca	tgcnnncccc	ngnttcagg

	53821	aagttcaaca	ccacngagng	ngtntctgcag	ggtctgctnn	nccccntntt	caagaacncc
	53881	agtgtnggcc	ntctgtactc	tggctgcaga	ctgacctnnc	tcaggncnga	gaagnatggn
	53941	gcagccactg	gantggatgc	catctgcanc	caccnnctn	ancccaaaag	ncctggactg
	54001	nacagngagc	ngctntactg	ggagctnagc	canctgacca	annncatcnn	ngagctgggn
5	54061	ccctacaccc	tggacaggna	cagtctctat	gtcaatgggt	ttcaccctcg	gagctctgtg
	54121	ccaaccacca	gcactcctgg	gacctccaca	gtgcacctgg	caacctctgg	gactccatcc
	54181	tccctgctg	gccacacagc	ccctgtccct	ctcttgatac	cattcacctc	caactttacc
	54241	atcaccaacc	tgattatga	agaaaacatg	caacacctg	gttccaggaa	gttcaacacc
	54301	acggagcggg	tctgtcaggg	tctgcttggt	cccatgttca	agaacacaag	tgtcggcctt
10	54361	ctgtactctg	gctgcagact	gaccttgctc	aggcctgaga	agaatggggc	agccactgga
	54421	atggatgcca	tctgcagcca	ccgtcttgac	cccaaaagcc	ctggactgna	cagnagcng
	54481	ctntactggg	agctnagcca	nctgaccaan	nncatcnng	agctgggncc	ctacacctg
	54541	gacaggnaca	gtctctatgt	caatgggttc	acccatcnga	nctctgngcc	caccaccagc
	54601	actcctggga	cctccacagt	gnacntnggn	acctcnggga	ctccatctc	cntccccngc
15	54661	cncacannnn	ctgnccctct	ctgntnccn	ttcacntca	acttnaccat	caccaacctg
	54721	cantangngg	annacatgcn	ncncccnngn	tccaggaaat	tcaacaccac	ngagnngtn
	54781	ctgcagggtc	tgctnnncc	cntnttcaag	aacnccagt	tnggcnctct	gtactctggc
	54841	tgcaactga	cctnnctcag	gncngagaag	natggngcag	ccactggant	ggatgccatc
	54901	tgcanccacc	nnctnanc	caaaagncct	ggactgnaca	gngagcngct	ntactgggag
20	54961	ctnagccanc	tgaccaannn	catcnngag	ctgggnccct	acaccctgga	caggnacagt
	55021	ctctatgtca	atggtttcac	ccatcagaac	tctgtgcca	ccaccagtac	tcctgggacc
	55081	tccacagtgt	actgggcaac	cactgggact	ccatcctcct	tccccggcca	cacagagcct
	55141	ggccctctcc	tgataccatt	cactttcaac	tttaccatca	ccaacctgca	ttatgaggaa
	55201	aacatgcaac	accctgttgc	caggaaagtc	aacaccacgg	agagggttct	gcagggtctg
25	55261	ctcacgcctc	tgttcaagaa	caccagtgtt	ggccctctgt	actctggctg	cagactgacc
	55321	ttgctcagac	ctgagaagca	ggaggcagcc	actggagtgg	acaccatctg	taccaccgc
	55381	gttgatccca	tggagcctgg	actgnacagn	gagcngctnt	actgggagct	nagccanctg
	55441	accaannnca	tcnnngagct	gggnccctac	accctggaca	ggnacagctc	ctatgtcaat
	55501	ggttttcacc	atcnganctc	tgngcccacc	accagactc	ctgggacctc	cacagtgnac
30	55561	ntnggnacct	cngggactcc	atctcctc	cccngccnca	cancnctgn	ccctctcctg
	55621	ntnccnttca	ccntcaactt	naccatcacc	aacctgcant	angngganna	catgcnncnc
	55681	ccnggntcca	ggaagtcca	caccaengag	ngngtntgc	agggctctgt	nnnncccntn
	55741	ttcaagaacn	ccagtgtngg	ccntctgtac	tctggctgca	gactgacctn	nctcaggnnc
	55801	gagaagnatg	gngcagccac	tggantggat	gccatctgca	nccaccnncn	tnancccaaa
35	55861	agnctgggac	tgmacagnga	gcnctntac	tgggagctna	gccanctgac	caannncatc
	55921	nnngagctgg	gnccctacac	cctggacagg	nacagtctct	atgtcaatgg	tttaccatct
	55981	cggagctctg	tgccaaccac	cagcagtcct	gggacctcca	cagtgcacct	ggcaacctct
	56041	gggactccat	cctccctgcc	tggccacaca	gcccctgtcc	ctctcttgat	accattcacc
	56101	ctcaacttta	ccatcaccaa	cctgcattat	gaagaaaaca	tgcaacaccc	tggttccagg
40	56161	aagttcaaca	ccacggagag	ggttctgcag	ggtctgctca	agccctgtgt	caagagcacc
	56221	agtgttgccc	ctctgtactc	tggctgcaga	ctgaccttgc	tcagacctga	gaaacatggg
	56281	gcagccactg	gagtggacgc	catctgcacc	ctccgccttg	atcccatctg	tcctggactg
	56341	nacagngagc	ngctntactg	ggagctnagc	canctgacca	annncatcnn	ngagctgggn
	56401	ccctacaccc	tggacaggna	cagtctctat	gtcaatgggt	tcaccatcnn	ganctctgng
45	56461	cccaccacca	gcactcctgg	gacctccaca	gtgnacntng	gnacctcngg	gactccatcc
	56521	tccntcccn	gccnccacnc	nnctgnccct	ctcctgntnc	cnttcacctn	caacttnacc
	56581	atcaccaacc	tgcantangn	ggannacatg	cnncccnng	gntccaggaa	gttcaacacc
	56641	acmgagnng	tnctgcaggg	tctgctnnnn	ccntnttca	agaacnccag	tgtnggcctn
	56701	ctgtactctg	gctgcagact	gacctnnctc	aggncngaga	agnatggngc	agccactgga
50	56761	ntggatgcca	tctgcancca	ccnnctnanc	cccaaaagnc	ctggactgna	cagnagcng
	56821	ctntactggg	agctnagcca	nctgaccaan	nncatcnng	agctgggncc	ctacacctg
	56881	gacaggnaca	gtctctatgt	caatgggttc	acccatcgga	cctctgtgcc	caccaccagc
	56941	actcctggga	cctccacagt	gcacctggca	acctctggga	ctccatctc	cctgctgggc
	57001	cacacagccc	ctgtccctct	cttgatacca	ttcacctca	actttaccat	caccaacctg
55	57061	cagtatgagg	aggacatgca	tgcacctgga	tctagggaat	tcaacaccac	agaggagggtc
	57121	ctgcagggtc	tgcttagtcc	cattttcaag	aactccagt	ttggccctct	gtactctggc
	57181	tgcaactga	cctctctcag	gcccagagaag	gatggggcag	caactggaat	ggatgctgtc
	57241	tgccctctacc	accctaattc	caaaagacct	gggctggaca	gagagcagct	gtactgcag
	57301	ctaagccagc	tgaccacaaa	catcactgag	ctgggcccct	acagcctgga	caggagcagt
60	57361	ctctatgtca	atggtttcac	ccatcagaac	tctgtgcca	ccaccagtac	tcctgggacc
	57421	tccacagtgt	actgggcaac	cactgggact	ccatcctcct	tccccggcca	cacancnct

57481 gncctctcc tgnntcmtt caccntcaac ttnaccatca ccaacctgca ntangnggan
 57541 nacatgcnncc ncccnngntc caggaaagttc aacaccacng agngngntct gcagggtctg
 57601 ctnnnncccn tnttcaagaa cncagtgtn ggccntctgt actctggctg cagactgacc
 57661 tnnctcagggn cngagaagna tggngcagcc actggantgg atgccatctg canccaccnn
 57721 cntnanccca aaagncctgg actgnacagn gagcngctnt actgggagct nagccanctg
 57781 accaannnca tcnnngagct gggncctac accctggaca ggnacagtct ctatgtcaat
 57841 ggttttcccc attggagctc tgggctcacc accagcactc ctgggacttc cacagtgtac
 57901 cttggaacct cagggactcc atccccctgc ccagcccca caactgctgg ccctctcctg
 57961 gtgccattca ccctaaactt caccatcacc aacctgcagt atgaggagga catgcatcgc
 58021 cctggatcta ggaagttcaa cgcacagag agggctcctgc agggctctgt tagtcccata
 58081 ttcaagaaca ccagtgttg cctctgtac tctggctgca gactgacctt gctcagacct
 58141 gagaagcagg aggcagccac tggagtggac accatctgta cccaccgctt tgatcccatc
 58201 ggacctggac tgnacagnca gcnctntac tgggagctna gccanctgac caannncatc
 58261 nnnagctgg gncctacac cctggacagg nacagtctct atgtcaatgg ttccaccat
 58321 cnganctctg ngcccaccac cagcactcct gggacctcca cagtgnacnt nggnacctcn
 58381 gggactccat cctcctctcc cngccnaca ncnctgncc ctctcctgnt accnttcacc
 58441 ntcaacttna ccatcaccaa cctgcantn gnggannaca tgcnnccccc nggntccagg
 58501 aagttcaaca ccacngagng ngntctgcag ggtctgctnn nccccntnt caagaacncc
 58561 agtgtnggcc ntctgtactc tggctgcaga ctgacctnnc tcaggncnga gaagnatggn
 58621 gcagccactg gantggatgc catctgcanc caccnnctn ancccaaaag ncctggactg
 58681 nacagngagc ngctntactg ggagctnagc canctgacca annncatcnn ngagctgggn
 58741 ccctacaccc tggacaggna cagtctctat gtcaatggtt tcacccatcg gagcttggg
 58801 ctcaccacca gcaactcctg gacttccaca gttgacctg gaacctcagg gactccatcc
 58861 cccgtcccca gcccacaaac tctgtggcct ctctggctgc cattcacctt aaacttcacc
 58921 atcaccaacc tgcagtatga ggaggacatg catcgccctg gctccaggaa gttcaacacc
 58981 acggagaggg tccctcaggg tctgcttaag ccctgttca ggaacaccag tgtcagctct
 59041 ctgtactctg gttgcagact gacctgtctc aggcctgaga aggatggggc agccaccaga
 59101 gtggatgctg tctgcacca tctgctgac cccaaaagcc ctggactgna cagnagcng
 59161 ctntactggg agctnagcca nctgaccaan nncatcnng agctgggnc ctacacctg
 59221 gacaggnaca gtctctatgt caatggtttc accatcnga nctctngcc caccaccagc
 59281 actcctggga cctccacagt gnacntngn acctonggga ctccatctc cntcccncc
 59341 cncacancnn ctgnccctct cctgntnccn ttcacctca acttnaccat caccacacctg
 59401 cantangngg annacatgcn nccccnggn tccaggaagt tcaacaccac ngagngngtn
 59461 ctgcagggtc tgcnnnncc cntnttcaag aacnccagt tnggcnctct gtaacttggc
 59521 tgcagactga cctnnctcag gncngagaag natggngcag ccactggant ggtgccatc
 59581 tgcancacc nncntnancc caaaagncct ggactgnaca gngagcngct ntactgggag
 59641 ctngagccanc tgaccaannn catcnngag ctggngccct acacctgga caggnacagt
 59701 ctctatgtca atggtttcac ccattggatc cctgtgcca ccagcagcac tctgggacc
 59761 tccacagtgg accttgggtc agggactcca tccctccctc ccagccccc aactgctggc
 59821 cctctcctgg taccattcac cctcaacttc accatcacca acctgcagta tggggaggac
 59881 atgggtcacc ctggctccag gaagttcaac accacagaga gggctcctgca gggctctgtt
 59941 ggtcccatat tcaagaacac cagtgttggc cctctgtact ctggctgag actgacctct
 60001 ctcaggtccg agaaggatgg agcagccact ggagtggatg ccatctgcat ccatcatctt
 60061 gaccccaaaa gccctggact gnacagngag cngctntact gggagctnag ccanttgacc
 60121 aannncatcn nngagctggg nccctacacc ctggacaggn acagtctcta tgtcaatggt
 60181 ttcacccatc nganctctgn gccaccacc agcactcctg ggacctccac agtgnacntn
 60241 ggnacctcng ggactccatc ctcntcccc ngcncacan cnnctgnccc tctcctgntn
 60301 ccnttcacn tcaacttnac catcaccaac ctgcantng nggannacat gcnncccnccn
 60361 ggntccagga agttcaacac cncngagngn gtntgcagg gtctgctnnn nccntnttc
 60421 aagaacncca gtgtnggcn tctgtactct ggctgcagac tgacctnnct caggncngag
 60481 aagnatggng cagccactgg antggatgcc atctgcance accnnctna nccccaaagn
 60541 cctggactgn acagngagcn gctntactgg gagctnagcc anctgaccaa nnnctcnnn
 60601 gagctgggnc cctacacctt ggacaggnac agtctctatg tcaatggttt caccatcag
 60661 acctttgcgc ccaaccacag cactcctggg acctccacag tggaccttgg gacctcaggg
 60721 actccatcct cctcccccag cctacatct gctggccctc tctgggtgac atccacctc
 60781 aacttcacca tcaaccaact gcagtacgag gaggacatgc atcaccagg ctcagggaag
 60841 ttcaacacca cggagcgggt cctgcagggt ctgcttgggt ccatgttcaa gaacaccagt
 60901 gtggccttc tgtactctgg ctgcagatg acctgtctca ggcctgagaa gaatggggca
 60961 gccaccagag tggatgctgt ctgacccat cgtcctgacc ccaaaagccc tggactgnac
 61021 agngagcngc tntactggga gctnagccan ctgaccaann ncatcnnga gctgggnccc
 61081 tacacctgg acaggnacag tctctatgtc aatggtttca cccatcnan ctctgngccc

	61141	accaccagca	ctcctgggac	ctccacagtg	naentnggna	cctcngggac	tccatcctcc
	61201	ntcccccngcc	ncacagcccc	tgtccctctc	ttgatcccat	tcaccctcaa	ctttaccatc
	61261	accaacctgc	attatgaaga	aaacatgcaa	caccctgggt	ccaggaagtt	caacaccacg
5	61321	gagagggttc	tgagggtct	gtcgaagccc	ttgttcaaga	gcaccagcgt	tggccctctg
	61381	tactctggct	gcagactgac	cttgctcaga	cctgagaaac	atggggcagc	cactggagtg
	61441	gacgccatct	gcaccctccg	ccttgatccc	actggctcctg	gactggacag	agagcggcta
	61501	tactggggagc	tgagccagct	gaccaacagc	gttacagagc	tgggccccta	caccctggac
	61561	agggacagtc	tctatgtcaa	tggcttcacc	cagcggagct	ctgtgccaac	caccagtatt
	61621	cctgggacct	ctgcagtgca	cctggaaacc	tctgggactc	cagcctccct	ccctggccac
10	61681	acagccccctg	gccctctcct	ggtgccatcc	accctcaact	tcactatcac	caacctgcag
	61741	tatgagggtgg	acatgcgtca	ccctgggtcc	aggaagttca	acaccaagga	gagagtctctg
	61801	cagggtctgc	tcaagccctt	gttcaagagc	accagtgttg	gccctctgta	ctctggctgc
	61861	agactgacct	tgctcaggcc	tgaaaaacgt	ggggcagcca	ccggcgtgga	caccatctgc
	61921	actcaccgcc	ttgacctctt	aaaccttgga	ctggacagag	agcagctata	ctgggagctg
15	61981	agcaaatga	cccggtggat	ctcgagctg	ggccctacc	tcctggacag	aggcagctctc
	62041	tatgtcaatg	gtttcaccca	tcggaaacttt	gtgcccatca	ccagcactcc	tgggacactcc
	62101	acagtacacc	taggaacctc	tgaactcca	tcctccctac	ctagacccat	agtgcctggc
	62161	cctctcctgg	tgccattcac	cctcaacttc	accatcacca	acttgcagta	tgaggaggcc
	62221	atgcgacacc	ctggctccag	gaagttcaat	accacggaga	gggtcctaca	gggtctgctc
20	62281	aggcccttgt	tcaagaatac	cagtatcggc	cctctgtact	ccagctgcag	actgaccttg
	62341	ctcaggccag	agaaggacaa	ggcagccacc	agagtggatg	ccatctgtac	ccaccacctt
	62401	gacctcaaa	gccctggact	gaacagagag	cagctgtact	gggagctgag	ccagctgacc
	62461	cacggcatca	ctgagctggg	ccctacacc	ctggacaggg	acagtctcta	tgtcgatggt
	62521	ttcactcatt	ggagcccat	accgaccacc	agcactcctg	ggacctccat	agtgaacctg
25	62581	ggaacctctg	ggatccacc	ttccctccct	gaaactacan	cnctgnccc	tctcctgntn
	62641	ccnttcaccn	tcaacttnac	catcaccaac	ctgcantang	nggannacat	gcnnccccn
	62701	ggntccagga	agttcaacac	cacngagagg	gttctgcagg	gtctgctcaa	gccctgttcc
	62761	aagagcacca	gtgttgcccc	tctgtattct	ggctgcagac	tgaccttgct	caggcctgag
	62821	aaggacggag	tagccaccag	agtggaagcc	atctgcaccc	accgccccta	ccccaaaatc
30	62881	cctgggctag	acagacagca	gctatactgg	gagctgagcc	agctgaccca	cagcatcact
	62941	gagctgggac	cctacaccct	ggatagggac	agtctctatg	tcaatgggtt	ccccagcgg
	63001	agctctgtgc	ccaccaccag	cactcctggg	actttcacag	tacagccgga	aacctctgag
	63061	actccatcat	ccctccctgg	cccacagcc	actggccctg	tcctgctgcc	attcaccttc
	63121	aattttacca	tactaacctt	gcagtatgag	gaggacatgc	atcgccctgg	ctccaggaag
35	63181	ttcaacacca	cggagagggg	ccttcagggg	ctgcttatgc	ccttggtcaa	gaacaccagt
	63241	gtcagctctc	tgtactctgg	ttgcagactg	acottgtctca	ggcctgagaa	ggatggggca
	63301	gccaccagag	tggatgctgt	ctgcacccat	cgtcctgacc	ccaaaagccc	tggactggac
	63361	agagagcggc	tgtactggaa	gctgagccag	ctgacccacg	gcatacactg	gctgggcccc
	63421	tacacctg	acaggcacag	tctctatg	aatgggttca	cccatcagag	ctctatgacg
40	63481	accaccagaa	ctcctgatac	ctccacaatg	cacctggcaa	cctcgagaa	tcagacctcc
	63541	ctgtctggac	ctacgaccgc	cagccctctc	ctgggtgctat	tcacaattaa	cttcaccatc
	63601	actaacctgc	ggtatgagga	gaacatgcat	cacctgggct	ctagaaagtt	taacaccacg
	63661	gagagagtcc	ttcagggtct	gctcaggcct	gtgttcaaga	acaccagtgt	tggccctctg
	63721	tactctggct	gcagactgac	cttgctcagg	cccaagaagg	atggggcagc	caccaaagtg
45	63781	gatgccatct	gcacctaccg	ccctgatccc	aaaagccctg	gactggacag	agagcagcta
	63841	tactgggagc	tgagccagct	aaccacagc	atcactgagc	tgggccccta	cacctgggac
	63901	agggacagtc	tctatgtcaa	tgggttca	cagcggagct	ctgtgcccac	cactagcatt
	63961	cctgggaccc	ccacagtggg	cctgggaaca	tctgggactc	cagtttctaa	acctggtccc
	64021	tgggtgcca	gccctctcct	ggtgctatcc	actctcaact	tcaccatcac	caacctgcgg
50	64081	tatgaggaga	acatgcagca	ccctggctcc	aggaagttca	acaccacgga	gagggtcctt
	64141	cagggcctgc	tcagggtccct	gttcaagagc	accagtgttg	gccctctgta	ctctggctgc
	64201	agactgactt	tgctcaggcc	tgaaggat	gggacagcca	ctggagtggg	tgccatctgc
	64261	accaccacc	ctgaccccaa	aagccctagg	ctggacagag	agcagctgta	ttgggagctg
	64321	agccagctga	cccacaatat	cactgagctg	ggccactatg	ccctggacaa	cgacagcctc
55	64381	tttgtcaatg	gtttcactca	tcggagctct	gtgtccacca	ccagcactcc	tgggaccccc
	64441	acagtgtatc	tgggagcatc	taagactcca	gcctcgatat	ttggcccttc	agctgccagc
	64501	catctcctga	tactattcac	cctcaacttc	accatcacta	acctgcggta	tgaggagaac
	64561	atgtggcctg	gctccaggaa	gttcaacact	acagagaggg	tccttcaggg	cctgctaagg
	64621	cccttggtca	agaacaccag	tgttgccct	ctgtactctg	gctccaggct	gacctgtctc
60	64681	aggccagaga	aagatgggga	agccacgga	gtggatgcca	tctgcacca	ccgccctgac
	64741	cccacaggcc	ctgggctgga	cagagagcag	ctgtatttgg	agctgagcca	gctgaccac

```

5  64801 agcatcactg agctggggccc ctacacactg gacaggggaca gtctctatgt caatgggttc
64861 acccatcgga gctctgtacc caccaccagc accgggggtg tcagcggagg gccattcaca
64921 ctgaacttca ccatcaacaa cctgcgctac atggcgggaca tgggccaacc cggctccctc
64981 aagttcaaca tcacagacaa cgtcatgaag cacctgctca gtcccttgtt ccagaggagc
65041 agcctgggtg cacggtacac aggtgcagg gtcctgcac taaggctctgt gaagaacggt
65101 gctgagacac ggggtggacct cctctgcacc tacctgcagc ccctcagcgg ccaggtctg
65161 cctatcaagc aggtgttcca tgagctgagc cagcagaccc atggcatcac cgggtctggg
65221 ccctactctc tggacaaaga cagcctctac cttaacggtt acaatgaacc tggctctagat
65281 gagcctccta caactcccaa gccagccacc acattcctgc ctctctgtgc agaagccaca
10 65341 acagccatgg ggtaccacct gaagaccctc acactcaact tcaccatctc caatctccag
65401 tattcaccag atatgggcaa gggctcagct acattcaact ccaccgaggg ggtccttcag
65461 cacctgctca gacccttgtt ccagaagagc agcatggggc ccttctactt ggggttgccaa
65521 ctgatctccc tcaggcctga gaaggatggg gcagccactg gtgtggacac cacctgcacc
65581 taccacctg accctgtggg cccggggctg gacatacagc agctttactg ggagctgagt
15 65641 cagctgaccc atgggtgtcac ccaactgggc ttctatgtcc tggacaggga tagcctcttc
65701 atcaatggct atgcacccca gaatttatca atccggggcg agtaccagat aaatttccac
65761 attgtcaact ggaacctcag taatccagac cccacatcct cagagtacat caccctgctg
65821 agggacatcc aggacaaggt caccacactc tacaagggca gtcaactaca tgacacattc
65881 cgcttctgcc tggtcaccaa ctgacgatg gactccgtgt tggctactgt caaggcattg
20 65941 ttctcctcca atttggaccc cagcctgtgtg gagcaagtct ttctagataa gaccttgaat
66001 gcctcattcc attggtgtgg ctccacctac cagttgggtg acatccatgt gacagaaatg
66061 gagtcatcag tttatcaacc aacaagcagc tccagcacc cagacttcta cctgaatttc
66121 accatcacca acctaccata ttcccaggac aaagcccagc caggcaccac caattaccag
66181 aggaacaaaa ggaatattga ggatgcgctc aaccaactct tccgaaacag cagcatcaag
25 66241 agttattttt ctgactgtca agtttcaaca ttcaggctctg tccccaacag gcaccacacc
66301 ggggtggact ccctgtgtaa cttctcgcca ctggctcgga gagtagacag agttgccatc
66361 tatgaggaat ttctgcggat gaccgcgaat ggtaccagc tgcagaactt caccctggac
66421 aggagcagtg tccttgtgga tgggtattct cccaacagaa atgagccctt aactgggaat
66481 tctgaccttc ccttctgggc tgtcatctc atcggtctgg caggactcct gggactcact
30 66541 acatgcctga tctgcggtgt cctggtgacc acccgccggc ggaagaagga aggagaatac
66601 aacgtccagc aacagtgcac aggtacttac cagtcacacc tagacctgga ggatctgcaa
66661 tgactggaac ttgcccgtgc ctggggtgcc ttccccccag ccagggtcca aagaagcttg
66721 gctggggcag aaataaacca tattggtcgg aaaaaaaaaa aaaaa

```

35 SEQ ID NO. 3

hk5 amino acid

```

40 MATARPPWMWVLCALITALLGVTEHVLANNVSDHPSNTVPSSNQDLGAGAGEDARSDDSSSRIINGS
CDMHTQPWQAALLLRPNQLYCGAVLVHPQWLLTAHCRKKVFRVRLGHYSLSPVYESGQMQFQGVKSIPHPG
YSHPGHSNDLMLIKLNRRIPTKDVRPINVSSHCPSAGTKCLVSGWGTKSPQVHFVKVLQCLNLSVLSQKR
CEDAYPRQIDDTMFCAGDKAGRDSCQGDSSGPPVCNGLSLQGLVSGWDYPCARPNNRPGVYTNLCKFTKWIQET
IQANS

```

45 SEQ ID NO. 4

KLK5 CDS

```

50 ggtgtctgtg cgtcctgcac ccacatcttt ctctgtcccc tccttgccct gtctggaggc
tgctagactc ctatcttctg aattctatag tgccctgggtc tcagcgcagt gccgatggtg
gcccgctcctt gtggttcctc tctacttggg gaaatcaggt gcagcggcca tggctacagc
aagaccccc tggatgtggg tgctctgtgc tctgatcaca gccttgcttc tgggggtcac
agagcatggt ctgcacaaca atgatgtttc ctgtgaccac ccctctaaca ccgtgccctc
tgggagcaac caggacctgg gagctggggc cggggaagac gcccggtcgg atgacagcag
cagccgcac atcaatggat ccgactgcga tatgcacacc cagccgtggc aggccgcgct
gttgctaagg cccaaccagc tctactgcgg ggcggtgttg gtgcatccac agtggctgtg
55 caccgcccgc cactgcagga agaaagtgtt cagagtccgt ctgggccact actccctgtc
accagtttat gaatctgggc agcagatgtt ccagggggtc aaatccatcc cccaccctgg
ctactccac cctggccact ctaacgacct catgctcatc aaactgaaca gaagaattcg
tcccactaaa gatgtcagac ccatcaacgt ctctctcat tgtccctctg ctgggacaaa

```



```

gtgcttggtg tctggctggg ggacaaccaa gagcccccaa gtgcacttcc ctaaggtcct
ccagtgcctg aatatcagcg tgctaagtca gaaaagggtg gaggatgctt acccgagaca
gatagatgac accatgttct gcgcccgtga caaagcaggt agagactcct gccagggtga
ttctgggggg cctgtggtct gcaatggctc cctgcaggga ctctgtctct ggggagatta
5 cccttgtgcc cggcccaaca gaccgggtgt ctacacgaac ctctgcaagt tcaccaagtg
gatccaggaa accatccagg ccaactcctg agtcatccca ggactcagca caccggcatc
ccacactgct gcagggacag ccttgacact cctttcagac cctcattcct tccagagat
gttgagaatg ttcattctct cagcccctga cccatgtct cctggactca gggctgtgct
ccccacatt gggctgaccg tgtctctcta gttgaaccct gggaacaatt tccaaaactg
10 tccagggcgg ggggtgctgc tcaatctccc tggggcactt tcatcctcaa gctcagggcc
catcccttct ctgcagctct gacccaaatt tagtcccaga aataaactga gaagtggaaa
aaaaaaa

```

15 SEQ ID NO. 5

KLK5 nucleic acid

```

gggcccagag tgaaggcaag agaaggagtt gagagctccc tctgcaaagt ggcttgagtc
tcccctgcct aaaatgcagg gagagggagg cagaaagaca ggggaagaga aggggtgggg
20 aagaaaagaga gagagagaga gagacagaat aacacaacta cagaaacaca gagagaacac
acagagagcc tgggacacag ggacacacag agtcagagag aaaagagaag atagagaaag
acacaaatgg agacacagag gtgtaaagaa agagagatta acagagtccc agatacacgc
aaaggggcag aagcacagtt ttcagggtgg tgtctatgat catcttcttt tttttttttt
tttttttttt tttttgagac ggagtctcgc tctgtcgcgc aggctggagt gcagtggcgg
25 gatctcggct cactgcaagc tccgcctccc gggttcacgc cattctctg cctcagcctc
ccaagttagct gggactacag gcgcccgcga ctacgcccgg ctaatttttt tgatatttta
gtagagacgg ggtttcaccg ttttagccgg gatggcctcg atctcctgac ctctgtatcc
gcccgcctcg gcctcccaaa gtgctgggat tacaggcgtg agccaccgag cccggccatg
atcatcttct tgactatgct gatgtgacaa gtacctaaag ccatcagact ctacccttta
30 aatatgcagt ttgggcccag caccgtggct catgcctgta attccagcac tttgggaggc
agaggtgggt gaatcacttg aggccaggag tttgagacca gcctggccaa catggtgaaa
ctctgtcttt actaaaaaaa aaaaaaaaaa aaaaaaaatc agccgggtgt cgtggggcac
acctgtaatc ccagctatgc tggaggtgga ggcacgagag tcacttgaac cctggaggcg
gaggttgtag tgggcccaga tcacatcacc gccctccagc ctgggcgaca gagcaagact
35 ctgtctcaaa taaataaata aacaaacgaa caagcagttt gttgtacctt agttatatct
aaaaaaaaaa tgcgtcaaac aaatagagca gaagtgaat aaaggaaaat aaatgggcca
agaactctaa ggtatatattg acaaatcatt cagaaccttt aaaaaagaaa gaatcacaga
ggcatagaaa gacaggaggg aacagggaga cagaaacacc tgtggcccaa ggagaacaaa
acaaggctcc taagacagac aggaggagag agagagagag tgagtggagag acagacagag
40 aaaaagacag agagagagag acagagacag agagacagag aggcgagagg gatagaaaga
gagagagggg tggagagaga cacgagatat tgagagagac tcagaaagat agccgaggga
gaaccacaga gagatggaag aagactctga gaaaaaacca gagacaaaga tggaaagagg
agtatcgagg gtgaacagac agtggtggaa tgagcaaaat gcagagaaga aagcaagcaa
tccaggcgcc aagaatagtg acccagagtt ggtgagaagc cagatcctta aggctggggg
45 aggcagggaa ggggctggcc tggcttccgg agacccctcc ccattctccg ggccagggag
gtagggagtg acattccgga ctgggtgggg ggtgctctgg ggggtggagt agggggagca
ggaggagcta ttgctaaggc ccgataggca cctcattgcc cgggaatgtg ccccagggag
cagtgggtgg ttataactca ggcccgtgac ccagagccca ggaggaggca gtggccaggga
aggcacaggc ctgagaagtc tgcggctgag ctgggagcaa atccccacc ccctacctgg
50 gggacagggc aagtgagacc tgggtagggt ggctcagcag gcagggaagg agaggtgtct
gtcgtcctg caccacatc tttctctgtc cctccttgc cctgtctgga ggctgtaga
ctctatctct ctgaattcta tagtgcctgg gtctcagcgc agtgccgatg gtggcccgct
cttgtggttc ctctctacct ggggaaataa ggtaggggag ggaggggaag tgggttaagg
gctccccgga tcgcctgggc ctccaacccc tctgacattc cccatccagg tgcagcgccc
55 atggctacag caagaccccc ctggatgtgg gtgctctgtg ctctgatcac agccttgctt
ctctgcccga ctagagcgcc tgtcccctgg ggaactgtgt gagcctgggc atgactccgg
gaccgggtga atgtgagtct ctgtctgtac ttgtggttgt gcgatcgtat gtggccctgt

```

gactgccacg gtgtgtgtcg gggaggggga tgccttttcc catatcaggt gactgtgcgg
caggtggcac tgaccctttg aggcctgtgtg tgtggttttg tgattgtgtg tgcatttaag
attgtgtgtg gctccacagc tgtgtgggtg aatgcatgta gcactggggg tgttccactgt
gtgttttgct gtgtgtgggtg acttggcatt gtatatgact gcaggtatct gcagttcctg
5 tccctgaggt cccgggattg cgtgcaacaa aagtgggtcat caccatggaa agctgtgact
gtgtgtgtgt tgcaggcgat tatgtgattg tggctgagtg tgacgttatg gatgcccgta
tttgtgaccg tgtgactacc tgaagctctg ttaggggtg actgtatgtg actgtgtgtg
tctgtgtgag gccgtgtaaa tgctactgta tgtgtgatgg tgcagctgtg tgtctggagt
ttctgtctct gcctggaggg atagaggggtg caggggtagc tatctctggg agatgggtgc
10 caggtgactg acttgacagt tgtgcctgtg tgcagaagag tatgtggcag tctgaacatc
tgtgcacaca cggcatctgt gcgtggcact gagacactgt ggtatggggg gtgcgatccc
gctaggtctg ccgggagcgt gtgtacctgg agacagagct gtatgttagc tgcacctgtg
gaggcaacat ggcgtgtgtc gcagaactgc gtgcgtgctt ggctgttact gctgttgtgc
gcgtgggtct tgggtgagtg tgcgtgaatga tgggtgggtgc agggccatca gcaagggtaa
15 gaaccaggcc gggcgcggtg gctcacgcct gtaatcccag ccctttggga ggccgaggca
ggcggatcac ctgaggtcgg gagatcgagg ccagcctgac caacatggag aaccccgtct
ctactaaaaa taaaaaaaat tagctgggtg ggtggcgctg gcctgtaatc ccagctactc
gggagactgg ggcagaaaaa tcgcttgaac ccgggaggtg gagggtgcgg tgagccgaga
tcgcgccatt gcaactccagc ctgggcaaca agagcgaaac tccgtctcga aagaaaaaaa
20 gaaaaaaaaa agggtaagaa ccagtgaatg ggcacgggag gactgatgat ggagtggggc
atgcatgtag tctgtaggtc tgtgtgtgag agggaggagt tgacaggatt gagaaggcat
gttttcatct gagaattcag aaacctaggc ctgctcttcc cctccatgtg gccccctaa
ctgagccctt ctttctgtgt cctgctttcg gaacctagc tccgcccatt agctctgacc
ccacctctt tctcaacca cgccctagg ccagactcta gtggacccc cctaaggcca
25 caccctttg ggcaggctc caccctctat tctgtgggta ccttctagaa ccccttcaa
agtcagagct tttttttttt tttttttgga gacagtcttg ctctctctcc caggctggag
tgcaagtggc tgatctcggc tcaactgcaac ctctgcctcc caggttcaag tgattctcgt
gcctccacct cctgagtagc tgggattaca ggtgcgcgcc accacgcctg gctaattttt
gtgtctttag tagagacagg gtttcaacct gttggccagg ctggtctcaa actcccaacc
30 tcaggtgatc cgccacctc ggctcccag agtgctgggg ttacaggcgt gagccaccgc
cccagcccca aagtcagagc tctttatagg agactctaac atgtaacctt gacctggcc
ctaactaagt caattccaaa ccccttctct cctccagccc tgacccact cactgaggcc
tgacccact tcttgagacc agttccatcc ctaaaagccct ggtctccctc ccatccccag
35 tttaccctca catgtagttc tagccaattc ctagcctgtg ccaggaatcc tgtaccaat
gtaacctac ctgagcctgg gctctgtcct tgagcttgag cctgggcttg agaggtgcca
ctcttattct ccaggccctg cccctgcccc ctcagcatgt cagacacca cctctagct
ggtctggcct cttgagctg aaaccacccc ccagcccaag ccccgccctc gagccccgcc
caaccattt tccgttccca gagcatgttc tcgcccaaca tgatgtttcc tgtgaccacc
40 cctctaacac cgtgccctct gggagcaacc aggaacctggg agctggggcc ggggaagacg
cccggtcgga tgacagcagc agccgcatca tcaatggatc cgaactgcat atgcacaccc
agccgtggca ggcgcgctg ttgctaaggc ccaaccagct ctactgcccg gcggtgttgg
tgcatccaca gtggctgtc acggccgccc actgcaggaa gaagtgtgtg ggagtccaa
gaggaggggt ggtggggacg gggaaagtgg ggtgggggtg gggaaagtgg ggtgggggtg
45 tcatggaggt gagggtggt ggggacgggg aagtgggggt gggggtgtca tggaaaggtga
gggtgtgtgg ggatgggtt gggatgtggg agcaggagga ggtcgagttg gggataggac
taaggatgga gttttgcggg ggagcaaggt gggaggtatg ggttgagag gggagagtgt
tgtgttaggg aatgggaagg agccaaggat ggggttgatt tggggttagg agcatatatt
tgttgaatgg tttgggatgg aggtggaatt gggattggct ttagaattgg ggggtgggtga
50 aaatcgggct ggggtggaat tgaagatagc atggagatag ggttgagatt gggagcagat
atagaatgaa ggatggggat tggagtttt ggtgggggtt gagatgggtt gatttgggct
tgagaatgca tatggtgatg gcttctgggt agggaaagaa ttaggggttg gaatgggatg
ggtttggaat tgtgactggg atggggacag gcatgggatt ggagaccaag agggagtga
ggatgggttt gggaccgggg gtggggatgg ggggtgggct ggggctgggt gtgggggttg
55 gattggcggt ggacgtggag atagagatca ggggtgggtg tgacctgcc catcttctc
agagttttca gagtccgtct cggccactac tccctgtcac cagtttatga atctgggcag
cagatgttcc aggggtcaa atccatcccc caccctggct actccacccc tggccactct
aacgacctca tgctcatcaa actgaacaga agaattcgtc ccactaaaga tgtcagaccc
atcaacgtct cctctcattg tccctctgct gggacaaagt gcttgggtgc tggctggggg

	acaaccaaga	gcccccaagg	tgagtgtcca	ggttcttctt	gataccgacc	catctctgcc
	gccttccatc	tttctccact	tctcattgtg	ttctgttttg	acagtgcact	tccctaaggt
	cctccagtg	ttgaatatca	gcgtgttaag	tcagaaaagg	tgcgaggatg	cttacccgag
	acagatagat	gacaccatgt	tctgcgccgg	tgacaaagca	ggtagagact	cctgccagggt
5	gaggacacct	ctcttttattc	agcagataca	caactgagtgc	caactcggta	acatggagcg
	ttgccaaatt	ctgagaatcc	agcaattgcc	aagacagtca	ggaccctgtg	tctcacagag
	ctcataccct	agagtagtgg	tgtttagtag	aaataatgct	gagctgttta	tgctatttcc
	agtttttttag	tagccacatt	aaaacaggta	aaaaaggctg	ggcgagtggt	ctcacacctg
	taatcccagc	actttgggag	gctgaggcag	gcagatcacc	tttggtcagg	agtttgagac
10	tagcctggcc	aacatggcga	aactctgtct	ctaaaaaaa	atacaaaaat	tagcctggca
	tgggtggcgg	cgcctgtaat	ctcagctgct	caggaggccg	agacacaaga	atcacttaaa
	cccaggaggt	ggaggttgca	gtgagctgag	atcgtgccac	tcactccaac	ctgggagaca
	gagtgacact	tttgtctcaa	aaagaaaaaa	aaaaacaagt	aaaaaagaaa	caggtgaagt
	taactttaat	aacccaatgt	atcccaata	caatcatttc	aaagtgtaat	taataataaa
15	caattatgaa	tgagatactt	tacattcttt	tctgtttttc	atattaagtc	tttgaaagtg
	agtatatatg	ttatgctgac	agcacatctc	aatttggact	agctacattt	caggtgctca
	gtagccacat	gtggctagca	gttactgtat	tggtggcac	ggatctagag	ggaagatca
	gggctgtttt	gtatggttgg	gcaggttgtg	cactgcataa	agataccata	tctaataagg
	gcactccgtg	ttacagatgt	cagttttggc	agttttcagg	cgtgtggtag	ttaagtgtct
20	tgtttcaaca	aaatctgtaa	tatgacagtt	ttctagcaag	tgctggtaaa	atatcttgag
	gaaggaaaag	agaaatctgg	taggtatttt	tacaagagaa	tatttaatac	aggggattaa
	ttgcaaagct	gctggaagg	ctggaggaac	aaagttaaaa	aataaaaaac	tctgtggtca
	agaatctgca	taaatagggc	aatttcagag	agtggtaaa	gttaacccca	aaataaaaca
	tggtttttagg	atagtaaa	ataaggcca	atattcaaaa	aggtggtcag	gggagcctcc
25	ttggagaggt	ggcatttgag	cagagaatgg	atgacacaaa	gaagctaaac	tcgtgaagtt
	taaggggaaa	gaaaaggcac	gtgcaaaggc	cctgaggcag	taaggaaatt	ggctgattca
	aagaagaaga	ggaaaccaat	gcaactggag	aacaaaagt	ggggcaacag	tagaaagtga
	cgtctggaggt	gtaggcaggg	gcgaatgctc	tgcaagtatt	tcttggtcac	caacacagag
	cttccctatg	ttctaattga	agctgtatct	gttgaggaag	acagaattta	aaatcaaaact
30	gttacatcaa	ccagcacctc	tctctgtatt	caggctccca	agggatctag	aaggacgtaa
	gttaacaagc	tctcattagc	aggggtgtgt	tttcaacagt	agttagggaag	ctggggattc
	aggagtactc	cagtcccatg	gctatgaaaa	gctcccccca	aattgtacaa	acctgacaaa
	tgcaacacct	ccccagctct	ccccatttct	tctctgtgcc	ctgggtgtgg	gggggtgggt
	tgcgaggggg	aaaactttta	acagaagaaa	gcacatctcg	gccgggctgt	gtggctcaca
35	cctgtaatcc	caacactttg	ggaggccgag	gcgggtggat	cactaggtca	ggagatggag
	accatcctgg	ctgacacggt	gaaaccctgt	ctctactaaa	aacacaaaaa	attagccggg
	cgtggtggca	ggcgctgtga	gtcccagcta	ctcgggaggc	tgaggcagga	gaatggcctg
	aaccggggag	gcggaacttg	cagtgaagcg	aggttgacc	actgcactcc	agcctgggca
	acacagtgag	actcgtctc	aaaaaaaaaa	aaagaaaaga	aaagaaatca	catctcattc
40	aagtgtgtgc	attttaaact	atttagcctt	tctgtaggca	aggttagtat	cttgtttttc
	cagacctcaa	ggtgtttttt	tgttgttttt	ttcataccgg	tgtgtgtgtc	gggtgtggcc
	actaaaagct	acaagcaaga	aataataaca	actacaacaa	tactaatacc	aatagtataa
	aaataatagc	atctggctaa	ttgctggaca	ctgttttaag	tggtttgcat	gcctcagctc
	attaactcat	ttacctgtta	ttattggccc	tattttacaa	acaaggagcc	aaggtcaga
45	gcagttaact	aacagcctct	caaaaagaaac	tctgcagaga	tattaaattt	aaaaataaat
	gagagaaatt	aaaccacaag	aaagttgaaa	tttagaggta	caggcagcta	agcttgtttg
	ctttgaaaca	gtgtctgcta	ctgggaaaaa	ggcaagtctt	ggctttccta	ataattgata
	ccaggactct	gtaattcata	ttttgcatgc	atgtaagtaa	gaaatgaagc	cgggtgcaat
	ggcacatgcc	agtaatccca	gcactctggg	agactgaagt	gggaagatca	cttgagctca
50	ggagttcaag	accagcctgg	gcaactaaaa	attaaaaaaa	taaaaatact	aattgttttt
	attttagtag	attttattca	taccacttac	atcattattg	tagtatgtac	atattttatt
	cttttctttt	cttttctttt	cttttttgag	acggagtctc	gctctgtcac	ccaggctgga
	gtgcaatggc	accatatoag	ctcactgcag	catgcgcctc	ctgggttcaa	gcatttcttc
	cacctcagcc	tcccaagtag	ctgggataac	aggcaccac	cacctgcct	ggctattttt
55	ttttttcgt	agagatgggg	ttccaccatg	ttggccaggc	tgttcttgaa	ctcctgacct
	ccagtgatct	gcctgcctgc	gcctcccaaa	ttgctggtat	tacaggtgtg	agccaccgtg
	cccagggtgg	agatagacat	ttctctctac	ctcaaacaga	ggtccactca	agctactttt
	cattttcttc	ataaatatta	gccgagtggc	tattttgcac	caggaatggt	tccagggtgct
	gtgatgatgg	catcaggcaa	aacagaccaa	aaacttctct	ccgctgtggac	ctcatgttcc

```

ccaagtggaa gacaggcaat aaagagatag ataaatatgt agtaaattaa aaaaaaaaaa
aattagccgg gtgtggtggc ttgcacctgt agttccagct acttgggagg ctgaggtggg
agaattgctt gagcccaaac gtttgaggct gcggtgaagcc atgactgcac tgctgcactc
cagacagcag cctgggtgac aaagcaagac gtttttgtca gaaagaaaaa aaaaagagac
5 gaagggagga aggagagaga aaggaaggaa ggaaggagaa agaaaggaag gaaggagaaa
gaaaggaagg aaggaaggag aaagaaagga agaaagagaa agaaagaaaa agaaagaaag
aaagaagaaa gaaaagagag aggaaggaag gaaaagagga aaagagggaa aaaaatgact
gttgaagagc agtgagtatt attataggag ggtaattata gggaggtatg gggaattgaa
gacaggaaac acaaattagt ccaagcgaat ggatttctat tgggagtgat tctgcccta
10 gaagacactg gcaataccag gagacatttt tggttgtcac aactatatgg aggggcatta
ctggcaacta atggatagat gccaaagtgt ctgttcaaca tgctatgatg cacacggcag
gctccacaa caaacatta tccagcttca gatgccaca gtgccagat cgaggaaccc
tcatccaggg gctgagaacc gtatttttgc agaagggagg tataaggatg ggttggtgga
gaatggggaa ggaaggtgtg tgtccagtaa gagaaataag gcctgcacag gctggagggg
15 agagtgagag agaaagggag gcggagagat acacgatgag ggagacaggc tggaacagaa
agtagagacg aagattcgag atgtggagag gaagggtcac agacccccc gaaatgatgt
gtggacaaca ggaatctgga agaggaagat ggagtggaga gtgacaaatg gggctaaag
gttgaacttg gaggccaggc atggtggctc acgctgttaa tcccaacact ttggaggctg
aggtgggcga atcacttgag gccaggagtt cgagaccagc ctggccaaca tggtgaaacc
20 ccgtctctac aaaaaaata caaaaaatta gccgggtgtg gtgatggaca cctgtagtca
cagctacttg ggaggctgag gcaggagaat tgcttgaacc cgggagatgg aggctgcagt
gagctgaggt caggccactg cgctccaacc tgggcaacag agtaagactc catctcaaaa
aaaaaaaagc tggatttggg gtgaaatatt aataacattc tccctctctc tcttttggc
tgtgtctcca tctctgtctt tttctgcat tcttcatctc tgtactttcc atctctgtg
25 gtctgttccc atctgtctct ccatctatgg gcatctctgg gtctctcatg tctcctctg
cccactttgc cacatctctg cctctctcat gcccccttt ctctctgca ggttgattct
ggggggcctg tggctgcaa tggctccctg cagggactcg tgtcctgggg agattaccct
tgtgcccggc ccaacagacc ggggtgtctac acgaacctct gcaagttcac caagtggatc
caggaacca tccaggccaa ctccagatc atcccaggac tcagcacacc ggcattccca
30 cctgctgcag ggacagccct gacactcctt tcagaccctc attccttccc agagatgttg
agaatgttca tctctccagc ccctgacccc atgtctctcg gactcagggt ctgcttcccc
cacattgggc tgaccgtgtc tctctagtgt aaccctggga acaatttcca aaactgtcca
gggcgggggg tgctgtctca tctccctggg gcactttcat cctcaagctc agggcccatc
ccttctctgc agctctgacc caaatttagt ccagaaata aactgagaag
35

```

SEQ ID NO. 6

hk6 amino acid

40

MKKLMVVLSLIAAAWAEQNKLVHGGPCDKTSHFYQAALYTSGHLLCGGLVLIHPLVWLTAHCKKPNLQVFL
GKHNLRQRESSQEQQSVVRAVIHPDYDAASHDQDIMLLRLARPAKLSELIQPLPLERDCSANTTSCHILGWG
KTADGDFPDTIQAYIHLVSREECEHAYPGQITQNLMLCAGDEKYGKDSCQGDSSGGLVCGDHLRLGLVSWGNI
PC GSKEKPGVYTNVCRYTNWIQKTIQAK

45

SEQ ID NO. 7

KLK6 nucleic acid

CDS 147.. 881

```

gtcgaccac gcgtccggct ggctggctcg ctctctctctg gggacacaga ggtcggcagg
50 cagcacacag agggacctac gggcagctgt tccttcccc gactcaagaa tccccggagg
cccggaggcc tgcagcagga gcggcatga agaagctgat ggtgtgctg agtctgattg
ctgcagcctg ggcagaggag cagaataagt tgggtgatgg cggaccctgc gacaagacat
ctcacccta ccaagctgcc ctctacacct cgggccactt gctctgtggt ggggtcctta
tccatccact gtgggtcctc acagctgccc actgcaaaaa accgaatctt caggctcttc
55 tggggaagca taaccttcgg caaagggaga gttcccagga gcagagttct gttgtccggg
ctgtgatcca ccctgactat gatgccgcca gccatgacca ggacatcatg ctgttgccgc
tggcacgccc agccaaatc tctgaactca tccagccct tccctggag agggactgct

```

```

cagccaacac caccagctgc cacatcctgg gctggggcaa gacagcagat ggtgatttcc
ctgacacccat ccagtgtgca tacatccacc tgggtgtccc tgaggagtgt gagcatgcct
accctggcca gatcaccag aacatgttgt gtgctgggga tgagaagtac ggaaggatt
cctgccaggg tgattctggg ggtccgctgg tatgtggaga ccacctccga ggccttgtgt
5 catggggtaa catcccctgt ggatcaaagg agaagccagg agtctacacc aacgtctgca
gatacacgaa ctggatccaa aaaaccattc aggccaaagt accctgacat gtgacatcta
cctcccagcc taccacccca ctggctgggt ccagaacgtc tctcacctag accttgccctc
cctcctctc ctgcccagct ctgaccctga tgcttaataa acgcagcgac gtgagggtcc
tgattctccc tggttttacc ccagctccat ccttgcata ctggggagga cgtgatgagt
10 gaggacttgg gtccctgggc ttacccccac cactaagaga atacaggaaa atcccttcta
ggcatctcct ctcccacacc ctccacacag ttgtatttct tcctgcagag gccagccac
gtgtctggaa tcccagctcc gctgcttact gtcgggtgtc ccttgggatg tacctttctt
cactgcagat ttctcacctg taagatgaag ataaggatga tacagtctcc ataaggcagt
ggctgttgga aagatttaag gtttcacacc tatgacatac atggaatagc acctgggcca
15 ccatgcactc aataaagaat gaattttatt atgaaaaaaaa aaaaaaaaaa aaaaaaaaaa
agggcgccg c

```

SEQ ID NO. 8

KLK6 nucleic acid

20 mRNA join (2001..2185,3084..3135,3559..3606,4346..4502,
8122..8369,9791..9927,11805..12483)

CDS join (3567..3606,4346..4502,8122..8369,9791..9927, 11805..11957)

```

25 acacttaaaa aatcttctga cttaaaaaaa aaagtatggt gattggaaaa tgtaaattgtg
catgcgtgct tggcatcaca ttcatctggc caggacttcc ctggatgcta aaggctcctca
aatgccaggc tggggggctg ggacttggtc ccaagggaga tggggaccca gggcacgtct
gtgagaggag gggcaaggtc agcacaaggc acaggaaggt ctctctgggg caagggtatc
agagaacaga gggatcctgg tccaggtggg agaggtgcag ctctgagttg ggggtgaggg
30 tgtgggtaca gagaggaagg gacccccag agagaggagg cagagggata gggcctggtc
actgggttgt gcaacatcag acttgcgtgc tgtgaagata gcacgtcctg agaagaagg
gctgaggtca gtggggacca aatgtgagag ggagcaccgc gagagtatac tgaataccga
agtagtcttc atccctggag tgatgggggg tgcacaatgc aagatgacaa ttagattcaa
tgcaagacaa agaaaagggt tggctgggaa cagtggctca tgcctatggt ccagctcct
35 gggaaagactg aggcgggagg gtcgcttgag cccaggaggg ttgaggtgc cagcagcaag
gatcgtgcc a ctgcaactcca gcctaggcga cagaacaaga ccttgtctca aaagaaaaaa
gaactttttt ttttaagtta cctgtagtgc ccagcccaag caggtgctga gccagacttc
attcctatca ttgtccttat tacgcagtga cttcccctc ctcatctctc tccactctgc
cacgcacaca cctcaccct ccagcccata ccaaccaccc caaccactgc ctgtggttcc
40 ccatgtgcac ccaggccagg cattttcacg gcctttcctc ctgacctacg cctggctcag
ctttctaggc ccaagttcaa agacacctcc cttaaattct ccagatccct ctgctactgc
ccagcaccac catcttatca cagccccag tgcgttccaa gtgctctccg atttctgctt
aactccatgc ctctcgctgt gtgtccgcac ctcatcaata agtccctcaag tctcttcca
tctgtctagc ttctcatcg ctcggaatc atccccgcta cttcctgggg aaactgactc
45 ccttctgggc acacacagtg ctacccccgg ggaatctaa gaagagaccc aggagaagat
aagcacggag agtcagagaa tcaaggggaa agaaaggag agaggccggg cacagtggct
cacacctgta atccagcact ttgggaggcc aaggtgggtg gatcacctga ggtcaggagt
ttgagaccag cctggccaac atggtgaaac ctcttcctca ctaaaaaatac aaaaaacatt
tagccgggcg tgggtggtgg tgctgtaat ccagctact tgggaagctg aggcaggaga
50 actgcttgaa ctgaggaggc ggaggttgca gtgaactgag atcacaccac tgcactccag
cctgagtgac agagcaagac tccgtcaaaa aaaaagaaag aaagaaagaa aagaaggag
gaaagaaaga aggaaggag gaagggagga agggagagag gaagggagag aggaaggag
agagagaaaa aaagaggag agagacacaa atacagagac tgagatggga gagagagaga
gatggaagct ccctcccctc catggccagg gagacagatg gagcaagaga cctcaggggt
55 gggcagactt ggaggagaag gaccaggagg atgtggagt ccgaaatctc cagtcaaggc
caggtgggca gtcagagact gcaaaggagg actgtcagac agggacaaaa ggaagccatt
gatgtaaccg ccctcccgc tgcccgccg aagagagggt gaggccggag ctgctgggag
catggcactg ggtgtctggg aggcggacaa agcccgattg ttctgggccc ctttccccat

```

5 cgcgcctggg cctgctcccc agcccggggc agggggcggg gccagtgtgg tgacacacgc
tgtagctgtc tccccggctg gctggctcgc tctctcctgg ggacacagag gtccggcaggc
agcacacaga gggacctacg ggcagggtgt tgagtcaccc caaccgcact gaacctgggc
aggctgcttc ccagtgccgg agggctctag agcccggagt gagggcctgc aggtccctgg
gtggcacaga gagtgtctgg ggtgcaggga ggccctgggg accatctgct tgccccagag
gccggaattt gtcttcagac actttctttc tccaaaaccc ggaggtctaa ggactgagcc
gactagaact tctctgtcct cagattcagg cccagcccc tctccctca gaccaggag
tttaggtcct agccctcct ccctcagacc caggagtcca agttcccacc tctccctca
gactcaggag tccaggcccc cagccctcc tccctcagac ccaggagtcc aagttctcac
10 ctctccctc agaccagga gtccaggccc caagcccctc ctccctcaga cgcaagggtc
caggccccca gccctcctc cctcagactc aggagtccag gcccacaagc ccctcctccc
tcagaccagc gagtccaggc cctcactgca ctccaggacc agtgctccct tccctggagg
cctggctcagg ggtcaccaag agcagagcgt gggggcggga ggaatgtgtg tgggaggcct
gggtaaggag gaaaagggtg tagccagtct cctggctcag ggacctgaga gacagggtt
15 aaaaggacgt tccagaagca tctggggaca gaaccagcct cttccaggga ggccctgggag
ctgggggtgt gtgtctggca gtccctgcag ccctgggctc tgcggccctc gcgtcctcog
cttggctctg ccactgcac tgagtgtctt ctctcctcac ggctccccgc atttctaact
cttctgtcct cctcgtctca aagctgttcc tcccccgac tcaagaatcc ccggaggccc
ggaggcctgc agcagggtgag atcacagaca tcacagaacc tgccgggtgg cggggtggg
20 tggccattgc gcacagagcc aggtcccgag gaaaactccc atacagagga agaactgtag
ggccccctat ggtaaccctc tctgtcgac aggaaggcaa atcagtgcct aagaaagtag
aaagatctaa tcagaatctc accatgggtt actggaccag tggacgtagt tgaattctct
ttggcactgt tttcgtggat cctcttgaa gatgtgggt gaggaagaat aaatcaggag
25 gctagatggg aaggacagag gtcaaggcag gagaccatag caggccagga aggaaggaga
ggatgcagag ggagcagaca gagggtggg gggagggtcg aggcagtgc taatggacca
tgtggcttcc cctctcagga gcggccatga agaagctgat ggtggtgctg agtctgattg
ctgcagggtg ggaaaggcca tttggatggg ggaggcttg agacagggtt gggctgttg
atggagaaga ggctggtatt ggggatggg atatgcacag ggttggggtg ggggagcttt
gaaatgagga agacgttggt gattaggcta aggttggga atacagatag ggagggtggt
30 gggagggtgg tttgaagata tgagggtttg ggggtgggtt ggctttaggg atggggatct
aaacatagaa gaggtaggag gtagggttga aagttggaga gagcccgga ataggggata
cagttgggtt tgtaatggga atgggttaag tttggagtg gaaatacaga gaagctttt
tttttgaga cagggtctca ctctgtcacc caggctggag tgtagtggca tgatccatag
35 ttactgcag acttgaactc ttgggtctca agtgaccctc ccacctcagc tcccaagta
gctgggacta caggcgtatg ccaccatacc ctgctaattt gtgtgtgtgt gtgtgtgtgt
gtgtgtgtgt gtgtgtgtgg agatgaggtc tctactgtgt accgaggctg gtctcaaact
cctgggctca agcgatcctc ctgcctcagc tgggattaca ggcataagcc actgcacctg
accaatcttg actggagtcc atgttgaggg ggatgcgctt ggtttctcca gaactcctct
ctcactaga tctctctcc ctacgctgg gcagaggagc agaataagtt ggtgcattgg
40 ggacctgcg acaagacatc tcaccctac caagctgccc tctacacctc gggccacttg
ctctgtgggt gggctcttat ccactccactg tgggtcctca cagctgccc ctgcaaaaaa
ccgtgagtct acactgtaaa tgaacagcag atgcgactga accctgaggg tgtcttatag
atgtcaggca ggaggtgaca taggcattccc cccatccca gcacgaggcc atctgatagc
caggtgcatt cggctgttgc ttaattgagt acttaattgt tggcaggccc tggggcata
45 gcagtggaaa agaaaataaa aaaaagaaaa caaaaaaaa caagcaaat tgctgtttt
ctgaacttac tttctaattg gggaattgga tcatttggg accctcaggg cgtgatgggc
atttggattt aattctgagc acagtaggaa gccactgggc agttttgtt ttgttgttg
tttgttttt gagacacagt ctgcctctgt caccagggt ggagtgtagt ggcattgat
cagctcactg caacctctgc ctcccagggt ccagcgattc tctgcctca gcacccaag
50 tagctgagat tacagggtgt caccaccttg cctggctaatt tttgtatgt ttgtagaga
cggggtttca ccatgttggc caggctggtc tgaactcct gacctcagg gatccgccc
cctcgccctc ccaaagagct gggattacag gcatgagcca ccaccacacc cagcctgatt
tacattttta caagaccct ggctaccacg tggaaactgg tctgggcaag agagaggag
ggaggccac gtgggggtg ttgctttcat cggcgacat aggagggtg cttgaacca
55 ggcggtcgca gtggggatg agggatgtt aatatcttg gatgtggaat tctgagact
agccagcaga atctggcaac gaggaacagg agggagagga agaagcacg ctggctccg
tgtatttgtc ctgaacaact ggggttttt ccactgtct ctctgagttg tgggagaggg
aaagagaaac aggcgggtg taggcagggg agcatctgac attttgctt agccacgatg
agttggagat gccggggaga tgtcccagca gggaggccag ggaggactct ggagctcaga

ggagagggtca gggctggagg ttaaaatgaa ggcatcgtca gcaaacaggt gtattttaaag
 ccattgggact agatgagatc atccaaaaag ctggcatagt tggaggagct ggaggggccca
 ggacaaaaac cctgggcgct gatcctcact agtcagattc acgacagctg ccacttgttt
 gatgctaact accaatcagg tgctgagtga aacctgttac acacctttcc tggaaatgccc
 5 accacaaggg actcttggca ccattttgca aatgaggaaa ctgaggtgca gggaaatagc
 aagtgaacat ccctggggtg gttccctga cccaaggag accttggatg actctcacca
 ccattcattca ttcctttgat gtacattgac taagagcacc tgctaagtgc cacattcgag
 ttgggagctg gagattcagc aatggatggg acacacacgt catccctgcc ctcgggagca
 caaggacaga aaggtgcaga caagcaaagt gagggctggg catggtggct cagcctgta
 10 atcccagcac tttgggaggc cgaggtgggt ggattacctg agttcgagac cagcttggcc
 aacatggctc aacctgtct ctactgaaa tacaaaaaat tagccaggcg tgggtgggg
 cttctgtaat tccagcaact tgggaggcta aggcaggaga attgcttgaa cgtgggaggc
 ggaggttgca gtgagccgag atcgccgac tgcactccag cctgaaccac agagcgagac
 tctgtctaaa aaaaaaaaaa ggaaagaaa aagcagcaaa ttgggctggc cgtggtggct
 15 catgcctgta atcccagcac tttgggaggc cgaggcgggt ggatcactcg agcccaggag
 tacaaagctg cagtgagctg tgatctacag aacaccactg cagatccagc ctgggtgaca
 gagcgagacc ctgtctcaaa aaaacaaca acaaaaagaa gcaaacccctt caaaacccca
 tataattaca aattatgaag gaaaagaata cgggtaccta ctttagatgg aggagggtca
 ggaaggactt tctaatgaga taaaatccaa gcggaggcat gaagatggga aaaggaatgt
 20 tcagggcaga ggaaggctg tgataacacc cctgaggtga gaaccgtctt gagtattctc
 agaaaataaa atttccggtt cactgggggg cagaaggtgc tgggagataa ggttgaaag
 tgactacagc cagatcacac aggggctcca gtgccaagtg gaggagccca ggttttattc
 ttaggacaat ggggagccat ggggtgatgc tgagcaaggg agtgactctc tgtttcagga
 atatgtatca aacacctatc ctgtgccagg tgctgatcaa cgcactggag atactatct
 25 tgaatagaac aaaaatcccc atcttgacat cctagagctg cactgtctaa tatggtagcc
 atcagccaca tatagcaaat tacattgaaa ttaatgaaat ggaaaatcca caagccacat
 ttcaagtact cagcagccac ctgtagcttg tggttccccc agccacctct ggcaggtgca
 gatcgagatc atggcatcgt agcatttagt ggacagcatt gctctgcaag gaggagaaat
 aacacaatga gtaaatattt aacaataaat atatagoagg tccgatgatt gtgatagggt
 30 ctctggtgga acagaaagca ggggaggggag ataggaattg cctactaaca ggtatttgta
 ttttaattgg gcaactaagg aaggcttccc tgagaggcga catttaaagg aagtgaggga
 gtgagctatg cagatacttg gaggacagac ttgctggcag agggaacagc agtgcaaagg
 ccctgaggtg ggaagatcac tattgtgttc aaggcaagac agggaagcca gcgtttggct
 ggagcagagg gagagaaggg gagagtggga ggagaagatg tctgtgagat gatggggcag
 35 tgcttgcaag gcctggtgtg ccacgttgag aactttggct ttgattctga gtgagatggg
 agtcatagga ggggctgagc agaggaggca caggaccaac ttacattggtt aaaatatctc
 tgggttgcttt gtggaggatg gactgtgggg gaccagagac agagcagggg gccagtgag
 gaggctactg ctctagtcca ggtaggaagt gaaaaggcag ctcaaaccaa gatggtagcc
 gtgggaaagg tgagatgtgg ccagattctg gatatgcttc agagaggcaa aaggaattct
 40 ggacagcttg gatgtagggc atgaaataaa gagagtgaag aatagccccc aagattatct
 tgaaaggatg gaattgccat ttaccagctt ggggaagact gtgggaggag caggccagcg
 attcatgact tcccagccct ctctgaagcc tcaactgcag cccaagggct ccaggtgaga
 cccagccctc ttccttccca ggaatcttca ggtcttcctg gggaagcata accttcggca
 aaggagagat tcccaggagc agagtcttgt tgtccgggct gtgatccacc ctgactatga
 45 tgccgccagc catgaccagg acatcatgct gttgcgcctg gcacgcccag ccaactctc
 tgaactcatc cagccccttc ccctggagag ggactgctca gccaacacca ccagctgcca
 catcctgggc tggggcaaga cagcagatgg tcagttagtg gaggctggtg gggagcaggc
 tactggctac ttggggaagt gtgccaagg atggggagtg ggaaaatttg tgaggggcca
 tgggaagatg ggctaattgt gaggaccaat gggacagggt ttcaatggga gaaagggtcaa
 50 gggggaggga gagtgaattt gggagctggg ccagttagtg aacagccaat ggaaaatgta
 gaccaatggg tgaatagcat gggagagatg gaacataaga tgaagggtca ataaagagg
 aaggtcagtg gggagatgct aatcaggaag gatgtcaaag gtcaaagggg actgatcagg
 attcattgaa cagcaggaag gaataatgga gaagggaact atggaagaag agaaccaat
 aaagcacaaa agccaactga aggatgtgaa ttgagacagt gaatgggggt atagctgatg
 55 gaagagggac taaggggaaa ggatcaatgg tccagaggag tcaactagag aaaaaacagg
 tccaatagat cagcaggatc catgaagggt ggctgtgtg tgaagggcca ataaagagg
 tgaaccattg gatgaagggc cagtgggaag gcagagacaa tgggggagga tgcggcaagt
 tagaaaagga ccaatgaggg aggtggacca ttggatgaag ggctaatagg aaggagagc
 cagtggggga tggtagggcc agttagaaaa ggaccaagga gggaagcaga ccaataggaa

gagagagcca atgaggggagg gcaggggccag ttaggaaagg accaatgagg aaggtagacc
 attggaggaaa gggccaatag aaaggaggga tccatgaggg aggggtggga cagttagaaa
 aggaccaatg atggagggtg accattggat gaagaaccaa tagaaaggaa gaaccaatgg
 gagagggcat ggccagttag gaaaagacca atggtcacag agtgaccaat caagatgaat
 5 caatgggcag gaagtgtcca atgaagaatg gactactgat caggaggggt acagtagagg
 agggcgtaac agaggaagag tcctccaggt caactgaaac tactgaagaa ggtgggacca
 gtggaagaga gaaaagtgga ggagggacct aagagaaaaa gaaaaccaat aggaaatgag
 gactcctgga gaagagacta ttaatgagga agacagccaa tgggggggaa gaatgataga
 aagagggacc aattaggagg cagggacgat ggtaatgaga tgtaagaatg agagacaaac
 10 aggaagagggt gtgccaatag aaaagaggga ccaatagagg atggaggact tatagggggtt
 ggggggtgac tggggaggat gaggggagtg caaggcctgg gctgagtctg gcccatctct
 cccctaacag gtgatttccc tgacaccatc cagtgtgcat acatccacct ggtgtcccg
 gaggagtgtg agcatgccta ccttgccag atcaccagga acatgttgtg tgctggggat
 gagaagtacg ggaaggattc ctgccagggt aggtgaccog gatctgccac ttacacagcc
 15 agggacagga cgaagtcaca aaaacatggc cagacacagg aagagagaga cacaggccaa
 aagagagctt tacagagaca gatagagaca ggctgaggga gaaccaagc cttgaaaaga
 agagacttag ttcaacacac agagacacag tcagggatat gcagagatat aaagacacag
 ccagcagaga caggaagtgc agagacaagg atggaggccg cgggatcaag aaccagagag
 gccaggagca gcggtcatg cctgtaatcc cggcactttg ggaggccgaa gcaggaggat
 20 cacctagggt caggagtctg agaccagcct gatcaacatg gtgaaacctt atctctacta
 aaaatacaaa aattaggatg ggcacagtgg ctcatgcctg taatcccagc accttgggag
 gccgaagcag gaggatcacc tggggtcagg agttcgagac cagcctgac aacatggtga
 aacctatct ctactaaaaa taaaaaatt aggatgggca cagtggctca tgacctgaat
 cccagcacct tgggaggccg aagcaggagg atcacctggg gtcaagagat tgagaccagc
 25 ctggccgata tggtgaaacc ctatctctac taaaaataca aaaattagct gggcctggtg
 caggcgccctg tagtcccagc tactcaggag gctgtggcag gagaatcact tgaacctgga
 ggccggaggtt gttgcagtga gtccagatca tgctactgca ctccagcctg gcaacagagc
 aagattccgt ctcaaaaaaa aacaaaaaaa caaaaattac gcaagcatgg tgggacacac
 ctgtagtccc agctactcgg gaggtcgagg ctggagaatt gcttaaacc aggaggcaga
 30 ggctgcagtg agctgagatc acgccactgc actccagcct ggggacagag ccagactctg
 tctaaaaaca aaaagaacca aagagaagta gtaaggagc agatgggtgt aggggactgt
 ccttctcaa acagagcccc cagcagtoct gctcagaaac gaccaggctc tggaggaggg
 agacactagc tggggaaaag ggactccctc ccgaatactt taacttgggt ttctccatt
 gtcattccatc caggctctcc tctttatgcc agaatgacta atgcactgag ggatgtgcag
 35 agaccaacca agggggagac acaggcagaa acggagacac aggcagaaac agggacagag
 acagggaag cgatacatag caagtggac gcaaagaaag ggcagggtgg cgagactgtc
 ctcaagacac gaggtggaga ggtgtccctg gacagaatag tgccaggcat atctctccct
 gggccctccc tacctctccc acctgggtct tatcgtctcc tcctccccct cctccctctc
 cctctcttc tctcctcct cctccctcat catcttctt tttctctct ctctccatcg
 40 gtctctacac ctctgcctct ctccacacct ctccagctt cattcctatc tctgtgtctt tgagtctcct
 tcttgcctct tatgttctct tctctctgtg cctttgtgtg tcttactgtc tctctctctg
 tctctctgtc cctgagtctt tctctccatc tttoagtaag tacctctgtc cctttctacc
 tctctctctg tcacacacac acacacacac acacacacac acacacagtc
 45 tctgggttct tatctgtatc tgactttctc cctotttctt gcagggtgat tctgggggtc
 cgctgggtatg tggagaccac ctccgaggcc ttgtgtcatg gggtaacatc cctgtggat
 caaaggagaa gccaggagtc tacaccaacg tctgcagata cacgaactgg atccaaaaa
 ccattcaggg caagtgacct tgacatgtga catctacct cccagctacc accccactgg
 ctggttccag aacgtctctc acctagacct tgcctccct cctctcctgc ccagctctga
 50 cctgatgct taataaacgc agcgacgtga gggcctgat tctccctgg tttacccag
 ctccatcctt gcatcactgg ggaggacgtg atgagtgagg acttgggtcc tcggctcttac
 cccaccact aagagaatac aggaaaatcc cttctaggca tctcctctcc ccaaccttcc
 cacacgtttg atttcttctt gcagaggccc agccacgtgt ctggaatccc agctccgctg
 cttactgtcg gtgtccctt gggatgtacc tttcttcaat gcagatttct cacctgtaag
 55 atgaagataa ggatgataca gtctccataa ggcagtggct gttggaaaga ttaaggttt
 cacacctatg acatacatgg aatagcacct gggccaccat gcactcaata aagaatgaat
 ttt

SEQ ID NO. 9

KLK6 nucleic acid

5 CDS 246..980

agggcgacaa agcccgattg ttcctgggcc ctttcccctat cgcgcctggg cctgctcccc
agcccggggc agggcgggg gccagtgtgg tgacacacgc tgtagctgtc tccccggctg
gctggctcgc tctctcctgg ggacacagag gtcggcaggc agcacacaga gggacctacg
10 ggcagctggt ccttcccccg actcaagaat ccccgaggc ccgaggcct gcagcaggag
cggccatgaa gaagctgatg gtggtgctga gtctgattgc tgcagcctgg gcagaggagc
agaataagtt ggtgcatggc ggaccctgcg acaagacatc tcaccctac caagctgccc
tctacacctc gggccacttg ctctgtggtg gggctccttat ccatccactg tgggtcctca
cagctgcccc ctgcaaaaaa ccgaatcttc aggtcttctt ggggaagcat aaccttcggc
15 aaagggagag ttcccaggag cagagtcttg ttgtccgggc tgtgatccac cctgactatg
atgccgccag ccatgaccag gacatcatgc tgttgcgcct ggacgcccc gccaaactct
ctgaactcat ccagcccctt cccctggaga gggactgtc agccaacacc accagctgcc
acatcctggg ctggggcaag acagcagatg gtgatttccc tgacaccatc cagtgtgcat
acatccacct ggtgtcccggt gaggagtgtg agcatgccta ccctggccag atcaccacaga
20 acatgttgtg tgctggggat gagaagtacg ggaaggattc ctgccagggt gattctgggg
gtccgctggt atgtggagac cacctccgag gccttgtgtc atggggtaac atccccgtg
gatcaaagga gaagccagga gtctacacca acgtctgcag atacacgaac tggatccaaa
aaaccattca ggccaagtga cctgacatg tgacatctac ctcccgacct accacccac
tggctggttc cagaacgtct ctacacctaga ccttgccctc cctcctctcc tgcccagctc
25 tgaccctgat gcttaataaa cgcagcgacg tgagggtcct gattctccct ggttttacc
cagctccatc cttgcatcac tggggaggac gtgatgagt aggacttggg tctcggctc
tccccccacc actaagagaa tacaggaaaa tcccttctag gcatctctc tccccaccc
ttccacacgt ttgatttctt cctgcagagg cccagccacg tgtctggaat cccagctccg
ctgcttactg tcggtgtccc cttgggatgt accttcttc actgcagatt tctcacctgt
30 aagatgaaga taaggatgat acagtctcca tcaggcagtg gctgttgga agatttaaga
tttcacacct atgacataca tgggatagca cctgggccgc catgcactca ataaagaatg
tatttt

35

SEQ ID NO. 10

hk7 amino acid

MARSLLLPLQILLLSLALETAGEEAQGDKIIDGAPCARGSHPWQ
40 VALLSGNQLHCGGVLVNERWVLTAAHCKMNEYTVHLGSDTLGDRRAQRIKASKSFRHP
GYSTQTHVNDLMLVKLNSQARLSSMVKKVRLPSRCEPPGTTCTVSGWGTTTSPDVTFP
SDLMCV DVKLI SPQDCTKVYKD LLENSMLCAGI PDSKKNACNGDSGGPLVCRGTLQGL
VSWGTFPCGPNDPGVYTQVCKFTKWINDTMKKHR

45

SEQ ID NO. 11

KLK7 nucleic acid

CDS 16..777

ggatttccgg gctccatggc aagatccctt ctctgcccc tgcagatcct actgctatcc
ttagccttgg aaactgcagg agaagaagcc cagggtgaca agattattga tggcgcccca
tgtgcaagag gctccacccc atggcagggt gccctgctca gtggcaatca gctccactgc
ggaggcgtcc tggtaaatga gcgctgggtg ctactgccg cccactgcaa gatgaatgag
tacaccgtgc acctgggcag tgatacgtg gccgacagga gagctcagag gatcaaggcc
55 tcgaagtcat tccgccaccc cggctactcc acacagaccc atgttaatga cctcatgtc

```

gtgaagctca atagccaggc caggctgtca tccatgggtga agaaagtcag gctgccctcc
cgctgcgaac cccctggaac cacctgtact gtctccggct ggggcactac cacgagccca
gatgtgacct ttccctctga cctcatgtgc gtggatgtca agctcatctc ccccaggac
tgcacgaagg tttacaagga cttactggaa aattccatgc tgtgcgctgg catccccgac
5 tccaagaaaa acgcctgcaa tggtgactca gggggaccgt tgggtgtcag aggtaccctg
caaggtctgg tgtcctgggg aactttccct tgcggccaac ccaatgaccc aggagtctac
actcaagtgt gcaagttcac caagtggata aatgacacca tgaaaaagca tcgctaacgc
cacactgagt taattaactg tgtgcttcca acagaaaatg cacaggagtg aggacgccga
tgacctatga agtcaaattt gactttacct ttctcaaaag atatatttaa acctcatgcc
10 ctggttgataa accaatcaaa ttggtaaaga cctaaaacca aaacaaataa agaaacacaa
aacctcaa

```

SEQ ID NO. 12

KLK7 nucleic acid

15

mRNA

join(1756..1785,3179..3309,3722..3869,4566..4813,5129..5265,7362..8265)
/product="stratum corneum chymotryptic enzyme" /note="alternatively
spliced"

20

mRNA join(1756..1785,3179..3309,3722..3869,4566..4813,
5129..5265,7362..7991) /note="alternatively spliced"

mRNA

25

join(1821..1864,3179..3309,3722..3869,4566..4813,5129..5265,7362..8265)
/product="stratum corneum chymotryptic enzyme" /note="alternatively
spliced"

mRNA

30

join(1821..1864,3179..3309,3722..3869,4566..4813,5129..5265,7362..7991)
/note="alternatively spliced"

CDS join(3237..3309,3722..3869,4566..4813,5129..5265, 7362..7517)

35

```

ggcatgggtg tgcacgcctg taatccagct actcaggact ctgaggcagg agaatcactt
gaacacgggg gagtggagggt tgcagtgagc cgagatcgtg ccattgcact ccagcctggg
tgacagagcc agagtccatc aaaaaaaaaa aaaaataaga aagattcttc tctcctctat
gtgtccatgc agtctcatca tttagctacc acttgtaagt aggaacatgc catatctggt
40 tttctgttcc tgccttagtt tgtaagggtg atggcctcca gctccattca cgtccctaca
aaggacatga tcgtgttctt ttttatggct acgtagtatt caattgtgta tacgtaccac
attttcttaa tccagtctat cactgatgga cathtaggtt gattccctgt gtttgctggt
gtcaatagtt ctacaatgaa cgtacgtgtc catgtgtctt taaacagaat gatttatatt
cctttgggta cacacactgg ggcttatgag aggggtggaga gtgggaggaa ggagaggatc
45 agaaaaaat aactaatggg tactaggctt aatacctggg tgattaaata atctgtataa
caaaccccca tggcgcacgt tcacctacgc aacaaacctg cacatcctgc acatgtaccc
cogaactgaa aagttaaaaa aagaaaaata aatatttgct tataaattaa taaatgaagc
cctcaaaaat gttctattag ataagttaa gtacagacat ttttgttata aatacataat
atacaaagaa atctatgtat aacatgatta aaatgaccat aagaacatag atcctaaaca
50 tggcaaatat tagtgggggtg ggggttaggga aagcgttggt ttttaactac acctctctgt
tagagtgtgg aatgggttca ggcgtaatta caggcacgac tgggatcagc ttggacaagt
tccccaggc gggccagaat taggatgtag ggtctaggcc acccctgaga gggggtgagg
gcaagaaaat ggccccagaa gccgggcgca gtggctcacg cctgtaatcc cagcactttg
cggggcccag gcgggcacat catgaggtca ggagatcgag accattctgg ccaacatagt
55 gaaacccggt ctctactaaa aatacaaaaa ttagctggga gtgggtggtg gtgacctgtaa
tcccaggtac tcgggaggct gaggcaggag aatcacttga acctgggagg cggagctggc
agtgcgcga gatcgcgcca ccgcactcca gcctggcgat agagagagac tccatccaaa
aaaaagaaag gaagggaggg aggggagggg gaagaaagaa agaaaaccgc cccagagaag

```

gacccgagcc agagcctatt ctctgagctc agcgactgct tgaatcccg ctcctgccct
cagaccagc gcaccgggtc cctccccga gagcagccag gaggactgt gggaccagaa
tgtgcggggg cgcaggagct gggcaccgcc cgtccttcgg agggaggggt gagagagagt
gcagtgggtc caattgtctc cgctgcgtca gggttccaga taaccagaac cgcaaagtca
5 ggcgggggtg tcccagagtc ggctccgcct gcacccagc gcgctggggc cgggcatggg
gcggggggtg atataagagg acggcccagc agagggatga agattttgga gccagctgt
gtgccagccc aagtcggaac ttggatcaca tcagatcctc tcgaggtgag aagaggcttc
atcaagggtg cacctgtagg ggagaggggt atgctggctc caagcctgac tctgctctcg
agaggtagg gctgcagcct agactcccg tcctgagcag tgagggcctg gaagtctgca
10 atttggggcc ttttagggaa aaacgaacta cagagtcaga agtttggtt ccacaggaa
gggcaagatc ggagcctaga ttctgggtc tctaggatc tgaagaacag gaattttggg
tctgaggag gaggggctgg ggttctggac tcctgggtc gaggaggag ggcctggggg
cctgagctc tgggtctgag ggagagggg ctgggggtc cgactcctgg gctgaggga
ggaggggctg ggggcctgga ctctgggtc tgagggagga ggggctggga cctggactcc
15 taggtctgag ggagaggag ctggggcctg gactcctggg tctgaggag gaggggctgg
ggcctggact cctgggtctg agggaggagg ggctggggc tggactcctg ggtctgaggg
aggaggggct ggggcctgga ctctgggtc tgagggagga ggggctggg cctggactcc
tgggtctgag ggagagggg ctggggcctg gactcctggg cctgaggag gagggactga
gacctggact cctaggtctg agggaggagg gactgggacc tggactcctg ggtctgaggg
20 agggaggagt gggggcctgg actcctgggt ctgaggagg aggggctggg gcctggactc
ctgggtctga gggaggagg gttggggcct ggactcctga gcctgaggga ggagggactt
ggacctggac tcctaggtct gagggaggag gagctgggg cctggactcc taggtctgag
ggaggcggg ctggggcct ggactcctgg gtctgaggga ggaggggtt gggcctggac
tctgagcct gagggaggag ggacttgga ctggactcct aggtctgagg gagggaggc
25 tgggggcctg gactcctagg tctgaggag gaggggctg gggcctggac tcctgggtct
gaggaggaa ggtgctagg tctggactct tgggtatgag ggagaggag gttaggggtc
tggactctg agtgaagga aggagaggcc agagaaagga atttctgggt ctgaggaggg
aggggctgg gttctggacc cctaggtctg agggaggagg ggctggggc tggacccctg
ggtctgagg aggaggggct ggggcgggta ctctgggtc tgtggggga ggggctggg
30 cctggacccc tgggtctgag tggggagggg ctgggcctga atgctttctc cttctcagct
ccagcaggag aggcccttc tcgcctggca gccctgagc ggctcagcag ggcacatgg
caagatccct tctcctgccc ctgcagatct tactgctatc cttagcctg gaaactgcag
gagaagaagg tgaagctgg actgggaagt ctgacctcac ctcaggggcc cactgaccc
tctccaagga gtccctgagt cagaaccctt cctcctcaa acagcttcca tctggagg
35 accagactgt cggctgaag cccgcctct cctgcttctg ctgactcagg ggttccccag
ccctccagg cctgcctcc tgtgctcagg gtctctctgt ggttccccag atgagatgcg
cctcctgggt ttctgagtg gctcctctg tctgtctcta tccctatctc ttgctttctc
tgtatttctc cacacatttt catctgtctc tgtccatctc tgactctggg aatccctgag
gtgcagcctc agccttcccc taatgctagc taccacgtg ctccctcatg tctccatcca
40 gccagggtg acaagattat tgatggcgcc ccattgtgcaa gaggctccca cccatggcag
gtggccctgc tcagtggcaa tcagctccac tgcggaggcg tcctggtcaa tgagcgctgg
gtgctcactg ccgcccactg caagatgaag taggtgccgc ccaagtctct gctggagggtg
caccagcgtc tccagctcgc tatgggggtg gaagggcagt ctttctgtgc ctacggctct
attctcctct ctctgggtct ctgtcctcct ctctctgggc ctctgtaccc cctctcctg
45 gggctctgtc cccctctctc tgtctccctc tctctgggtc tctgtgggtc tctgtcccc
tctctctgga tctctgttcc cctctctctg tgtctctgtt cccattctc tctaggtctc
tgttccccct cctctctctc tgggtctctg tccctctctc tctggatctc tgtccccctc
tctctctggg tctctgttcc cctctctctg ggtctctgtc ccctctcctc tctctgtgtc
tctctcccc cctctctctc tgtgtctctg tccccctcc tatctctgtg tctctctccc
50 cctcctctc tctgggtctc tgtcccccc tctctgggtc tctgtctccc tctctctggg
gctctgtccc cctctctctc tggatctctg ttccccctc tctgggtctc tgtctcccc
cctctctctg tgtctctgtc cccctcctc tctctgggtc tctgtccca ccccgcccc
caggtctttg cacaccctct ctgtcacagt gtctcttctg aatctgtgaa tgtcactcct
cgcagtgagt acaccgtgca cctgggcagt gatacgttg gcgacaggag agctcagagg
55 atcaaggcct cgaagtcatt ccgccacccc ggctactcca cacagacca tgttaatgac
ctcatgtctg tgaagctcaa tgccaggcc aggtgtcat ccatggtgaa gaaagtcagg
ctgcctccc gctgcgaacc cctggaacc acctgtactg tctccggctg gggcactacc
acgagcccag atggtagggt gcctcagtga cccaggagtg caggccccag cctcctccc
tcagaccag gagtccagg cccagcccc tctccctca gaccaggag tccaggcctc

agccccctcct ccctcagacc caggagtcca ggccccccagc ccctccctccc tcagaccggy
gagttccagac cccagccctc cctccctcag acccagcagt cctggggccc agaccctcct
ccctcggaac caggagcctg aacaacagcc cttctgggtcc tcgcccccat cctctctgac
tgacagctct ccctgctcct ccctgcagtg acctttccct ctgacctcat gtgcgtggat
5 gtcaagctca tctcccccca ggactgcacg aagggtttaca aggacttact ggaaaattcc
atgctgtgcy ctggcatccc cgactccaag aaaaacgcct gcaatgtgag accctcccc
ccaattcctc ccagtcctg ggtaccctgt ctgcatgccc cagggacaga gcttgaccog
agtgaactggg taccaagccc ggcccttgccc tccccccagg cctggcctcc tcagcttttt
ccacctcatt ctctgcctag gtcaggggtg ggagtttact taggggcca tgtggccctg
10 gggatgagac agagagttta ataggggtga gaaagtggg gtgggaccag ggaaggagac
tgaggtgctg gcctcaggcc caaaccttaa gggggcacca aaaacctcag tgattgagat
aaatcataat gcaatattta aaaataaaaa taaaaactca tgcagaagtc catgatggac
aaaatgtcac attttaata aagagcagggt ggatcttact gaattttccc ttgccgtaag
tactagcgtg gctcagcaca gcgctgtact ggactgtct tcatttaaaa tgtggatacc
15 atgcccataca tgcagtttta tgtattacat ttgatttcgt taagtactgc attgaagtat
tgtgtattgc agtactgag attttgtgcc tgaagctgat gactcactca cctgaccctg
gccctggccc cggggaaaac actctttctc tccacctcct ctctgttccc tctttctggc
cttttgcctc cccctctgtt tctgaacagt ctccaccat ctctctttgt gacataattt
catttcattc ttttctctt tgtttttct ctgtgttgag ctagtctgtc tccctccct
20 tgttctctct ccatgcctc ctctctgtc tctgtctct cctctttct cttgtctct
tctctctcct cccctccctc tctctctcc ctgccccct gctctctct ttttctctc
tctctgtctc ctctctggcc ctctctctt tctctctct cccacttct ctgtctctct
tcactctctc cctcatctc tcttggccc ctctctttta ctgtctctc tttctcttt
cttctatctc tctctctcc ctgcccctcc cccatctctg tcttctttc tctctctta
25 tctctctcct ctcttccagt ctctctctc tctccccacc cccaccccat ctctctccc
acaccttccc cccctttctc tttgtctctc tcttctccct ctttcttctc caccctcctc
tctctctctc tctctttccc acacctccc catctccctc atctctttgt ctgtctctct
tctccctcct tcttttccc cccatctct ctgtctctct ctctcccat accctttccc
tcttctcat ctctctttgt ctctctctc tttccctct tcttctccac ctccaactct
30 ctctgtctct ccacacccat cctccttgt cactctgca ccttcagctg tcaggggatg
tgggatgggt agtggttagg atagaggaga tgggagagag atgactgtcc tagagaatag
gggtgtcccc tctctcccct gtgagggcca gtttcatgaa tgtgcaagct ctgcacggac
acagagcccc acaactcagaa ggggtctcaa cttagtctaa tgcattcctg ctgttgtctt
gaaattctca ataatttttg aacaaaggcc cctgcatttt cgttttgac caagtccgt
35 aaattatgta actggtcttc accctggtc ccgagaccat cgtgtcccc tttcctgccc
cacagggcac gcatccacc ctggagatg atgttctct tcccactagc ttggagcagg
gtccttaaca ttggaaaata aagagtgtc tgaactgga agccccacc ctctctgca
attggtctca ttggccaagg gtcaaaccag tgtcttcaa ggacctagtg tgccttagc
actatctctc ccattagtc ccagagacaa tgagtctct ctcatggct atggtggaag
40 tccataatct gcaagacaaa gaccgataac tgaggaatgt atgagaatga gttgggctt
gatctgaagc caaagttaat ctccggctct attcctcta ggggtactca gggggaccgt
tgggtgtgag aggtaccctg caaggtctgg tgcctgggg aactttccct tgcggccaac
ccaatgacc aggagtctac actcaagtgt gcaagttcac caagtggata aatgacacca
tgaaaaagca tgcctaaccg cactgtagt taattaactg tgtgcttcca acagaaaatg
45 cacaggagtg aggacgccga tgacctatga agtcaaattt gactttacct ttcctcaaag
atataattta accaacctca tgccctgttg ataaaccaat caaattggta aagacctaaa
accaaaacaa ataaagaaac aaaaaccct cagtgtgga gaagagtcat tgagaccagc
actctcaaac actggaactg gacgttctga cagtctttac ggaagacact tggtaacgt
acaccgagac ccttattcac cactttgac ccagtaactc taatcttagg aagaacctac
50 tgaacaaaa aaaatccaaa atgtagaaca agacttgaat ttaccatgat attatttatc
acagaaatga agtgaacca tcaaacatgt tccaaaagta ccagatggct taaataatag
tctggcttgg cacaacgatg tttttttct ttgagacaga gtctctgttg cttgggctgc
aatgcagtga tgcaatcttg gctcactgca acctccgct cctgggttca agtgattctc
gtgcttcagc ctcccaagta cctgggacta caggtgtgca ccaccacacc aggctaattt
55 tttgtgtatt tttactagag acagggttcc accatgttgg ccagcatggg cttgaacgcc
tgacctcaga tgatccacc acctggcct cccaaagtgc tgggattaca ggcatgagcc
accacggcca gccacaatg atattacaaa cctattaaaa atgatactta gacagaattg
tcagtattat tcaagaacat ttaggctata ggatgttaaa tgacaaaagg aaggacaaaa
atatatatgt atgtgacct acccataaaa aatgaaatat tcacagaatc agatctgaaa

```

acacatgtcc cagactgcat actggggctcg tcatgaggtg tctccttcc tctgtgtact
tttccttgaa tgtgcacttt tataacatga aaaataaagg tggggaaaaa agtctgaaga
tctaagattg gagagaggtg acctttcagg aagggagact agaaagaaat atgtgcctgg
ttttgagccc tggtcctgcc ggccctgttc cagggcata tccatttcc cagatctcag
5 tttttcctgt ctgtaaaatg ggagagagag gaaaggatgg agagaggaag aaggaaggga
ggagggagga gagaacaggc caacttcac agcgtgggaa ggggtgtgaa agtgtttctg
agcatctcac gagtgacaag tgaggaggga ggctggcggg tttcagaggg attgggatga
cagtagacag gacacagggg tcccacgggg gtctgccaga agtaagcaaa cagtgccgga
ggaagatggg ggcacctgct cccaagaag ggagggaag gaacctcggg aagcgggtag
10 gatgaggagg gagtccctctg tgactcagag cctggccaca gcccagcca tctaacatca
aagatccctc gtgtggctac acctcagacg ctgtgaccg aggagccact ccagcccagg
acacgccctc ctacctgttc ttctgtttt tctcccagaa ttccctcccc accaagatcc
tccagatcct tccctcctt atctcatctc cctctgagtc tctcctaacc caggcaccac
agccctgtca tattgcagaa attctgcagc cgctaattct gattctccca tataggaggc
15 taacacagaa aacgcaggag tccaggcccc cagcccctcc ttctcagac ccaggagtcc
agaccccccg cccaacccc tctcctcca gaccaggag ccaggtccc cagcccctc
tgtttctggg cctgtcaagt ttaagaatgt caaacatttt cgaccagtca ttcccctgaa
gttttagcaa cattttctct ctcttctgca aggcactcca acattcaatc tggaatttta
aaaagtaaca aaacattgca tttgactaa gtcagcctgg agatccctgg ccctggccct
20 ctgctctcct atacgcaagc tacaggtaga ttggtttgca atgactgaga tggactaat
gttgattttt ttttaagtaat tcatttttct ttgggtaagc agtatagtgt ygtagttaag
ggactagctc tggatcttgg ctctctgggt tcaaatccca gttctagtcc ctacaagcta
ttttccttta agctcattac ttcccctgtc cctgttcctt catccttga atgggagaaa
aagcacctac tttctagggt tattacagag attcaataag ttaatatata gaaagtgtc
25 aaacattgt

```

SEQ ID NO. 13

Hk8 amino acid

```

30 MGRPRPRAAKTWMFLLLLGGAWAGHSRAQEDKVLGGHECQPHSQ
FWQAALFQGGQLLCGGVLVGGNWWLTAACHCKKPKYTVRLGDHSLQNKDGPQEIPVVQ
SIPHPCYNSSDVEDHNHDLMLQLRDQASLGSVKPISLADHCTQPGQKCTVSGWGTV
TSPRENFDTLNCAEVKIFPQKKCEDAYPGQITDGMVCAGSSKGADTCQGDSSGGPLVC
DGLAQGITSWGSDPCGRSDKPGVYTNICRYLDWIKKIIGSKG
35

```

SEQ ID NO. 14

KLK8 nucleic acid

40 CDS 35..817

```

gtgaccccgcc ccctggattc tggaaacct caccatggga cgcccccgac ctctgtcggc
caagacgtgg atgttcctgc tcttgctggg gggagcctgg gcaggacact ccagggcaca
ggaggacaag gtgctggggg gtcatgagtg ccaaccccat tcgcagcctt ggcaggcggc
45 cttgttccag ggccagcaac tactctgtgg cgggtgcctt gtaggtggca actgggtcct
tacagctgcc cactgtaaaa aaccgaaata cacagtacgc ctgggagacc acagcctaca
gaataaagat ggcccagagc aagaaatacc tgtggttcag tccatccac acccctgcta
caacagcagc gatgtggagg accacaacca tgatctgatg cttcttcaac tgcgtgacca
ggcatccctg ggggtccaaag tgaagcccat cagcctggca gatcattgca cccagcctgg
50 ccagaagtgc accgtctcag gctggggcac tgtcaccagt ccccgagaga atttctctg
cactctcaac tgtgcagaag taataatctt tcccagaag aagtgtgagg atgcttacc
ggggcagatc acagatggca tgggtctgtc aggcagcagc aaaggggctg acacgtgcc
gggcgattct ggaggcccc tgggtgtgtg tgggtgcactc cagggcatac catcctgggg
ctcagacccc tgtgggagggt ccgacaaacc tggcgtctat accaactctt gccgtacct
55 ggactggatc aagaagatca taggcagcaa gggctgattc taggataagc actagatctc
ccttaataaa ctcacaactc tctggttc

```

SEQ ID NO. 15

KLK8 nucleic acid

5 CDS join (<1..39, 418..712, 878..>946)

Exon <1..39

Exon 418..712

Exon 878..946

```
10 tcttcggttc cgggttactg gcagcagccc cctcctccca caaaagatca ggttccaagc
   ttctcctttt aaaagtactt agaattcagc cccagctctt ctctcctctc acaccagga
   atccaggccc ctagcccttc ctccctcaga cccaggagtc ctggccccta gcagcccctt
   cctccctcag acccaggagt ctgggcccct agcccctcct cggtcagacc taaatcccag
   gtcccagtc ctcctccctt agatttagga gtccaggccc ccagcctctc ctccctcaga
15 cccaggaatc caggccccca gcctcctccc ctctcagaac taaaatcttg gccccagcc
   ctttatgttt cagatcgtag agtctcagca ccgagtcctt cctctcccta gcctcaggag
   totgagattc cagcccctcc tccctcaaga ttacagttc aatcccctcc gcccttctc
   actcacaccc agtgttccag ttcccagaag ctcccaggc tctagtgcag gaggagaagg
   aggaggagca ggaggtggag attcccagtt aaaaggctcc agaatcgtgt accaggcaga
20 gaactgaagt actggggcct cctccactgg gtccgaatca gtaggtgacc ccgcccctgg
   attctggaag gtgaggtgca gaggtactca gatacagaca tcaggccccg gaccctcctt
   ctccagattc caggacccca gcctcagatg cccttctctg tcgagatcca gcagtctgga
   ccccggttc ctctctctcc taatttagga gtcccagctc ccagctccct gtccctcag
   acccagacat cgaggactcc cccctccctt ggaatgtagg aatccagtc cccagcctcc
25 tcttctctcc agagaagccc agaacagccc cagatactct cggctgcctc cccagtgcctc
   aaatccagaa ctgggagctc aggtctctcc ttctgttta ccggccccgc cctctccatt
   tcccagacct caccatggga cgccccgac ctctgtcggc caagacgtgg atgttctctg
   tcttgctggg gggagcctgg gcaggtgagg aggttgctgg aggcctccgg aggggaggga
   totgaaggca gcagtggcgc tggggagctt gtgggaatgc cgcgggggtt atgtgggtgc
30 gtgtgcacgg atgtgaagag tgcgatacgg tgcaggagcc tctgtgggtt ttcctcaggg
   tggacagagg caagaaacag gtagcagcag gtaggagtag gttccgtgat gctgtaaatt
   gtctgaatag ctacagcctt tgggggctgc ttgcttgggg gcatagattc acctgggagt
   actcggggcc tgtagactca tgtggaagca tgtgggggca ttcttgggtg tgtgactctt
   gtatgatgac acatggactg aaatgagtgt cccgtgttgg cagcgtgtgg aagcctggac
35 ctctcacta agttgtatgc ggagaacttg ccgtgtgtcc atttgaacct acagtggcct
   tcccagccct cgcactgccc cagaggttgg cgatccaacc ctctccctcc tgcctcagga
   cactccaggg cacaggagga caaggtgctg gggggtcatg agtgccaacc ccattcgag
   ccttggcagg cgccctgtt ccagggccag caactactct gtggcgggtg ccttgtaggt
   ggcaactggg tccttacagc tgcccactgt aaaaaaccgt gagtggatga tgggggcaga
40 ggtcagctgg ggcttaagga aagagggggc tggggtttcg actcaggaag gagagagctg
   aggactggac tcctgggtct gaaggaggag ggggctgggg gcaatacccc tgcctgggtc
   ccaaactatc cccaccatta caggaaatac acagtacgcc tgggagacca cagcctacag
   aataaagatg gccagagca agaaatacct gtggttcagt ccattcccaca cccctgctac
   aacagcagcg atgtggagga ccacaacat gatctgatgc ttcttcaact gcgtgaccag
45 gcatccctgg ggtccaaagt gaagcccatc agcctggcag atcattgcac ccagcctggc
   cagaagtgca ccgtctcagg ctggggcact gtcaccagtc cccgaggtag tgggcttgtc
   cactaatggg agggagagga ggagctggtt ggcccagtg aacccaagct attggcaaag
   ctgtgtcccc cagagggaga caaagaaggg aaagtgatca tgatgttgag attcacaagc
   agagtcata tgagaagcct cgaagatctg actactaaca agagtgggtg gagaaagac
50 caactagcag attgttaagc agggccagaa aagcccatcc tgtatggcgg agagcactac
   cctatgggac ctttgggtgt ataggatttt atataatctt aacacacttg ggaatatttg
   gacttctcag agggccagga aaacaggctc ctaagcacct tctccccac ctccctcctt
   tttttttttt tttttttttt ttttgcaggg ggacacagtt tcactcaatc gcccaggctg
   gagtgcagtg gcacaatctc agctcactac aatctctgcc tcctgggttt aagcgattct
55 cgaacctcag cctcccagat agctgggatt acaggcacc gccaccacgc gagctaattt
   ttgtatttgt ttagagaca gggtttcgcc atgttgacca ggctggtctc gaactcctga
   cctcaagtga tctgccgccc tcggcctacc aaagtgtctg gattacaagc atgagccacc
   gccctgggcc ttttctctct tcttgaaccc aggaaacctg ggccctggtc acctcttccc
```

	tcagacccgg	gagtctaggg	cctttcttctc	ccaggaccca	gcagtcctag	ctccctcttg
	actctggacc	ccaaaatctg	gacctccaat	gaagctgtcc	ctttgggact	ccagaatcca
	gagagccctt	cgcccttcctt	cacagtgaata	acattgggac	tcacctaaaga	gagtcaagga
	gcttctccag	gaagtggcaa	agtcagcatt	cagggtccctg	cctgcctcac	tcctgctctg
5	aatgcttttg	atgagacagt	ttgoggctgt	ggaaacacac	gtgctcgcaa	atcaagtaga
	tcagttcaaaa	ctatggctct	gccctttctc	cctggggcaaa	ttcctttcca	tctctgagcc
	tcactttcct	tatctgcaaa	atgggaatca	ttaccaata	gatttttttag	ctactgtagg
	gttcagggtta	catcagtttt	cttcattgtg	ttctcctagt	gtcagaatg	gtgcctgcta
	catggtagat	gctcaataaa	tatttgttga	atggatgacc	tgatgaataa	ataatgaaat
10	gaatgaatgc	atctctcctt	caaagcgctg	ttgtgaggat	taaatgagat	tatgagcata
	ttgctttttg	cacgtagaga	tgccagatgg	aagtttttcc	ccctcaaaga	ggctttggag
	aagtctattc	ctcaaaagag	gttaataaaa	aagatcaatt	ccaccttcaa	tcattaattc
	aactcttatt	tactgagcac	ctagtatgcc	tgaggtgctg	ttgcaggcgc	tggatataca
	gccatgagca	aactgtacaa	agtccttgtc	gttatggagt	tgcaagctag	gtgggagaaa
15	tagacaataa	acaaatacac	ataaaaataa	acattaggca	aagtgtctgta	aggaaatatt
	gtggagcgta	aaaggatagg	gagtaatgga	gggatggat	tttttaattc	gagtggtcag
	ggaaggcttc	caggaggagg	tgacaccttg	aaggagcagg	atttagcaca	gattgaggac
	ccggttgtct	gagggcagga	agactggaaa	gagagggtca	gaggtatcat	aaaggggcac
	ctccaagtaa	ccccagccc	cttgatttga	aaatggctca	gggtaagaaa	aaacacgtga
20	gatccaaggg	cccctctcta	gatggagaaa	gcccataagc	aacaagtaca	gcttcgttta
	atgtggtgag	aagtgatgtc	ccctgtgcac	agtgtcagaa	aattccccca	tgcagctgga
	aaactccccc	attacatcct	ggaaagaaag	gggttagat	ccagacaggg	atggaggcaa
	agggtgtctc	tctcagggaa	ccttacaacc	tcttccccct	cagagaattt	tctgacact
	ctcaactgtg	cagaagtata	aatctttccc	cagaagaagt	gtgaggatgc	ttaccggggg
25	cagatcacag	atggcatggt	ctgtgcaggc	agcagcaaa	gggctgacac	gtgccagggtg
	agcaatttct	gaaatccttc	tcctcacaca	tcctcattg	ccctctcgag	gttcaaggct
	tggatggggg	tgggggtggt	aagggagtga	ccccaaagac	ttggcacccc	gagtggtcac
	ccctatctct	acggattggg	agccagggtc	agagaagcca	aactctctct	ctgaaagtca
	cactgcatag	ggattaggag	cattgaattg	ctgctgtgtg	tttctttcga	acgcttaact
30	acaggatggg	atgcagagtt	gggggctata	gaggggtggg	tagatgtcca	gcaaggagag
	agtctgaggg	tagagttag	acgagttgcc	tgctctctgg	ttcccagcat	tacatcgtgg
	aatttgtgcc	gactttacca	ccggccccgt	ggtcagccac	ttttctttga	gaccgggcta
	gaatcccaag	gctggttccc	ttctcctgtg	attggttcct	tgggagacaa	tgggtgtctc
	ccagttggct	ggagtaaatg	gtgccattga	cttcagtgct	tcctcaatga	gctccaatcc
35	ctttctcttg	ggatttgtca	tagatataac	tctctcttct	aactgcaact	tcgttgttcc
	tagcaactttc	ccctggcttt	gtccacttcc	tggaaagccc	accacctttg	ccaatgactg
	gtocctaaat	acaatgcttt	cttccccatt	ggccaaaaat	ggagtctgtt	ccatcagcga
	tactgccatg	aaagccagtc	tctggattgt	tctgtagaga	tagtggtctc	ttccacaaat
	atttcagcca	tgggtctctg	gggatattgt	gtgtgtgtgt	gtgtgtgtgt	gtgtgtgtgt
40	gtgtgtgtgt	gtgtccataa	gaatcttgat	cctttctcct	atgttttgca	atgcacatca
	atgatgcctt	cactattggc	caggaacaga	ggaaacttca	gtcagtcct	ctccaagtaa
	tcctactgt	cttctccctg	gattggaccc	tcgagaactc	tttttttttt	ttttttgaga
	cagggtctcg	ctctgtcccc	caagctggaa	tgcaagtggca	caatcttggc	tcactgcagc
	ctctgcctcc	cagttcaagc	aattctccca	cctcagcctc	ccgagtagct	gtgattacag
45	gtgtgcacca	ccacaccag	ctagtttttg	tatttttagt	agagacaggg	attcaccatg
	ttggccaggc	tggctctggaa	cgccctgactt	caagtgatct	accgcctcgg	cctcccaaag
	tgcggggatt	gcagggtgtga	gccaccaagc	ctgtctggga	tttcattctt	tccctctctc
	tgtcagtggt	ttgaccacta	cccttagaca	ccatgtctgt	ctgtacatgg	aagccccaag
	ccctgtcctg	actggtctca	ggggacaatg	cttttaccct	cattgggtac	aggggaccaa
50	tcagtccaaa	gaactggtaa	aacgctggga	cagcaggaaa	agggacgttg	tggacatctc
	agatgcaagg	ctgttctcat	tctccctgtc	tagggcgatt	ctggaggccc	cctggtgtgt
	gatggtgcac	tccagggcat	cacatcctgg	ggctcagacc	cctgtggggag	gtccgacaaa
	cctggcgctc	ataccaacat	ctgccgtac	ctggactgga	tcaagaagat	cataggcagc
	aagggctgat	tctagataaa	gcactagatc	tccttaata	aactcacaac	tctctgggtc
55	cttgccctgtc	tctgttttgg	ccctgtgggg	agggctggat	ggggatccgg	gattgttctc
	gctggcagac	taggtgggga	tgtgcagaaa	ccaagtcttc	atggctcact	tggccatcac
	cactgcctaa	agtgatccct	cgttttctgg	aagaacttgg	gtaagagctt	tatttcaggg
	gagaaaatac	atacaaaggt	cttcaaacat	tcagtgggct	ggtatgtgaa	agacagtttt
	gaaagagttt	gtgttttagt	ttcctgagca	aagcattttac	aagctttgga	gataaaattt

tcccccttta aaaaataatt

SEQ ID NO. 16

5 Hk10 amino acid

MRAPHLHLSAASGARALAKLLPLLMAQLWAAEAALLPQNDTRL
PEAYGAPCARGSQPWQVSLFNGLSFHCAGVLVDQSWVLTAAHCGNKPLWARVGDHLL
LLQGEQLRRTRTSVVHPKYHQSGPILPRRTDEHDLMLLKLARPVVPGPRVRALQLPY
10 RCAQPGDQCQVAGWGTTAARRVKYNKGLTCSSITILSPKECEVFYPGVVTNNMICAGL
DRGQDPCQSDSGGPLVCDETLQGILSWGVPYPCGSAQHPAVYTQICKYMSWINKVIRSN

SEQ ID NO. 17

15 KLK10 nucleic acid

Gene 1...1580
CDS 220...1050

20 catcctgccca cccctagcct tgctggggac gtgaaccctc tccccgcgcc tgggaagcct
tcttggcacc gggaccggga gaatccccac ggaagccagt tccaaaaggg atgaaaaggg
ggcgtttcgg gcaactggag aagcctgtat tccagggccc ctcccagagc aggaatctgg
gaccocaggag tgccagcctc acccacgcag atcctggcca tgagagctcc gcacctccac
ctctccgcgg cctctggcgc ccgggctctg gcgaagctgc tgccgctgct gatggcgcaa
25 ctctggggcg cagaggcggc gctgctcccc caaaacgaca cgcgcttga ccccgaggcc
tatggctccc cgtgcgcggc cggtctgcag ccctggcagg tctcgctctt caacggcctc
tcgttccact gcgcgggtgt cctggtggac cagagttggg tgctgacggc cgcgcactgc
ggaaacaagc cactgtgggc tcgagtaggg gatgaccacc tgctgcttct tcagggagag
cagctccgcc ggaccactcg ctctgttgtc catcccaagt accaccaggg ctcaggcccc
30 atcctgccaa ggcgaaacgga tgagcacgat ctcatgttgc tgaagctggc caggcccgtg
gtgctggggc ccgcgctccg ggccctgcag cttccctacc gctgtgctca gcccgagac
cagtgccagg ttgctggctg gggcaccacg gccgcccggg gagtgaagta caacaagggc
ctgacctgct ccagcatcac tatctgagc cctaaagagt gtgaggtctt ctacctggc
gtggtcacca acaacatgat atgtgctgga ctggaccggg gccaggaccc ttgccagagt
35 gactctggag gccccctggt ctgtgacgag accctccaag gcatcctctc gtggggtgtt
taccctctgt gctctgccc gcatccagct gtctacacc agatctgcaa atacatgtcc
tggatcaata aagtcatacg ctccaactga tccagatgct acgctccagc tgatccagat
gttatgctcc tgctgatcca gatgccaga ggctccatcg tccatcctct tccctcccag
tcggctgaac tctccccttg tctgcactgt tcaaacctct gccgcccctc acacctctaa
40 acatctcccc tctcacctca ttccccacc tatccccatt ctctgcctgt actgaagctg
aaatgcagga agtgggtgga aaggtttatt ccagagaagc caggaagccg gtcacaccc
agcctctgag agcagttact ggggtcacc aacctgactt cctctgccac tccctgctgt
gtgacttttg gcaagccaag tgccctctct gaacctcagt ttctcatct gcaaatggg
aacaatgacg tgcctacctc ttagacatgt tgtgaggaga ctatgatata acatgtgtat
45 gtaaattctc atggtgattg tcatgtaagg cttaacacag tgggtggtga gttctgacta
aaggttacct gttgtcgtga

SEQ ID NO. 18

KLK10 nucleic acid

50

Gene 1..5574
mRNA join(48..120,605..701,2455..2635,3589..3863,4195..4328, 4793..5474)
CDS join(614..701,2455..2635,3589..3863,4195..4328,4793..4945)
Promoter 1...47
55 5'UTR join(48..120,605..613)
exon 48...120

exon 605...701

	ttgggggtcaa	aagggaaggt	cccgcaggg	gtccctgggc	agaggatacc	agcggcagac
	cacaggcagg	gcagaggcac	gtctgggtcc	cctccctcct	tcctatcggc	gactcccagg
5	tgaagctacc	tgcaccccac	ccgggttggg	gtggattgcg	agaggatggg	tgggaacccc
	cgggccacag	gcaggagccg	gcttagagcc	tcggtttctc	cactgcggga	cgcggaagtc
	cccccgctgt	gaggttgaga	aagaggctcc	cactggctcc	gagcctcgga	tccccacccc
	gcgcgtgaag	gagggggaaa	cctcggggcg	ggcgtggctg	cagccagggt	agctggggcg
	cggagagcgc	tccactcggg	cacagggaag	acgggaagat	gccgcgaggg	gcgtcattag
10	ggtaattgtg	cccattaccg	tgttcagcc	cgaatctccc	gtctgccagc	ccctgggggt
	atcggtgca	ggtcaaaagg	gtgcttgccg	gctgggggtg	cccaggctgg	gcggtagagc
	gcggcgagggt	gggggtctct	aacggagcat	ctgttttaac	ccgccccctg	acacaccccc
	gcagatcctg	gccatgagag	ctccgcacct	ccacctctcc	gccgcctctg	gcgccccggg
	tctggcggaag	ctgctgcgcg	tgctgatggc	gcaactctgg	ggtaagggtg	gggacagggg
15	gcggggagag	gcgcgggtgg	gaggcacggg	cgggagggca	atgtgttccc	gtcaccaagc
	ccgcgcacc	tctcctcccc	cgagacccca	gcaccacccc	agcgtctccg	agcacggccc
	gcccccaagt	cagctggggc	ctctctctgg	ctcggcccc	gggtgaccgc	ccccactcag
	gccctgtccg	atttctgcc	ccggatcct	cgtctctccg	tggactcttc	ggcgtgttct
	tctcctcct	cttacgcgcg	cccatcccg	ccccgctcca	ttttacacta	ccgtgttttg
20	ttttgtttgt	ttgtttgttt	gagacggagt	ctcgtctgt	cgcccaggct	ggagtgcagt
	ggcgcgatct	cggctcactg	caagctccgc	ctcccgggtt	cacaccatc	tctgcctca
	gcctcccag	tagctgggac	tacaggcgcc	cgcaccaag	cccggtagt	ttttgtatt
	tttagtagag	atgggatttc	acogtggct	cgatctcctg	gcctcgtgat	ccgcctgcct
	cggcctccca	aagtgcgtgg	attacaagcg	tgagcaaccg	ctcccggcca	caccacagtg
25	ttttatcctg	agtcttgcc	taccgctttt	tgccctctcc	cctcactttt	tttcttctc
	tttccctttc	tctctctttt	ttctttttct	ttctttcttt	tctttctttc	gttcttcttt
	tcttctcttc	ctttctcttc	ttctttctgt	ttgtttcttc	ttcttctgtt	tactttctct
	cttatttttt	cttctttctt	tcttgttttt	tttctttctc	tctctttttc	tttcttctt
	tttttttttt	tttttttgag	acagggcagt	gctctgtctc	cgtggctgga	gtacagtggc
30	ccaatcagag	ctcactgcag	cctcgacctc	ctgggctcaa	gcgatactca	gcctccagag
	tagctgggtac	cacaggcatg	caccaccaca	tccggctttt	tttttttttt	tttttttttt
	tttttttgag	acagggtctc	actctgtcgc	ccagactgga	gtgcagtggc	ccaatctcgg
	ctcattgcaa	cctccacctc	ctgggctcaa	gcgatcctcc	cacctcagcc	tcccaggtag
	ctgtgactac	aggcgcagtc	ctccgcgact	acttttttgt	tggtgttgtt	ggtgtgttgt
35	ttttgtagag	actgggtctt	gctgtgttgc	cgggctgggt	cttgaattcc	cgagctcaag
	cggctccaacc	gcctcggctt	cccaaagtgc	tgggattaca	ggcgtaaacc	actgcgcccc
	acccctctcc	tggttttcaa	tcccgttttg	ttattcacac	cccttctctc	ccccgatccc
	cagattctat	ccccgcaccc	ttacctcccc	gcgcggttca	atccccgccc	ctctatcgac
	cagcgacgtt	ctagccagct	ctccaggcgc	gctgcgttca	gtccctgccc	tccagaccca
40	ccctattctg	tctcattact	ccagcttacc	ctatcccagc	ttccttccac	tttcacgcgc
	ttcttctcct	cccattcctt	cgtgtcacgc	gaaaccccc	atatttccct	accacctctg
	cgttctggct	gogtcccccg	tccccgaacg	cagtccagtg	ccacagccca	gctccaaccc
	caaaaccaga	ccctgccttc	cgtgcttga	ttccgtcccc	tttctttctc	ccagccgcag
	aggcggcgct	gctcccccaa	aacgacacgc	gcttgagccc	cgaagcctat	ggcgccccgt
45	gcgcgcgcgg	ctcgcagccc	tggcaggctc	cgtcttcaa	cggcctctcg	ttccactgcg
	cgggtgtcct	ggtggaccag	agtgggtgc	tgacggccgc	gcactgcgga	aacaagttag
	aggagatcca	tccccgagga	cgccacgggg	ggctgtggag	gcggcctcca	gggaggagcg
	ggcagggcgg	ggtctctcgg	aactcccaca	gctggagggtg	cggccccggg	tgtccttcca
	gcaggaggag	agaccgggct	tgcgtgtggt	ccgccagggg	acggtgtggt	ccttttccgc
50	atttctgggc	ccgtcactcc	tctcccgctg	attctccttg	agctctagga	ggaggtgggt
	gcctgcaacg	gatagaagcc	agggctccgt	gtggtcagga	atttagaact	aaaggaaaag
	gttcaacttcg	tgagtccccg	ttgaaggagg	aagggttggg	tattaccaca	gagaaaaatg
	ggagttgggc	tgggctcggg	ggctcaccgc	tgtaatccca	gcactttggg	aggccaaggc
	gggtggatca	cctgagggtca	ggagttcaag	accagcctgg	ccaacatggt	gaaaccactt
55	ctcaactaaa	aataaaaaaa	aataaaaaat	aaaaaatatt	aaaaaaatta	aaaaaaaaaa
	aaggctgggt	gtggtggcgg	gtgcctgtaa	tcccagctac	tcaggaagga	ggctgaggca
	ggagaactgc	ttgaacctgg	gaggtggagg	ttgcagttag	ccgagattgc	gccattgcat
	tctagcctgg	gtgacaagag	cgaactctg	tttcaacaaa	gaaaagaaaa	agagaaaaga
	aaatgtggaa	ggcttaccta	ggtgtccagg	ccccagcccc	tcctcaattc	ctgcagatcc

tcagagctca aacaactgat tcctcctccc catgtccact gaggtccct tctcccacaa
 ggccctcttc cctcagactc ttcctatctc caggccctgc ttcactgccc acctgctttc
 ccagtccttg tgaagggttt gccttcacat gcctcttcc tccccaggc cactgtgggc
 tcgagtaggg gatgaccacc tgctgtctct tcagggcgag cagctccgcc ggacgactcg
 5 ctctgttgtc catcccaagt accaccaggg ctcaggcccc atcctgcca ggccaacgga
 tgagcacgat ctcagtgtgc taaagctggc caggcccgta gtgccggggc cccgcgtccg
 ggccctgcag cttccctacc gctgtgctca gccggagac cagtgccagg ttgctggctg
 gggcaccacg gccgccgga gaggcaagag ctggggctct gaggccagaa cctcaggagg
 agggggctga gggcctgaac ccctgggtct gaggaaggat gggctgggga ctggattcct
 10 ggatctgagg gaggacgggc tggggctcta gatgcctggg tctgtgagtc tgaggggagg
 aggggctggg ggcctggact cctgggtcta agtggggagg ggcctggggc aggattcctg
 agtctgaagg aggggggct ggggcttagg atagaaacgg tcttgtatct ggactcctgg
 ctccccaagg attgggggct ggaccaggg attactggca tattctccct tcagtgaagt
 acaacaaggg cctgacctgc tccagcatca ctatcctgag ccctaaagag tgtgaggctc
 15 tctaccctgg cgtggtcacc aacaacatga tatgtgctgg actggaccgg gggcaggacc
 cttgccaggt aggtctgaa caggagagt cctgactcc tgggaggagg gacagggagg
 ttatgggaaa agagcagacc ctgtgccga tcccaaactc cattcccaa cccatccttg
 accccaactc ttaccagac ctaaccctc cctcatccct atcctcaatc ccatctccat
 cctaaccoca cccattccc atctccaagc ccattttcat cccctcacct tccatgaact
 20 acaatcccaa cccaagtctc actgtgcctt cattctcatc cccagccca acctccata
 acctgaagtc cacctccatt cctacctcc agctcatacc taattccaac cccatccat
 cctcgtcttt atcccaaccc aacccctcc tccccacca ctgcccaga tccaaagtg
 acagctctca cgttggcaca tttatttgat ctctccttc tggcaccctc agagtactc
 tggaggccccc ctggtctgtg acgagacct ccaaggcatc ctctcgtggg gtgtttacc
 25 ctgtggctct gccagcatc cagctgtcta caccagatc tgcaaataca tgtcctggat
 caataaagtc atacgtcca actgatccag atgctacgct ccagctgac cagatgttat
 gctcctgctg atccagatgc ccagaggctc catcgtccat cctcttccct cccagtcggc
 tgaactctcc ccttgtctgc actgttcaaa cctctgccgc cctccacacc tctaaacatc
 tcccctctca cctcattccc ccacctatcc ccattctctg cctgtactga agctgaaatg
 30 caggaagtgg tggcaaagg tttattccaga gaagccagga agccggtcat caccagcct
 ctgagagcag ttactgggtt caccacacct gacttcctct gccactcccc gctgtgtgac
 tttgggcaag ccaagtgcc tctetgaacc tcagtctcct catctgcaa atggaacaa
 tgacgtgcct acctctaga catgttgtga ggagactatg atataacatg tgtatgtaaa
 tcttcatgtg attgtcatgt aaggcttaac acagtgggtg gtgagttctg actaaaggtt
 35 acctgttctg gtgatctgac cagtcctgg tgaaagcgtg tgtccaggga agaagtgac
 agggtagccc ccaatcccaa ccttccatcc ccaaccctta ggatgatgg aaga

SEQ ID NO. 19

40 Hk11 amino acid

MQRLRWLRDWKSSGRGLTAAKEPGARSSPQAMRILQLILLALA
 TGLVGGETRIKGFCECKPHSQPWQAALFEKTRLLCGATLIAPRWLLTAAHCLKPRYIV
 HLGQHNQKEEGCEQTRTATESFPHPGFNNSLPNKDHRNDIMLVKMASPVSIWAVRP
 45 LTLSSRCVTAGTSCLISGWGSTSSPQLRLPHTLRANITIIHQKCNAYPGNITDTM
 VCASVQEGGKDSQDGGPLVCNQSLQGIISWGQDPCAITRKPGVYTKVCKYVDWIIQ ETMKNN

SEQ ID NO. 20

50 Hk11 amino acid

MRILQLILLALATGLVGGETRIKGFCECKPHSQPWQAALFEKTR
 LLCGATLIAPRWLLTAAHCLKPRYIVHLGQHNQKEEGCEQTRTATESFPHPGFNNSL
 PNKDHRNDIMLVKMASPVSIWAVRPLTLSSRCVTAGTSCLISGWGSTSSPQLRLPHT
 LRCANITIIHQKCNAYPGNITDTMVCSVQEGGKDSQDGGPLVCNQSLQGIIS
 55 WGQDPCAITRKPGVYTKVCKYVDWIIQETMKNN

SEQ ID NO. 21

KLK11 nucleic acid

```

5  aggaatctgc gctcgggttc cgcagatgca gaggttgagg tggctgcggg actggaagtc 61
   atcgggcaga ggtctcacag cagccaagga acctggggcc cgctcctccc ccctccaggc 121
   catgaggatt ctgcagttaa tcctgcttgc tctggcaaca gggctttagt ggggagagac 181
   caggatcatc aaggggttcg agtgcaagcc tctactcccag ccctggcagg cagccctgtt 241
   cgagaagacg cggctactct gtggggcgac gctcatcgcc ccagatggc tcctgacagc 301
   agccactgc ctcaagcccc gctacatagt tcacctgggg cagcacaacc tccagaagga 361
   ggagggctgt gagcagaccc ggacagccac tgagtcttcc cccaccccg gcttcaacaa 421
10  cagcctcccc aacaaagacc accgcaatga catcatgctg gtgaagatgg catcgccagt 481
   ctccatcacc tgggctgtgc gacccctcac cctctcctca cgtgtgttca ctgctggcac 541
   cagctgcctc atttcgggct ggggcagcac gtccagcccc cagttacgcc tgcctcacac 601
   cttgcatgac gccaacatca ccatcattga gcaccagaag tgtgagaacg cctaccccg 661
   caacatcaca gacacatgg tgtgtgccag cgtgcaggaa gggggcaagg actcctgcca 721
15  ggggtgactcc gggggcctcc tgggtctgtaa ccagtctctt caaggcatta tctctgggg 781
   ccaggatccg tgtgcatgca cccgaaagcc tgggtgtctac acgaaagtct gcaaatatgt 841
   ggactggatc caggagacga tgaagaacaa ttagactgga cccaccacc acagcccact 901
   accctccatt tccacttggg gtttggttcc tgttactctt gtttaataaga aaccctaagc 961
   caagaccctc tgcgaacatt ctttgggcct cctggactac aggagatgct gtcacttaat 1021
20  aatcaacctg gggttcgaaa tcagtggagc ctggattcaa attctgcctt gaaatattgt 1081
   gactctggga atgacaacac ctggtttgtt ctctgttgta tccccagccc caaagacagc 1141
   tcctggccat atatcaaggt ttcaataaat atttgctaaa tgagtg

```

SEQ ID NO. 22

25 KLK11 nucleic acid

gene 2313..7622

30 mRNA join(2313..2398,4189..4263,5061..5217,5545..5810,
6627..6763,7158..7622)

CDS join(4224..4263,5061..5217,5545..5810,6627..6763, 7158..7310)

```

35  tgataatagt gttctctctc ctcatgtggtc agggcccag ccattgtcct tgagagaatg 61
   ctgcactctt tatgttgtct tgacagcctc ccctgagatt ggtcattaat gactgtgctc 121
   tctctctcca ttggtcaggc cccagccat tgccttgag agaacctctg tcctttatgg 181
   agttccaccc ttcttccctg ggattggccc cttagagacag tggttcttct ctttgggtta 241
   gccattgcca ttgtcctccg ggaaagtgat tatactcttt tgtctaataa ccagacttgg 301
40  agcctcctcc aaggcccagg actgggttga aggggtgggg aggaaaacag aaataagatg 361
   tctcctctgt tcagacagta cttctcttcc cttccagggt gattctgggg gccccctggt 421
   gtgtggggga gtccttcaag gtctggtgtc ctgggggtct gtggggccct gtggacaaga 481
   tggcatccct ggagtctaca cctatatatt caagtatgtg gactggatcc ggtgatcat 541
   gaggaacaac tgacctgttt cctccacctc cacccccacc ccttaacttg ggtacccctc 601
45  tggccctcag agcaccaata tctcctccat cacttcccct agctccactc ttgttggcct 661
   gggaacttct tggaaacttta actcctgcca gcccttctaa gaccacagag cggggtgaga 721
   gaagtgtgca atagtctgga ataaatataa atgaaggagg ggccatgtct gtccatttga 781
   agtctctcat ctggttgaga ctggaagaag gactcagcag ttccctatc tcataggagt 841
   agaaacagag ctcaataaag gccaggcaca gtggctcaca cctgtaatcc catcactttg 901
50  ggaagctgag gcaggtggat cacctgaggt caggaaactc ggaccagcct ggtcaacata 961
   gtgaaacccc aactctacta aaaatgcaaa aattagccag gcatggtggc gcatgcctgt 1021
   aatcccagct actcaggagg ctgagacagg agaatagcat gaaccctgta ggcagaggct 1081
   gcagcgagcc gagattgaac cattacactc cagcctgggc gacagagcga gactccatct 1141
   caaaaacaaa caaacaaaaa acccagtgtc caaataggat gagggctctc cctgagtagt 1201
55  tactcagaaa tggagtagaa aaagttactt ttaataatat aggccgggtg cagtggccca 1261
   cgctgtaat cccagcactt tgggaggccg aggtgggagg atggcttgag ctgagatttc 1321
   gagatcagcc tggcaacaca gtgaaatctt gtcactacaa aaacacaaaa aattagcttg 1381

```

	gtgtggtggt	gcgtgcctgt	agtcccagct	acttgggaag	ctgaggtggg	aggatcaccc	1441
	gagccgggga	ggtggaggt	gcaaagagcc	gagatcatgc	cactgcactc	cagcctgggc	1501
	aataaagtga	gacctgtgt	caaaaacaaa	aaccagcaa	tataaataag	acacatgttt	1561
	cttcatctgg	cataatagaa	atagtcccc	gagcttataa	gcttttcaag	agtccacaaa	1621
5	agacccgaaa	aagaaaaaga	aaattgttag	ctccaaaata	ccagatgaaa	gctgcaaagt	1681
	caacatttat	gaccatttaa	tccaatgtcc	ataaaaacgta	gcattctttc	cactagccaa	1741
	ctgcagttta	ctttcttgta	atgaagcata	cattgtatct	ttaatgtggg	acgtgctttt	1801
	gttctaataa	gacgaagggt	ggagtgcagg	cttggaagc	aggagagctc	agcctacgtc	1861
	tttaatcctc	ctgcccaccc	cttggattct	gtctccactg	ggactcaaga	ggtgaggaga	1921
10	gaccatctcc	ccaaatgcac	tgaagggaaa	ctggaggagg	gagggagtga	gggggtatca	1981
	taccagcgga	ggcacatttg	ctgagccccc	ccgcagtctg	ctctttccaa	gtggaccctc	2041
	ctggaagcct	gatcccaacc	tccctgcaa	gcaggtctgt	cacccccatc	tctcagatga	2101
	agaaactgag	ccttgacagg	gtggagtccc	ttgtccccc	gtcataaggg	tagtcatagt	2161
	agtagggaaga	ggaagcacct	aggtttgagg	ccagggtctg	ctgctgtcag	aacctaggcc	2221
15	ctccctgcc	ttgtccaca	cctggtcagg	ggagagaggg	gaggaaagcc	aagggaaggg	2281
	acctaactga	aaacaaacaa	gctgggagaa	gcaggaatct	gcgctcgggt	tccgcagatg	2341
	cagaggttga	ggtggctgcg	ggactggaag	tcatcgggca	gaggtctcac	agcagccagt	2401
	aagtgaacag	ctggactcgg	gctgcctggg	cggcagggag	aagcggggcag	gggaagggtc	2461
	agcagaggag	cgaggcccca	gaggagccct	gggggtggagc	acagccaagg	gctctgttcc	2521
20	cttccctgga	ctcggcttcc	acaggccctg	acctgcctcc	cccaccctcc	ggtcctgccc	2581
	ctgtgcctgg	cagcagcccc	acctgtgtga	catcccagca	cacccccctc	ctccttgcaa	2641
	aggagaaggg	agcggcctag	gggaggccag	gggcccacct	gggctggggc	tgtggagagg	2701
	gagtggctgg	gacgggagga	aaaagagaga	cggagattag	atggaagaag	agggatttca	2761
	agacaaattg	ccagagatgc	agtcagagag	actgactgag	agacacaaag	atagaaggaa	2821
25	ttagagaaag	ggccacacag	agccagacag	agagagaaga	gtggagatgg	agacagggag	2881
	gaggacagag	aaaggcagac	agacacatag	ggacagaaag	agaaaaatca	cacaaagtca	2941
	gaattactga	atgacaggga	atgacacata	gaacgagaca	cagattcaga	gactcagggc	3001
	agggaaagga	aggctgcaga	cagacagaca	gacagaggga	ggctgagaca	cagggagaaag	3061
	aggggcttgg	agagggtggc	caggcaggga	gccagtgcct	cagaggcctc	cggggagggc	3121
30	cctcacacac	accccgcctc	ggggcattaa	ggcagggctt	ggaggccagt	catcctgggc	3181
	ccgcccaggg	ccgccccctc	gccagcccgc	ctgcctgggt	cctggcacct	ggcgctccaa	3241
	cccagcctac	ctgctgtagc	tgccgccact	gccgtctccg	ccgccactgg	gccccagag	3301
	cccagccccc	agagcctgtg	agtcaggag	gaaagggaag	ctgcccctcc	ccgtccagggt	3361
	gtcagccctc	cccaaggaca	cctgtcccac	tggggcaccc	atttctccct	ctgctctgtc	3421
35	cttctctgct	tgggtggggg	ttcctggcct	ctctctacac	ctctcacctc	cgatggctgt	3481
	ccgcagcctc	agttacctct	aatctccatg	gcttcagctg	ctgagctggc	cctctgtctc	3541
	cacccccgct	ggccagggca	gcggagggca	ctggccctcc	cctcgaccag	ccccgccag	3601
	ctttgcttgg	ctgtccttca	aaagggcagg	ggtttggcgg	acagggcttc	agcaagccgg	3661
	gtgatggggg	tcccagacat	tgtctggggc	tgagccccct	actcccctcc	agcagacctc	3721
40	aaaggctcca	tatcgctctg	ctgcgaagac	aatgaaaaag	gggtggctac	ggaacggtgt	3781
	ctgggtcccc	ttgtccttcc	acccaagct	gctggggcct	ggccagctct	caaggcaaga	3841
	aggaaaacat	cctctgacat	gtgccgggga	ggtcccatgg	ctgacttgaa	cagggccgaa	3901
	ccatggcttg	acagctcaaa	gcccctccca	acgacttcca	catggttctt	ggtatctcgg	3961
	aagcttctag	ctgtgaccag	gccctctcca	aggccacctc	agacacctaa	gatataat	4021
45	aagtgttttg	agatctgagt	gctgtgagaa	acaggggatt	tccccaacct	tgtttctccc	4081
	aagtggggag	cgggagcagg	tgaggagag	aggagagggc	atgagccagc	ccccccctcc	4141
	cgatttcccc	gtaaagtgat	gcggcccat	gtccctcctt	gttcccagag	gaacctgggg	4201
	cccgctctc	ccccctccag	gccatgagga	ttctgcagtt	aatcctgctt	gctctggcaa	4261
	caggtacgca	ggggatgggg	gcagggcagg	atcctccctc	ttgaatctct	gggatccctc	4321
50	aaccctctgt	gtctggacag	tgacagggt	gattccaaat	tacagaacaa	cccataaggc	4381
	acctgaactg	gagcagtggg	catgagggcc	tggatgccct	tctagataat	ccctttaa	4441
	gccaaaggag	gagaggtcaa	gggggtcgta	aagggtcccg	tggaggggct	gaggaagctg	4501
	gagttggggg	agcagtcact	caaagcgccc	aggacagggg	ctactgacca	accagtatgg	4561
	aagtatttcc	tttttttttt	ttcccagaga	caaagtcttg	ctctattgtc	caggctggag	4621
55	tgccgtgggtg	ccaacacggc	tactgcagtg	cttgacttcc	cgggcttaag	tgatccttaa	4681
	gccatctcag	cttccccggg	agctgggacc	acaggcacct	gccaccaagc	caggctaatt	4741
	gtttaattgt	ttgtagagat	gggggaggag	gtctcactat	gtttgcctag	cgtgatctag	4801
	aactcctggg	ctcaagtaat	cctcccacct	tagcctctca	aagtgtggg	attacaggca	4861
	tgagccactg	catttgacct	tatggaagta	ttttcatcct	ttaatacccg	acccagcat	4921

	ccagggcaac	ccagagggac	accagaccag	ggcccagacc	accactctc	tttctctct	4981
	ccccacccc	atttctggga	gtcctcctgg	tctaccacct	ctccttctg	agcccttct	5041
	tttgctctca	ccccctccag	ggcttgtagg	gggagagacc	aggatcatca	aggggttcga	5101
	gtgcaagcct	caactcccagc	cctggcaggc	agccctgttc	gagaagacgc	ggctactctg	5161
5	tggggcgacg	ctcatcgccc	ccagatggct	cctgacagca	gcccactgcc	tcaagccgtg	5221
	ggtgcggggg	ctggggcggt	gccgggggtg	ggggctggga	atggggagat	ggatggagag	5281
	aagctcaggg	ataggggtgc	tggttaaggg	attagagatg	gggatgggta	gtgtcagcaa	5341
	ggttgatggg	ctcgagttgg	tattgaaggt	gggggatga	atggggttgg	gatggggcta	5401
	tggctgggaa	gggggcttcg	gtgggagacg	tggaagaggt	tggaagcaga	gcgatgtttc	5461
10	ttcatcctca	aaggtgtcac	tcacctctcc	cacctatgtc	ttccccgacc	tttctctctc	5521
	caactactgt	ctctcccacc	tcagccgcta	catagttcac	ctggggcgac	acaacctcca	5581
	gaaggaggag	ggctgtgagc	agaccgggac	agccactgag	tccttcccc	accccggtt	5641
	caacaacacg	ctcccccaaca	aagaccaccg	caatgacatc	atgctggtga	agatggcatc	5701
	gccagtctcc	atcacctggg	ctgtgcgacc	cctcacccctc	tcctcacgct	gtgtcactgc	5761
15	tggcaccagc	tgcctcattt	ccggctgggg	cagcacgtcc	agccccagt	gtaggagcac	5821
	cagaggggaa	cctggcaggg	ggtggtgagg	agggagtgg	caggattgtg	gaagggttca	5881
	gggcatcaga	gatgcggttc	acagtgcagc	tgtgggataa	gttgagagga	tgtgtggaaa	5941
	acgtcaggat	aggggggtgg	ggacaaaagt	tggggccttg	gagtcagacg	gacgggatat	6001
	gcaatcatatc	atccataacc	tcctggttgg	aagaccttag	gcaagcagct	tcacctctct	6061
20	gaatcttgat	tttcttctct	ataaaatgag	aatgattata	cccacctgtc	aggattggat	6121
	tagagataat	gtatatcaag	caactgacat	aatcatttta	ttggatagca	ggctgggcac	6181
	cgtggctcac	gcctgtaatc	ccagcacttt	gggaggccga	ggtgggaaga	tcacctgagg	6241
	tcaggacttt	gataccagcc	tgcccaacgt	ggtgaaatcc	catctctact	aaaaatgtga	6301
	aaattagttg	ggcggtggtg	tgtgcgcctg	taatcccagc	tactcgggag	ggttaggcag	6361
25	gagaatcgct	taaaactggg	agacggaggt	tgacgtgagc	caagatcacg	ccactgcact	6421
	ccagcctggg	caacagagca	agactctgtc	tcgaaaaaaa	aaaaaaaaaa	gctggatagc	6481
	attgctgttg	ctattgttac	aagaagagag	gtgagttggc	tgcgcttaag	gacagggatt	6541
	cccccagggg	cgggatcaca	gcaagcactg	cattagggga	ggtggcaggg	ggctcattcc	6601
	cacagccctt	cacgtgtttt	ccacagtacg	cctgcctcac	accttgcgat	gcgccaacat	6661
30	caccatcatt	gagcaccaga	agtgtgagaa	cgcctacccc	ggcaacatca	cagacaccat	6721
	ggtgtgtgcc	agcgtgcagg	aagggggcaa	ggactcctgc	caggtcagtg	tggtctccaa	6781
	ccacagcccc	atccccatcc	ccagcttcaa	tgacatcttt	accgacatcc	acaatttcat	6841
	ccccaacctc	aaccgcgcca	cccctgcaac	tcccaatcca	tctcttcccc	tgttcccggt	6901
	tctgacctca	gcacaaaactt	cagctccatc	cccgtttcca	cacctttccc	agctccaacc	6961
35	atccccaaac	tcgtttttga	gcctaaccoc	atcctttatc	ccaccataaa	tccdagcttt	7021
	atcgctaaac	ctatcacctt	tcccagtgcc	taccatcctt	gtctcggccc	cactcctaag	7081
	caccgtcccc	acctcctccc	tggttaacac	catgctcaac	gctttctctg	accgacattc	7141
	tctctccccg	tgcccaagggt	gactccgggg	gccctctggt	ctgtaaccag	tctcttcaag	7201
	gcattatctc	ctggggccag	gatccgtgtg	cgatcacccg	aaagcctggt	gtctacacga	7261
40	aagctctgcaa	atatgtggac	tggtaccagg	agacgatgaa	gaacaattag	actggaccca	7321
	cccaccacag	cccatcaccc	tccatttcca	cttggtgttt	ggttcctgtt	cactctgtta	7381
	ataagaaacc	ctaagccaag	accctctacg	aacattcttt	gggcctcctg	gactacagga	7441
	gatgctgtca	cttaataatc	aacctggggt	tcgaaatcag	tgagacctgg	attcaaatcc	7501
	tgccttgaaa	tattgtgact	ctgggaatga	caacacctgg	tttgttctct	gttgtatccc	7561
45	cagccccaaa	gacagctcct	ggccatatat	caaggtttca	ataaatattt	gctaaatgag	7621
	tgaatctact	gagtgtttac	tatgtgctag	acctgatcc	aatggctttt	attttatttt	7681
	attttttgac	agagtctcgc	tctgtcaccc	aggctggagt	acagtgggtg	tatctctgct	7741
	cactgcaacc	tccacctcct	gggttcaagc	aattctcctg	cctcagcctc	ctgaatagct	7801
	gggattacag	gtgcctacca	ccacatccgg	ctaatttttg	tatttttttag	tagagatggg	7861
50	gcttcaccat	gttgccaggg	ctggtctcga	actcctgacc	tcagatgac	tgccctcctt	7921
	ggcctcccaa	actcctggga	ttacagacgt	gagccaccgc	gcccggcccg	ctttcatttta	7981
	tttaattaaaa	gaaattaaaa	taattaatct	atthagga	cagtcttgct	ctgttgccca	8041
	ggctggagtg	cagtaacaat	cacagctcac	ggcaatctca	atctcctggg	gtcaagtgat	8101
	tgtcctccct	cagcctccag	agtagctggg	actacaggca	catgccacga	agcccagcta	8161
55	attttttgat	ttttcgtaga	gacagaggtc	tcagtatggt	gccccggcta	gtctcaaaact	8221
	cctgggctca	agcagtctgt	ctcctcagc	ctccaaaagt	ggtgagatta	caggcatgag	8281
	tcgctgtgcc	tggectccaa	gcactttcaa	atgtatcaac	ttaatcctca	caaaacctg	8341
	tgaggtcggg	actgttttca	tacctatttt	atagttgaag	aaacagacac	agagaagcaa	8401
	agtcacttgc	tcacagtcac	gtggctagga	gagcaaggat	ctgaagcaag	gcgatctctt	8461

```
aattaccaag tgatgttcc tggagtaaggc tctgtttggt tcctttcctg taaaatgctg 8521
catgcaaaaag tataacacag taagtaaaga agtcagttag cctgcacata ctaagacctg 8581
accaaaggag cttattgttt ttctccaact tccatgatag gtaattagat agtggagacc 8641
tctgctggcc aatatggtag ccactaaccg cagctggctc ttccaattaa aattacataa 8701
5 agccagaaat gtaactcctc tgtctcactt gttatatctc caaggctgga tagccacatg 8761
tgactgggtg tggctggatt agctagtgc taaaaacat cactgcagaa agttcagctg 8821
agcagcactg agttagatgg cctctgaaga ggatgtcca cggagagaat ccagaactca 8881
ggatcctttt tttttttttt ctttgcgaca gagtcttgct ctgtcaccca ggctggagtg 8941
cagtggcgctg atctcggtc actgcaactt ctgcctccca ggttcaagca attctcctgc 9001
10 ctcagcctcc ctagtagctg ggactacagg cctgtgccaa catcccagc taatttttgt 9061
gtcctttttg tagagatggg gtttcactat gttggccagg ctggtctcga actcctgacc
```